ELSEVIER

Animal Feed Science and Technology
(2002) 115–155

ANIMAL FEED SCIENCE AND TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Author index

Animal Feed Science and Technology, volumes 76–100, 1998–2002

PII: S0377-8401(02)00197-9

A

Aarstad, K.G., see Skrede, A., 76 (1998) 103
Abdalla, A.L., see Vitti, D.M.S.S, 79 (1999) 145
Abdelgadir, I.E.O., see Mathis, C.P., 93 (2001) 31
Abd-Elrazig, S.M. and Elzubeir, E.A., Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89
Abdel-Wahhab, M.A., Nada, S.A. and Khalil, F.A., Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209
Abdullah, N., see Jetana, T., 84 (2000) 167
Abdullah, N., see Pimpa, O., 92 (2001) 203
Abdullahi, U.S., see Kallah, M.S., 84 (2000) 137
Abdulrazak, S.A., Fujihara, T.S., Ondiek, J.K. and Ørskov, E.R., Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89
Abel, H., Reply to "Letter to the Editor", 88 (2000) 133
Abel, H., see Römer, A., 81 (1999) 193
Abel, H., see Römer, A., 83 (2000) 325
Abel, H.j., Immig, I. and Harman, E., Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65
Abou-El-Enin, O.H., Fadel, J.G. and Mackill, D.J., Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129
Abouheif, M.A., see Kraidees, M.S., 76 (1998) 149
Abrams, S.M., see Weimer, P.J., 93 (2001) 115
Abreu, J.M.F., see Bruno-Soares, A.M., 83 (2000) 75
Abreu, M., see Salgado, P., 98 (2002) 187
Abu, O.A., see Onifade, A.A., 77 (1999) 25
Acamovic, T., see Mupangwa, J.F., 83 (2000) 139
Acamovic, T., see Salawu, M.B., 77 (1999) 181
Acamovic, T., see Salawu, M.B., 79 (1999) 289
Acamovic, T., see Salawu, M.B., 82 (1999) 243
Acosta, A., Grigera Naon, J.J., Acosta, G. and Deregibus, V.A., Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247
Acosta, G., see Acosta, A., 93 (2001) 247
Adejumo, D.O., see Onifade, A.A., 77 (1999) 25
Adekunle, I.O., see Larbi, A., 77 (1999) 33
Adesogan, A., see Wilman, D., 84 (2000) 33
Adesogan, A.T., Salawu, M.B. and Deaville, E.R., The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161
Adesogan, A.T., see Adogla-Bessa, T., 82 (1999) 51
Adesogan, A.T., see Salawu, M.B., 94 (2001) 77
Adesogan, A.T., see Salawu, M.B., 96 (2002) 43
Adogla-Bessa, T., Owen, E. and Adesogan, A.T., Ensiling of whole crop wheat with cellulase–hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51
Aello, M.S., see Di Marco, O.N., 99 (2002) 37
Aganga, A.A. and Mosase, K.W., Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107
Agarwal, N., see Sahoo, A., 80 (1999) 83
Agbagla-Dohnani, A., Nozière, P., Clément, G. and Doreau, M., In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15
Agnew, R.E., see Brown, V.E., 98 (2002) 13
Agnew, R.E., see Park, R.S., 78 (1999) 325
Agrawal, D.K., see Ravi, U., 88 (2000) 121
Agrawal, I.S., see Tripathi, M.K., 92 (2001) 73
Agrawal, I.S., see Tripathi, M.K., 94 (2001) 137
Aguilar, C., see Camacho, D., 80 (1999) 123
Agunbiade, J.A., Wiseman, J. and Cole, D.J.A., Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165
Ahmad, T., Rasool, S., Sarwar, M., Haq, A.-u. and Hasan, Z.-u., Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
Ahvenjärvi, S., see Choi, C.W., 96 (2002) 203
Ake, C.L., see Lemke, S.L., 93 (2001) 17
Akbar, M.A., Lebzien, P. and Flachowsky, G., Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53
Alaviuhkola, T., see Laurinen, P., 83 (2000) 1
Albin, D.M., Wubben, J.E. and Gabert, V.M., The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173
Al-Dosari, M.N., see Belal, I.E., 81 (1999) 291
Alexandre, G., see Archimède, H., 87 (2000) 153

Alhadhrami, G.A., see Wanderley, R.C., 76 (1999) 207
Ali, M.A., see Khatun, A., 81 (1999) 43
Alimon, R., see Ivan, M., 92 (2001) 127
Al-Jasser, M.S., see Belal, I.E., 81 (1999) 291
Allison, R.D. and Garnsworthy, P.C., Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69
Alomar, D., Fuchslocher, R. and Stockebrand, S., Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309
Alomar, D., Montero, R. and Fuchslocher, R., Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57
Alonso, R., Rubio, L.A., Muzquiz, M. and Marzo, F., The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1
Al-Saiady, M.Y., see Kraidees, M.S., 76 (1998) 149
Alton, K., see Madibela, O.R., 95 (2002) 159
Alvarez, H.J., Santini, F.J., Rearte, D.H. and Elizalde, J.C., Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183
Alvir, M.R., see Cajarville, C., 87 (2000) 203
Alzueta, C., Ortiz, L.T., Rebolé, A., Rodríguez, M.L., Centeno, C. and Treviño, J., Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolyzable energy of a diet containing linseed in broiler chickens, 97 (2002) 169
Alzueta, C., see Rebolé, A., 78 (1999) 153
Alzueta, C., see Treviño, J., 84 (2000) 155
Åman, P., see Bergh, M.O., 78 (1999) 215
Ammerman, C.B., see Pott, E.B., 79 (1999) 93
Ammerman, C.B., see Pott, E.B., 79 (1999) 107
Ammerman, C.B., see van Ravenswaay, R.O., 90 (2001) 185
Anang, D.M., see Donkoh, A., 81 (1999) 299
Ando, S., see Islam, M.R., 92 (2001) 237
Andrews, B.S., see James, B.W., 96 (2002) 135
Andrighetto, I., see Cozzi, G., 99 (2002) 13
Anil, L., Park, J. and Phipps, R.H., The potential of forage–maize intercrops in ruminant nutrition, 86 (2000) 157
Ankrah, N.O., Campbell, G.L., Tyler, R.T., Rossnagel, B.G. and Sokhansanj, S.R.T., Hydrothermal and β-glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205
Apori, S.O., Castro, F.B., Shand, W.J. and Ørskov, E.R., Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
Apori, S.O., see Long, R.J., 80 (1999) 101
Aquino-Ramos, J.L., see Wanderley, R.C., 76 (1999) 207
Araba, A., Byers, F.M. and Guessous, F., Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53
Arakaki, L.C., Stahringer, R.C., Garrett, J.E. and Dehority, B.A., The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121
Arakawa, M., see Islam, M.R., 92 (2001) 237
Aranda, I.E., see Cabrera, E.J.I., 83 (2000) 49
Archimède, H., Boval, M., Alexandre, G., Xandé, A., Aumont, G. and Poncet, C., Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
Aregheore, E.M., Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
Armstrong, D.G., see Ortega-Cerrilla, M.E., 77 (1999) 73
Armstrong, D.G., see Ortega-Cerrilla, M.E., 77 (1999) 83
Aroeira, L.J.M., Lopes, F.C.F., Deresz, F., Verneque, R.S., Dayrell, M.S., Matos, L.L.de, Maldonado-Vasquez, H. and Vittori, A., Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313
Arosemena, A., see Fadel, J.G., 85 (2000) 121
Ashbell, G., Kipnis, T., Titterton, M., Hen, Y., Azrieli, A. and Weinberg, Z.G., Examination of a technology for silage making in plastic bags, 91 (2001) 213
Ashbell, G., see Filya, I., 88 (2000) 39
Ashes, J.R., see Gulati, S.K., 79 (1999) 57
Ashes, J.R., see Gulati, S.K., 86 (2000) 139
Ashes, J.R., see Kitessa, S.M., 89 (2001) 189
Ashes, J.R., see Kitessa, S.M., 89 (2001) 201
Assefa, G. and Ledin, I., Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by

cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95
Atreja, P.P., see Gupta, H.K., 78 (1999) 159
Atuahene, C.C., Donkoh, A. and Ntim, I., Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185
Atuahene, C.C., see Donkoh, A., 77 (1999) 163
Atuahene, C.C., see Donkoh, A., 81 (1999) 299
Atti, N., Kayouli, C., Mahouachi, M., Guesmi, A. and Doreau, M., Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1
Aufrère, J., Graviou, D., Melcion, J.P. and Demarquilly, C., Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215
Aumaitre, A., Fernandez, J. and Wiseman, J., Introduction, 90 (2001) 1
Aumaitre, A., see Freire, J.P.B., 87 (2000) 71
Aumaitre, A., see Seabra, M., 89 (2001) 1
Aumont, G., see Archimède, H., 87 (2000) 153
Azrieli, A., see Ashbell, G., 91 (2001) 213

B

Baah, J., Tait, R.M., Tuah, A.K., McAllister, T.A., Bae, H.D. and Cheng, K.-J., Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213
Baba, A.S.H., Castro, F.B. and Ørskov, E.R., Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93
Babatunde, G.M., see Onifade, A.A., 77 (1999) 25
Bach Knudsen, K.E., The nutritional significance of "dietary fibre" analysis, 90 (2001) 3
Bach, A. and Stern, M.D., Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
Bach, A., see Tapia, M.O., 97 (2002) 239
Bachmann, H., see Cone, J.W., 96 (2002) 55
Bachmann, H., see Cone, J.W., 99 (2002) 221
Bae, H.D., see Baah, J., 77 (1999) 213
Bailey, D.W. and Sims, P.L., Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
Baker, D.H., see Peter, C.M., 94 (2001) 199
Baker, D.H., see Peter, C.M., 95 (2002) 63
Baker, R.T.M., Pfeiffer, A.-M., Schöner, F.-J. and Smith-Lemmon, L., Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97
Bal, M.A., Shaver, R.D., Shinners, K.J., Coors, J.G., Lauer, J.G., Straub, R.J. and Koegel, R.G., Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
Balcells, J., see Martín-Orue, S.M., 88 (2000) 59
Balcells, J., see Martín-Orúe, S.M., 88 (2000) 171
Bale, J.O., see Kallah, M.S., 84 (2000) 137
Ball, A.S., see Hill, J., 89 (2001) 83
Ballard, C.S., Mandebvu, P., Sniffen, C.J., Emanuele, S.M. and Carter, M.P., Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55
Ballard, C.S., see Mandebvu, P., 93 (2001) 43
Ballard, C.S., see Uchida, K., 93 (2001) 193
Balogun, R.O., Jones, R.J. and Holmes, J.H.G., Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77
Bamikole, M.A. and Ezenwa, I., Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
Banfield, M.J., Kwakkel, R.P. and Forbes, J.M., Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37
Barber, D.G., see Komolong, M.K., 92 (2001) 59
Bárcena, G.R., see Cabrera, E.J.I., 83 (2000) 49
Barcena, J.R., see Cobos, M.A., 95 (2002) 179
Barnes, R.J., see Park, R.S., 78 (1999) 325
Barrios Urdaneta, A., see Nogueira Filho, J.C.M., 83 (2000) 145
Barrios-Urdaneta, A., see Fondevila, M., 95 (2002) 1
Barry, T.N., see Min, B.R., 92 (2001) 185
Basson, H.M., see Meeske, R., 81 (1999) 237
Batista, A.M., Mustafa, A.F., McKinnon, J.J. and Kermasha, S., In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107
Baucells, F., see Medel, P., 95 (2002) 113
Bauer, M.L., see Loe, E.R., 100 (2002) 43
Bayourthe, C., see Enjalbert, F., 76 (1999) 195
Beauchemin, K.A., see Nsereko, V.L., 88 (2000) 153
Becerro, F., see García-Ciudad, A., 77 (1999) 91
Bechaz, M., see Jones, R.J., 85 (2000) 269
Becker, K., see Getachew, G., 92 (2001) 51

Becker, K., see Hossain, M.A., 95 (2002) 49
Beckers, Y., see Moujahed, N., 88 (2000) 219
Bedford, M.R., Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1
Bedford, M.R., see Svihus, B., 88 (2000) 1
Beeckmans, S., see Van Nevel, C.J., 94 (2001) 147
Belal, I.E., Al-Jasser, M.S., Mustafa, I.A. and Al-Dosari, M.N., Evaluation of date-feed ingredients mixes, 81 (1999) 291
Belyea, R.L., see Ledoux, D.R., 76 (1999) 227
Belyea, R.L., see Wallig, M.A., 99 (2002) 205
Ben Salem, H., Nefzaoui, A. and Ben Salem, L., Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15
Ben Salem, H., Nefzaoui, A., Ben Salem, L. and Tisserand, J.L., Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297–311
Ben Salem, L., see Ben Salem, H., 78 (1999) 297
Ben Salem, L., see Ben Salem, H., 96 (2002) 15
Ben-Ghedalia, D. and Miron, J., Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO_2-treated wheat straw, 92 (2001) 175
Ben-Ghedalia, D., see Yosef, E., 80 (1999) 55
Ben-Ghedalia, D., see Yosef, E., 83 (2000) 115
Ben-Ghedalia, D., Solomon, R., Miron, J., Yosef, E., Zomberg, Z., Zukerman, E., Greenberg, A. and Kipnis, T., Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139
Bento, O., see Salgado, P., 98 (2002) 187
Berg, T., see Tolera, A., 79 (1999) 165
Berge, G.M., see Skrede, A., 76 (1998) 103
Bergh, M.O., Razdan, A. and Åman, P., Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215
Berzaghi, P., see Cozzi, G., 99 (2002) 13
Beynen, A.C., see Vissia, G.H.P., 85 (2000) 139
Beynen, A.C., see Xu, C., 81 (1999) 161
Bhatta, R., Krishnamoorthy, U. and Mohammed, F., Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67
Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143
Bhatta, R., see Sankhyan, S.K., 82 (1999) 261
Bister, J.L., see Derycke, G., 81 (1999) 81
Bister, J.-L., see Mabon, N., 85 (2000) 111
Bister, J.L., see Mandiki, S.N.M., 81 (1999) 93
Bister, J.L., see Mandiki, S.N.M., 98 (2002) 25
Blanchart, G., see Lambert, A., 82 (1999) 75
Blas, E., Fernández-Carmona, J., Cervera, C. and Pascual, J.J., Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
Blas, E., see Pascual, J.J., 81 (1999) 105
Blasi, D.A., see Reed, C., 88 (2000) 47
Bodin, J.-C., see van Kempen, T., 76 (1998) 139
Bogaert, C., see Bravo, D., 99 (2002) 73
Bohnert, D.W., see Swanson, K.C., 86 (2000) 95
Boitumelo, W.S., see Madibela, O.R., 84 (2000) 97
Boitumelo, W.S., see Madibela, O.R., 95 (2002) 159
Bonsi, M.L.K., see Mthiyane, D.M.N., 94 (2001) 171
Boon-ek, L., see Yu, P., 93 (2001) 71
Boon-ek, L., see Yu, P., 95 (2002) 33
Boorman, K.N., see Short, F.J., 79 (1999) 195
Boros, D., Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219
Boss, D.L., see Bowman, J.G.P., 78 (1999) 273
Böttcher, W., see Dänicke, S., 84 (2000) 279
Boucqué, Ch.V., see De Campeneere, S., 90 (2001) 153
Boudon, A. and Peyraud, J.-L., The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
Boudon, A., Peyraud, J.-L. and Faverdin, P., The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83
Boval, M., see Archimède, H., 87 (2000) 153
Bowman, J.G.P., see Earley, A.V., 80 (1999) 281
Bowman, J.G.P., see Taylor, N., 96 (2002) 193
Bowman, J.G.P., Sowell, B.F., Boss, D.L. and Sherwood, H., Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273
Bracht, J.P., see Kung, L., 84 (2000) 69
Bravo, D., Meschy, F., Bogaert, C. and Sauvant, D., Effects of fungal phytase addition, formaldehyde

treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73
Brooks, A.E., see Davies, Z.S., 83 (2000) 205
Broudiscou, A., see Broudiscou, L.-P., 77 (1999) 149
Broudiscou, A.F., see Broudiscou, L.-P., 79 (1999) 43
Broudiscou, A.F., see Broudiscou, L.-P., 87 (2000) 263
Broudiscou, L.-P., Papon, Y. and Broudiscou, A., Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149
Broudiscou, L.-P., Papon, Y. and Broudiscou, A.F., Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43
Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
Brown, V.E., Rymer, C., Agnew, R.E. and Givens, D.I., Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13
Brufau, J., see Cosson, T., 77 (1999) 345
Brufau, J., see Torrallardona, D., 99 (2002) 119
Bruno-Soares, A.M., Abreu, J.M.F., Guedes, C.V.M. and Dias-da-Silva, A.A., Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75
Bunch, R., see McSweeney, C.S., 82 (1999) 227
Bunting, L.D., Yavuz, M., Fernandez, J.M. and Solaiman, S.G., Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61
Buraczewska, L., see Pastuszewska, B., 86 (2000) 117
Burato, G.M., see Cozzi, G., 99 (2002) 13
Burnham, D.J., see Kidd, M.T., 94 (2001) 57
Burns, J.C., see Merkel, R.C., 82 (1999) 91
Burns, J.C., see Merkel, R.C., 82 (1999) 107
Busboom, J., see Huerta, M., 95 (2002) 15
Byers, E.B., see Gulati, S.K., 86 (2000) 139
Byers, F.M., see Araba, A., 97 (2002) 53
Byers, Y.G., see Gulati, S.K., 86 (2000) 139

C

Cabral, F., see Salgado, P., 91 (2001) 197
Cabral, F., see Seabra, M., 89 (2001) 1
Cabrera, E.J.I., Mendoza, M.G.D., Aranda, I.E., Garcia-Bojalil, C., Bárcena, G.R. and Ramos, J.J.A., *Saccharomyces cerevisiae* and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49
Cabrita, A.R.J., see Fonseca, A.J.M., 83 (2000) 173
Caffrey, P.J., see Kavanagh, S., 89 (2001) 49
Caffrey, P.J., see O'Mara, F.P., 81 (1999) 167
Cajarville, C., González, J., Repetto, J.L., Alvir, M.R. and Rodríguez, C.A., Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203
Calhoun, M.C., see Robinson, P.H., 91 (2001) 149
Camacho, D., Nahed, J., Ochoa, S., Jiménez, G., Soto, L., Grande, D., Pérez-Gil, F., Carmona, J. and Aguilar, C., Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123
Campbell, Mathews, M. see Robinson, P.H., 80 (1999) 257
Campbell, D.R., see White, C.E., 87 (2000) 105
Campbell, G.L., see Ankrah, N.O., 81 (1999) 205
Campbell, L.D., see Slominski, B.A., 78 (1999) 249
Campbell, R.G., see King, R.H., 83 (2000) 17
Canistro, J., see Fonty, G., 80 (1999) 297
Cao, H., see Mavromichalis, I., 93 (2001) 127
Carabaño, R., see Gutiérrez, I., 98 (2002) 175
Carabaño, R., see Nicodemus, N., 80 (1999) 43
Carabaño, R., see Xiccato, G., 77 (1999) 201
Carazzolo, A., see Xiccato, G., 77 (1999) 201
Caridi, A., see Scerra, V., 78 (1999) 169
Carmona, J., see Camacho, D., 80 (1999) 123
Carpino, S., see Licitra, G., 77 (1999) 99
Carré, B., see Mohanna, C., 77 (1999) 255
Carriquiry, M., see de J. Marichal, M., 88 (2000) 91
Carro, M.D., López, S., Valdés, C. and Ovejero, F.J., Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279
Carro, M.D., see Tejido, M.L., 97 (2002) 41
Carson, A.F., see Dawson, L.E.R., 82 (1999) 21
Carter, M.P., see Ballard, C.S., 93 (2001) 55
Carter, M.P., see Uchida, K., 93 (2001) 193
Carvalho, F., see Salgado, P., 98 (2002) 187
Carvalho, S., see Seabra, M., 89 (2001) 1
Casler, M.D., Culvenor, R.A. and Combs, D.K., Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107
Castanon, J.I.R., see Ventura, M.R., 85 (2000) 279
Castleman, G.H., see Yu, P., 92 (2001) 1
Castrillo, C., see Martín-Orue, S.M., 88 (2000) 59
Castro, F.B., see Apori, S.O., 76 (1998) 129

Castro, F.B., see Baba, A.S.H., 95 (2002) 93
Castro, F.B., see Long, R.J., 80 (1999) 101
Castro, F.B., see Zahedifar, M., 95 (2002) 83
Caton, J., see Mathis, C.P., 93 (2001) 31
Caton, J.S., see Loe, E.R., 100 (2002) 43
Centeno, C., see Alzueta, C., 97 (2002) 169
Cerda, D.A., see Manterola, H.B., 92 (2001) 249
Cervera, C., see Blas, E., 88 (2000) 239
Cervera, C., see Pascual, J.J., 81 (1999) 105
Cervera, C., see Pascual, J.J., 86 (2000) 191
Chamberlain, D.G., see Oh, Y.-G., 78 (1999) 227
Chan, W.W. and Dehority, B.A., Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61
Chanchai, S., see Dixon, R.M., 83 (2000) 261
Chandramoni, A.S., see Tiwari, C.M., 89 (2001) 119
Chandramoni, Jadhao, S.B., Tiwari, C.M. and Khan, M.Y., Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287
Changting, X., see Defa, L., 78 (1999) 179
Channa, K.S., see Mauricio, R.M., 79 (1999) 321
Chappelka, A.H., see Muntifering, R.B., 84 (2000) 243
Chaturvedi, O.H., see Mishra, A.S., 84 (2000) 257
Chaudhary, L.C., see Sahoo, A., 80 (1999) 83
Chaudhry, A.S., Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313
Chavarot, M., see Fonty, G., 80 (1999) 297
Chen, C.R., see Chiou, P.W.S., 91 (2001) 171
Chen, C.-R., see Huang, H.-J., 77 (1999) 303
Chen, H.-L., see Xiao, R.-J., 79 (1999) 119
Chen, T.C., see Lu, G.W., 83 (2000) 159
Chen, X.B., see Liu, J.X., 76 (1999) 345
Chen, X.B., see Verbič, J., 82 (1999) 195
Chen, X.-J., see Xu, N.-Y., 98 (2002) 167
Cheng, K.-J., see Baah, J., 77 (1999) 213
Cheng, K.-J., see Hristov, A.N., 76 (1998) 161
Cheng, K.-J., see Lee, S.S., 88 (2000) 201
Cheng, K.-J., see Zaman, M.S., 99 (2002) 1
Chiang, J.-K. see Huang, H.-J., 77 (1999) 303
Chiang, S.-H., see Hsieh, H.-F., 95 (2002) 189
Chiang, S.-H., see Jean, K.B., 76 (1999) 241
Chicco, C.F., see Godoy, S., 94 (2001) 103
Chicoteau, P., see Enjalbert, F., 76 (1999) 195
Chihora, R.M., see Mandibaya, W., 78 (1999) 287
Chimonyo, M., see Ndindana, W., 97 (2002) 199
Chiou, P.W.S., Chiu, S.W. and Chen, C.R., Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171
Chiou, P.W.-S., see Yu, B., 86 (2000) 39
Chirase, N.K. and Greene, L.W., Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217
Chiu, S.W., see Chiou, P.W.S., 91 (2001) 171
Choi, C.W., Ahvenjärvi, S., Vanhatalo, A., Toivonen, V. and Huhtanen, P., Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203
Choung, J.-J., see Oh, Y.-G., 78 (1999) 227
Christensen, D.A., see Jones, R.A., 89 (2001) 97
Christensen, D.A., see Mustafa, A.F., 76 (1999) 265
Christensen, D.A., see Mustafa, A.F., 80 (1999) 247
Christensen, D.A., see Mustafa, A.F., 83 (2000) 301
Christensen, D.A., see Mustafa, A.F., 92 (2001) 33
Christensen, D.A., see Mustafa, A.F., 95 (2002) 123
Classen, H.L., see Irish, G.G., 76 (1999) 321
Classen, H.L., see Maenz, D.D., 76 (1999) 335
Classen, H.L., see Maenz, D.D., 81 (1999) 177
Classen, H.L., see Newkirk, R.W., 91 (2001) 115
Clauss, M., see Hatt, J.-M., 94 (2001) 65
Clément, G., see Agbagla-Dohnani, A., 94 (2001) 15
Coates, D.B., see Kennedy, P.M., 96 (2002) 175
Coblentz, W.K., Coffey, K.P., Turner, J.E., Scarbrough, D.A., Weyers, J.S., Harrison, K.F., Johnson, Z.B., Daniels, L.B., Rosenkrans Jr., C.F., Wayne Kellogg, D. and Hubbell III, D.S., Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17
Coblentz, W.K., see Scarbrough, D.A., 96 (2002) 119
Cobos, M.A., Garcia, L.E., González, S.S., Barcena, J.R., Hernández, D.S. and Pérez-Sato, M., The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179
Cobos, P.M., see García, C.C.G., 83 (2000) 165
Cochran, R.C., see Mathis, C.P., 93 (2001) 31
Coffey, K.P., see Coblentz, W.K., 89 (2001) 17
Coffey, K.P., see Scarbrough, D.A., 96 (2002) 119
Cole, D.J.A., see Agunbiade, J.A., 80 (1999) 165
Combs, D.K., see Casler, M.D., 84 (2000) 107
Conde, R., see Torrallardona, D., 99 (2002) 119
Cone, J.W. and van Gelder, A.H., Influence of protein fermentation on gas production profiles, 76 (1999) 251

Cone, J.W., Kamman, A.A., van Gelder, A.H. and Hindle, V.A., Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247
Cone, J.W., van Gelder, A.H., Bachmann, H. and Hindle, V.A., Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55
Cone, J.W., van Gelder, A.H. and Bachmann, H., Influence of inoculum source on gas production profiles, 99 (2002) 221
Conlan, L.L., see Kennedy, P.M., 86 (2000) 177
Coors, J.G., see Bal, M.A., 86 (2000) 83
Corley III, R.N., Woldeghebriel, A., Corley, M.M. and Murphy, M.R., Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247
Corley, M.M., see Corley III, R.N., 79 (1999) 247
Cosson, T., Pérez Vendrell, A.M., González Teresa, B., Reñé, D., Taillade, P. and Brufau, J., Enzymatic assays for xylanase and β-glucanase feed enzymes, 77 (1999) 345
Cotte, J.P., see Morisse, J.P., 84 (2000) 129
Coyle, J.E., see O'Mara, F.P., 81 (1999) 167
Cozzi, G., Burato, G.M., Berzaghi, P. and Andrighetto, I., Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13
Cravener, T.L. and Roush, W.B., Prediction of amino acid profiles in feed ingredients:. Genetic algorithm calibration of artificial neural networks, 90 (2001) 131
Cronrath, J.D., see Huerta, M., 95 (2002) 15
Crosby, D.D., see Muntifering, R.B., 84 (2000) 243
Cruywagen, C.W., see Meeske, R., 81 (1999) 237
Cruywagen, C.W., see Meeske, R., 97 (2002) 159
Cuddeford, D., see Lowman, R.S., 80 (1999) 11
Cuddeford, D., see Lowman, R.S., 97 (2002) 221
Cuddeford, D., see McLean, B.M.L., 85 (2000) 79
Cuddeford, D., see Moore-Colyer, M.J.S., 84 (2000) 183
Cullis, B.R., see Nandra, K.S., 83 (2000) 273
Culvenor, R.A., see Casler, M.D., 84 (2000) 107
Cunha, L., see Seabra, M., 89 (2001) 1
Cunha, L.F., see Freire, J.P.B., 87 (2000) 71

D

D'Alfonso, T.H., Manbeck, H.B. and Roush, W.B., Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29
D'Mello, J.P.F., see Placinta, C.M., 78 (1999) 21
Dahlman, T., Kiiskinen, T., Mäkelä, J., Niemelä, P., Syrjälä-Qvist, L., Valaja, J. and Jalava, T., Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219
Dana, N., Tegegne, A. and Shenkoru, T., Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239
Dänicke, S., Jeroch, H., Böttcher, W. and Simon, O., Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279
Daniels, L.B., see Coblentz, W.K., 89 (2001) 17
Danielsen, V. and Vestergaard, E.M., Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71
Das, A. and Singh, G.P., Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133
Dass, R.S., see Hosamani, S.V., 76 (1998) 117
Dass, R.S., see Verma, A.K., 87 (2000) 253
Davies, D.R., see Dewhurst, R.J., 85 (2000) 1
Davies, D.R., see Mauricio, R.M., 89 (2001) 33
Davies, Z.S., Mason, D., Brooks, A.E., Griffith, G.W., Merry, R.J. and Theodorou, M.K., An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
Davis, G.V., see Scarbrough, D.A., 96 (2002) 119
Davidson, R.H., see White, C.L., 99 (2002) 45
Dawson, K.A., see Strickling, J.A., 86 (2000) 205
Dawson, L.E.R., Carson, A.F. and Kilpatrick, D.J., The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21
Dawson, L.E.R., see Gordon, F.J., 79 (1999) 15
Dayrell, M.S., see Aroeira, L.J.M., 78 (1999) 313
de Blas, C., see Medel, P., 84 (2000) 13
de Blas, C., see Medel, P., 95 (2002) 113
de Blas, C., see Nicodemus, N., 80 (1999) 43
De Blas, J.C., see Gutiérrez, I., 98 (2002) 175

de Blas, J.C., see Medel, P., 82 (1999) 145
De Campeneere, S., Fiems, L.O. and Boucqué, Ch.V., Energy and protein requirements of Belgian Blue double-muscled bulls, 90 (2001) 153
Di Marco, O.N., Aello, M.S., Nomdedeu, M. and Van Houtte, S., Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37
de la Fuente, J.M., see Fernández, C., 86 (2000) 71
de Monredon, F., see Maaroufi, C., 85 (2000) 61
de J. Marichal, M., Carriquiry, M., Pereda, R. and San Martín, R., Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91
De Peters, E.J., see Robinson, P.H., 91 (2001) 149
De Rycke, H., see Van Nevel, C.J., 94 (2001) 147
De Smet, S., see Van Nevel, C., 83 (2000) 89
De Wilde, R., see Van Nevel, C., 83 (2000) 89
De Wilde, R., see Van Nevel, C.J., 94 (2001) 147
Deaville, E.R. and Givens, D.I., Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205
Deaville, E.R., see Adesogan, A.T., 96 (2002) 161
Deaville, E.R., see Givens, D.I., 89 (2001) 69
Deaville, E.R., see Moss, A.R., 94 (2001) 187
Defa, L., Changting, X., Shiyan, Q., Jinhui, Z., Johnson, E.W. and Thacker, P.A., Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179
Dehority, B.A., see Arakaki, L.C., 84 (2000) 121
Dehority, B.A., see Chan, W.W., 77 (1999) 61
del Mastro, N.L., see Vitti, D.M.S.S., 79 (1999) 145
Delaby, L., see Delagarde, R., 84 (2000) 49
Delagarde, R., Peyraud, J.L., Delaby, L. and Faverdin, P., Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49
Delgado-Pertíñez, M., Gómez-Cabrera, A. and Garrido, A., Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187
Demarquilly, C., see Aufrère, J., 92 (2001) 215
den Hartog, L.A., see Scholten, R.H.J., 82 (1999) 1
DePeters, E.J., see Fadel, J.G., 85 (2000) 121
DePeters, E.J., see Getachew, G., 93 (2001) 1
Deregibus, V.A., see Acosta, A., 93 (2001) 247
Deresz, F., see Aroeira, L.J.M., 78 (1999) 313
Derycke, G., Mabon, N., Mandiki, S.N.M., Bister, J.L., Wathelet, J.-P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81
Derycke, G., see Mabon, N., 85 (2000) 111
Derycke, G., see Mandiki, S.N.M., 81 (1999) 93
Derycke, G., see Mandiki, S.N.M., 98 (2002) 25
Desai, A.D., see Watkins, S.E., 81 (1999) 35
Dewhurst, R.J., Davies, D.R. and Merry, R.J., Microbial protein supply from the rumen, 85 (2000) 1
Dhanoa, M.S., see Lister, S.J., 86 (2000) 221
Dhanoa, M.S., see Lowman, R.S., 80 (1999) 11
Dhanoa, M.S., see Mauricio, R.M., 79 (1999) 321
Dhanoa, M.S., see Mauricio, R.M., 89 (2001) 33
Dhiman, T.R., MacQueen, I.S. and Luchini, N.D., Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169
Dhuyvetter, D.V., see Taylor, N., 96 (2002) 193
Dias-da-Silva, A.A., see Bruno-Soares, A.M., 83 (2000) 75
Dias-da-Silva, A.A., see Rodrigues, M.A.M., 95 (2002) 133
Di Marco, O.N., Aello, M.S., Nomdedeu, M. and Van Houtte, S., Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37
Dingle, J.G., see Khatun, A., 81 (1999) 43
Dingle, J.G., see Wiryawan, K.G., 76 (1999) 185
Dixon, R.M. and Chanchai, S., Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261
Dixon, R.M., see Rafiq, M., 100 (2002) 93
D'Mello, J.P.F., Placinta, C.M. and Macdonald, A.M.C., *Fusarium* mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183
do Valle, C.B., see Herrero, M., 92 (2001) 149
Dobos, R.C., see Nandra, K.S., 83 (2000) 273
Dominguez-Bello, M.G., see Jones, R.J., 87 (2000) 287
Dong, G.Z., see Moughan, P.J., 79 (1999) 309
Dong, G.Z., see Pearson, G., 79 (1999) 301
Donkoh, A., Atuahene, C.C., Anang, D.M. and Ofori, S.K., Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299
Donkoh, A., Atuahene, C.C., Poku-Prempeh, Y.B. and Twum, I.G., The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Donkoh, A., see Atuahene, C.C., 83 (2000) 185
Donzele, J.L., see Oliveira, R.F.M., 81 (1999) 319
Doreau, M., see Agbagla-Dohnani, A., 94 (2001) 15
Doreau, M., see Atti, N., 100 (2002) 1
Drennan, M.J., see O'Mara, F.P., 81 (1999) 167
Dritz, S.S., see Grinstead, G.S., 83 (2000) 237
Dritz, S.S., see James, B.W., 96 (2002) 135
Drogoul, C., Poncet, C. and Tisserand, J.L., Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117
Drogoul, C., Tisserand, J.L. and Poncet, C., Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131
Drouillard, J.S., see Löest, C.A., 94 (2001) 115
Drouillard, J.S., see Taylor, N., 96 (2002) 193
Dube, J.S., Reed, J.D. and Ndlovu, L.R., Proanthocyanidins and other phenolics in Acacia leaves of Southern Africa, 91 (2001) 59
Dung, D.D., see Larbi, A., 77 (1999) 33
Dung, N.N.X. and Udén, P., Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205
Dunshea, F.R., see King, R.H., 83 (2000) 17
Duvaux-Ponter, C., see Giger-Reverdin, S., 96 (2002) 83
Dzama, K., see Ndindana, W., 97 (2002) 199

E

Earley, A.V., Sowell, B.F. and Bowman, J.G.P., Liquid supplementation of grazing cows and calves, 80 (1999) 281
Eason, P.J., see King, R.H., 83 (2000) 17
Eastridge, M.L. and Firkins, J.L., Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249
Edvardsen, D.H., see Svihus, B., 88 (2000) 1
Edwards, S.A., see Meunier-Salaün, M.C., 90 (2001) 53
Edwards Jr., H.M., see Kasim, A.B., 86 (2000) 15
Egan, A.R., see Yu, P., 92 (2001) 1
Egan, A.R., see Yu, P., 93 (2001) 71
Egan, A.R., see Yu, P., 94 (2001) 89
Egan, A.R., see Yu, P., 95 (2002) 33
Egan, A.R., see Yu, P., 99 (2002) 141
Egan, A.R., see Rafiq, M., 100 (2002) 93
Eik, L.O., see Shen, H.S., 80 (1999) 151
El hassan, S.M., Lahlou Kassi, A., Newbold, C.J. and Wallace, R.J., Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27
El-Meadawy, A., see Zaman, M.S., 99 (2002) 1
Elangovan, A.V., see Verma, S.V.S., 76 (1998) 169
Elangovan, A.V., Verma, S.V.S., Sastry, V.R.B. and Singh, S.D., Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113
Elizalde, J.C., see Alvarez, H.J., 91 (2001) 183
Elwinger, K., see Wahlström, A., 77 (1999) 229
Elzubeir, E.A., see Abd-Elrazig, S.M., 76 (1998) 89
Emanuele, S.M., see Ballard, C.S., 93 (2001) 55
Eng, E.R., see Shen, H.S., 80 (1999) 151
Engele-Schaan, C.M., see Maenz, D.D., 81 (1999) 177
Engels, F.M., see van Laar, H., 79 (1999) 179
Enjalbert, F., Garrett, J.E., Moncoulon, R., Bayourthe, C. and Chicoteau, P., Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195
Escribano, F., see Parisini, P., 79 (1999) 155
Espinosa, A., see Gutiérrez, I., 98 (2002) 175
Esposito, E., see Villas-Bôas, S.G., 98 (2002) 1
Esteve-Garcia, E. and Mack, S., The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85
Esteve-García, E., see Torrallardona, D., 99 (2002) 119
Ezenwa, I., see Bamikole, M.A., 80 (1999) 67

F

Fadel, J.G., Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255
Fadel, J.G., DePeters, E.J. and Arosemena, A., Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121
Fadel, J.G., see Abou-El-Enin, O.H., 79 (1999) 129
Fadel, J.G., see Robinson, P.H., 80 (1999) 257
Faftine, O., Muir, J.P. and Massaete, E., Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1999) 1
Fairchild, F.J., see Reed, C., 88 (2000) 47
Farag, M. Diaa El-Din H. and Mohamed, F.A., Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267
Farrell, D.J., Jibril, H., Perez-Maldonado, R.A. and Mannion, P.F., A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145
Farrell, D.J., Mannion, P.F. and Perez-Maldonado, R.A., A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131
Faulkner, D., see Mathis, C.P., 93 (2001) 31
Faverdin, P., see Boudon, A., 97 (2002) 83
Faverdin, P., see Delagarde, R., 84 (2000) 49
Favier, R., see Fonty, G., 80 (1999) 297
Fay, J.P., see Paggi, R.A., 78 (1999) 341
Fay, J.P., see Paggi, R.A., 80 (1999) 163
Fegeros, K., see Mountzouris, K.C., 77 (1999) 115
Fegeros, K., see Zervas, G., 76 (1998) 65
Ferández, H.M., see Paggi, R.A., 80 (1999) 163
Fernández, C., López-Saez, A., Gallego, L. and de la Fuente, J.M., Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71
Fernández, H.M., see Paggi, R.A., 78 (1999) 341
Fernandez, J., see Aumaitre, A., 90 (2001) 1
Fernández, J.A., see Jørgensen, H., 79 (1999) 79
Fernandez, J.M., see Bunting, L.D., 98 (2002) 61
Fernandez, J.M., see Min, B.R., 92 (2001) 185
Fernández-Carmona, J., see Blas, E., 88 (2000) 239
Fernández-Carmona, J., see Pascual, J.J., 81 (1999) 105
Fernández-Carmona, J., see Pascual, J.J., 86 (2000) 191
Ferreira, R., see Seabra, M., 89 (2001) 1
Ferris, C.P., see Gordon, F.J., 79 (1999) 15
Février, C., Lechevestrier, Y., Lebreton, Y. and Jaguelin-Peyraud, Y., Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103
Field, M. see Wilman, D., 88 (2000) 139
Fiems, L.O., see De Campeneere, S., 90 (2001) 153
Filya, I., Ashbell, G., Hen, Y. and Weinberg, Z.G., The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39
Finlayson, H.J., see Ortega-Cerrilla, M.E., 77 (1999) 73
Finlayson, H.J., see Ortega-Cerrilla, M.E., 77 (1999) 83
Fiorentini, L., see Piva, G., 89 (2001) 59
Fiorentini, L., see Rossi, F., 81 (1999) 309
Firkins, J.L., see Eastridge, M.L., 83 (2000) 249
Fisher, D.S., see Merkel, R.C., 82 (1999) 91
Fisher, D.S., see Merkel, R.C., 82 (1999) 107
Flachowsky, G., see Akbar, M.A., 100 (2002) 53
Fleck, E., see Gulati, S.K., 86 (2000) 139
Fleck, E., see Kitessa, S.M., 89 (2001) 189
Fleck, E., see Kitessa, S.M., 89 (2001) 201
Flores, M.P., see Ventura, M.R., 85 (2000) 279
Fondevila, M., Nogueira-Filho, J.C.M. and Barrios-Urdaneta, A., In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1
Fondevila, M., see Martín-Orúe, S.M., 88 (2000) 171
Fondevila, M., see Nogueira Filho, J.C.M., 83 (2000) 145
Fonseca, A.J.M., Cabrita, A.R.J., Lage, A.M. and Gomes, E., Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173
Fonseca, A.J.M., see Rodrigues, M.A.M., 95 (2002) 133
Fonty, G., Chavarot, M., Lepetit, J., Canistro, J. and Favier, R., Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297
Forbes, J.M., see Banfield, M.J., 98 (2002) 37
Forbes, J.M., see Valentin, S.F., 78 (1999) 81
Foti, F., see Scerra, V., 78 (1999) 169
Fox, D.G., see Ruiz, R., 89 (2001) 155
France, J., see Mauricio, R.M., 89 (2001) 33
Fraser, M.D., see Salawu, M.B., 96 (2002) 43
Freire, J., see Seabra, M., 89 (2001) 1
Freire, J.P.B., Guerreiro, A.J.G., Cunha, L.F. and Aumaitre, A., Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71
Freire, J.P.B., see Salgado, P., 91 (2001) 197
Freire, J.P.B., see Salgado, P., 98 (2002) 187
Froetschel, M.A., see Mandebvu, P., 77 (1999) 317
Frutos, P., Hervás, G., Ramos, G., Giráldez, F.J. and Mantecón, A.R., Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215
Fuchslocher, R., see Alomar, D., 78 (1999) 57

Fuchslocher, R., see Alomar, D., 80 (1999) 309
Fujihara, T.S., see Abdulrazak, S.A., 85 (2000) 89
Fulcheri, C., see Hassoun, P., 100 (2002) 31
Furstoss, V., see Julier, B., 79 (1999) 239
Fychan, R., see Salawu, M.B., 96 (2002) 43

G

Gabert, V.M., see Albin, D.M., 87 (2000) 173
Gabert, V.M., see Jørgensen, H., 79 (1999) 79
Galbraith, H., see Mandebvu, P., 82 (1999) 37
Gallego, L., see Fernández, C., 86 (2000) 71
García, C.C.G., Mendoza, M.G.D., González, M.S., Cobos, P.M., Ortega, C.M.E. and Ramirez, L.R., Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165
García, J., see Gutiérrez, I., 98 (2002) 175
García, J., see Nicodemus, N., 80 (1999) 43
García, M., see Medel, P., 84 (2000) 13
Garcia Amado, M.A. see Jones, R.J., 87 (2000) 287
Garcia-Bojalil, C., see Cabrera, E.J.I., 83 (2000) 49
García-Ciudad, A., Ruano, A., Becerro, F., Zabalgogeazcoa, I., Vázquez de Aldana, B.R. and García-Criado, B., Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91
García-Ciudad, A., see Ruano-Ramos, A., 77 (1999) 331
García Ciudad, A., see Vázquez de Aldana, B.R., 93 (2001) 169
García Criado, B., see Vázquez de Aldana, B.R., 93 (2001) 169
García-Criado, B., see García-Ciudad, A., 77 (1999) 91
García-Criado, B., see Ruano-Ramos, A., 77 (1999) 331
Garcia, L.E., see Cobos, M.A., 95 (2002) 179
Garg, A.K., see Ravi, U., 88 (2000) 121
Garnsworthy, P.C. and Wiseman, J., Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
Garnsworthy, P.C., see Allison, R.D., 96 (2002) 69
Garrett, J.E., see Arakaki, L.C., 84 (2000) 121
Garrett, J.E., see Enjalbert, F., 76 (1998) 195
Garrett, J.E., see Enjalbert, F., 76 (1999) 195
Garrido, A., see Delgado-Pertíñez, M., 87 (2000) 187
Gasa, J., see Ouhida, I., 85 (2000) 183
Gates, R.N., see Mandebvu, P., 77 (1999) 317
Gaughan, J.B., see Granzin, B.C., 96 (2002) 147
George, J. and McCracken, K.J., Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237
Gerard, P.D., see Kidd, M.T., 94 (2001) 57
Getachew, G., DePeters, E.J., Robinson, P.H. and Taylor, S.J., In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1
Getachew, G., Makkar, H.P.S. and Becker, K., Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51
Getachew, G., see Robinson, P.H., 91 (2001) 149
Giboulot, B., see Maaroufi, C., 85 (2000) 61
Gidenne, T., Jehl, N., Segura, M. and Michalet-Doreau, B., Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107
Giger-Reverdin, S., Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53
Giger-Reverdin, S., Duvaux-Ponter, C., Sauvant, D., Martin, O., Nunes do Prado, I. and Müller, R., Intrinsic buffering capacity of feedstuffs, 96 (2002) 83
Gill, M., see Lister, S.J., 86 (2000) 221
Gill, M., see Robinson, P.H., 97 (2002) 115
Giráldez, F.J., see Frutos, P., 95 (2002) 215
Giri, S.S., Sahoo, A. and Pathak, N.N., Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195
Givens, D.I. and Deaville, E.R., Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69
Givens, D.I., see Brown, V.E., 98 (2002) 13
Givens, D.I., see Deaville, E.R., 93 (2001) 205
Givens, D.I., see Moss, A.R., 94 (2001) 187
Givens, D.I., see Moss, A.R., 97 (2002) 127
Givens, D.I., see Rymer, C., 78 (1999) 199
Givens, D.I., see Wilman, D., 88 (2000) 139
Givens, I., see Mauricio, R.M., 89 (2001) 33
Glen, E.F., see Kitcherside, M.A., 86 (2000) 125
Godoy, S. and Chicco, C.F., Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103
Goelema, J.O., see Yu, P., 86 (2000) 165

Goelema, J.O., Smits, A., Vaessen, L.M. and Wemmers, A., Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
Goelema, J.O., Spreeuwenberg, M.A.M., Hof, G., van der Poel, A.F.B. and Tamminga, S., Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
Goelema, J.O., see Yu, P., 99 (2002) 141
Gomes, E., see Fonseca, A.J.M., 83 (2000) 173
Gómez-Cabrera, A., see Delgado-Pertíñez, M., 87 (2000) 187
González Ronquillo, M., see Nogueira Filho, J.C.M., 83 (2000) 145
González Teresa, B., see Cosson, T., 77 (1999) 345
González, J., see Cajarville, C., 87 (2000) 203
González, M.S., see García, C.C.G., 83 (2000) 165
González, S.S., see Cobos, M.A., 95 (2002) 179
Goodband, R.D., see Grinstead, G.S., 83 (2000) 237
Goodband, R.D., see James, B.W., 96 (2002) 135
Goonewardene, L.A., see Okine, E.K., 92 (2001) 87
Goonewardene, L.A., see Ramsey, P.B., 94 (2001) 155
Goonewardene, L.A., see Ramsey, P.B., 97 (2002) 145
Gordon, F.J., Dawson, L.E.R., Ferris, C.P., Steen, R.W.J. and Kilpatrick, D.J., The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15
Gordon, F.J., see Park, R.S., 78 (1999) 325
Görgülü, M., see Kutlu, H.R., 90 (2001) 213
Goulas, C., see Zervas, G., 76 (1998) 65
Goulas, C., see Zervas, G., 76 (1999) 65
Gowda, S.K., see Tiwari, C.M., 89 (2001) 119
Gowda, S.K., see Verma, S.V.S., 76 (1998) 169
Gracia, M.I., see Medel, P., 95 (2002) 113
Grala, W., Verstegen, M.W.A., Jansman, A.J.M., Huisman, J. and van Leeuwen, P., Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
Grala, W., Verstegen, M.W.A., Jansman, A.J.M., Huisman, J., van Leeuwen, P. and Tamminga, S., Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207
Grande, D., see Camacho, D., 80 (1999) 123
Grant, R.J., see Haddad, S.G., 86 (2000) 107
Granzin, B.C. and Gaughan, J.B., The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid subtropical environment, 96 (2002) 147
Granli, T., see Knarreborg, A., 99 (2002) 131
Graviou, D., see Aufrère, J., 92 (2001) 215
Greenberg, A., see Ben-Ghedalia, D., 91 (2001) 139
Greenhalgh, J.F.D., Guest editorial: Reflections on the publication of scientific research, 80 (1999) 77
Greene, L.W., see Chirase, N.K., 93 (2001) 217
Greyling, J.F., see Meeske, R., 97 (2002) 159
Griffith, G.W., see Davies, Z.S., 83 (2000) 205
Grigera Naon, J.J., see Acosta, A., 93 (2001) 247
Grinstead, G.S., Tokach, M.D., Dritz, S.S., Goodband, R.D. and Nelssen, J.L., Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237
Gross, K.L., see Strickling, J.A., 86 (2000) 205
Gruber, L., see Knaus, W., 81 (1999) 265
Guada, J.A., see Martín-Orúe, S.M., 88 (2000) 171
Guedes, C.V.M., see Bruno-Soares, A.M., 83 (2000) 75
Guenter, W., see Slominski, B.A., 78 (1999) 249
Guerreiro, A.J.G., see Freire, J.P.B., 87 (2000) 71
Guesmi, A., see Atti, N., 100 (2002) 1
Guessous, F., see Araba, A., 97 (2002) 53
Gufler, H., see Knaus, W., 81 (1999) 265
Guibert, D., see Maaroufi, C., 85 (2000) 61
Gulati, S.K., Ashes, J.R. and Scott, T.W., Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57
Gulati, S.K., Kitessa, S.M., Ashes, J.R., Fleck, E., Byers, E.B., Byers, Y.G. and Scott, T.W., Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139
Gulati, S.K., May, C., Wynn, P.C. and Scott, T.W., Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143
Gulati, S.K., see Kitessa, S.M., 89 (2001) 189
Gulati, S.K., see Kitessa, S.M., 89 (2001) 201
Gullord, M., see Svihus, B., 88 (2000) 1
Guo, Y., Tang, Q., Yuan, J. and Jiang, Z., Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165
Gupta, H.K. and Atreja, P.P., Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of

mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159
Gutiérrez, I., Espinosa, A., García, J., Carabaño, R. and De Blas, J.C., Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

H

Ha, J.K., see Lee, S.S., 88 (2000) 201
Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23
Haddad, S.G. and Grant, R.J., Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107
Haddad, S.G., Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163
Hadjipanayiotou, M., Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103
Halgerson, J., see Mathis, C.P., 93 (2001) 31
Halim, R.A., see Jetana, T., 84 (2000) 167
Hamudikuwanda, H., see Mupangwa, J.F., 83 (2000) 139
Hanbury, C.D., White, C.L., Mullan, B.P. and Siddique, K.H.M., A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1
Hanbury, C.D., see White, C.L., 99 (2002) 45
Hancock, J.D., see Mavromichalis, I., 93 (2001) 127
Hansson, I.B., see Pauly, T.M., 78 (1999) 127
Haq, A.-u., see Ahmad, T., 83 (2000) 103
Harai, J., see Yahaya, M.S., 92 (2001) 141
Harman, E., see Abel, Hj., 99 (2002) 65
Harmon, D.L., see Strickling, J.A., 86 (2000) 205
Harmon, D.L., see Swanson, K.C., 86 (2000) 95
Harris, D., see White, C.L., 99 (2002) 45
Harrison, K.F., see Coblentz, W.K., 89 (2001) 17
Harstad, O.M. and Prestløkken, E., Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass™) determined in situ, 83 (2000) 31
Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127
Harstad, O.M., see Ljøkjel, K., 84 (2000) 83
Harstad, O.M., see Prestløkken, E., 90 (2001) 227
Hasan, Z.-u., see Ahmad, T., 83 (2000) 103
Hassoun, P., Fulcheri, C. and Nabeneza, S., Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31
Hatfield, P.G., see Taylor, N., 96 (2002) 193
Hatfield, R.D., see Mandebvu, P., 77 (1999) 317
Hatt, J.-M., Mayes, R.W., Clauss, M. and Lechner-Doll, M., Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65
He, T., see Mustafa, A.F., 95 (2002) 123
Hedqvist, H., Mueller-Harvey, I., Reed, J.D., Krueger, C.G. and Murphy, M., Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41
Heger, J., see Kidd, M.T., 94 (2001) 57
Heinonen, K., see Tesfa, A.T., 76 (1999) 275
Heldt, J.S., see Mathis, C.P., 93 (2001) 31
Hellwig, D.H., see Scarbrough, D.A., 96 (2002) 119
Hen, Y., see Ashbell, G., 91 (2001) 213
Hen, Y., see Filya, I., 88 (2000) 39
Henry, P.R., see Pott, E.B., 79 (1999) 93
Henry, P.R., see Pott, E.B., 79 (1999) 107
Henry, P.R., see van Ravenswaay, R.O., 90 (2001) 185
Herbein, J.H., see Loor, J.J., 97 (2002) 65
Hernández, D.S., see Cobos, M.A., 95 (2002) 179
Herrero, M., do Valle, C.B., Hughes, N.R.G., Sabatel, V. de O. and Jessop, N.S., Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149
Herrero, M., see Nagadi, S., 87 (2000) 231
Herrero, M., see Nagadi, S., 87 (2000) 241
Herstad, O., see Skrede, A., 76 (1998) 103
Hervás, G., see Frutos, P., 95 (2002) 215
Hill, G.M., see Mandebvu, P., 77 (1999) 317
Hill, J. and Leaver, J.D., Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281
Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177
Hill, J., Xiao, G.Q. and Ball, A.S., Effect of inoculation of herbage prior to ensiling with

Streptomyces achromogenes ISP 5028 on chemical composition of silage, 89 (2001) 83
Hinderberger Jr., E.J., see Pott, E.B., 79 (1999) 93
Hinderberger Jr., E.J., see Pott, E.B., 79 (1999) 107
Hindle, V.A., see Cone, J.W., 96 (2002) 55
Hindle, V.A., see Cone, J.W., 97 (2002) 247
Hindrichsen, I.K., Osuji, P.O., Odenyo, A.A., Madsen, J. and Hvelplund, T., Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131
Hines, R.H., see Mavromichalis, I., 93 (2001) 127
Ho, Y.W., see Jetana, T., 84 (2000) 167
Hodgkinson, S.M., see van Wijk, H.J., 76 (1998) 9
Hof, G., see Goelema, J.O., 76 (1998) 35
Hof, G., see Goelema, J.O., 76 (1999) 35
Hogue, D.E., see Molina, D.O., 81 (1999) 69
Höhler, D., see Pack, M., 88 (2000) 129
Holck, A., see Skrede, G., 90 (2001) 199
Hollands, T., see McLean, B.M.L., 85 (2000) 79
Holmes, J.H.G., see Balogun, R.O., 76 (1998) 77
Homolka, P., see Třináctý, J., 79 (1999) 269
Horn, G., see Mathis, C.P., 93 (2001) 31
Hosamani, S.V., Mehra, U.R. and Dass, R.S., Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117
Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1999) 117
Hosking, B.J., see Rafiq, M., 100 (2002) 93
Hossain, M.A. and Becker, K., In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49
Hove, L., Topps, J.H., Sibanda, S. and Ndlovu, L.R., Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95
Hovell, F.D.D., see Shem, M.N., 81 (1999) 279
Hristov, A.N., McAllister, T.A. and Cheng, K.-J., Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161
Hristov, A.N., see Huhtanen, P., 94 (2001) 29
Hristov, A.N., Ropp, J.K. and Hunt, C.W., Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25
Hristov, A.N., Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71
Hsieh, H.-F., Chiang, S.-H. and Lu, M.-Y., Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189
Huang, H.-J., Wen-Shyg Chiou, P., Chen, C.-R., Chiang, J.-K. and Yu, B., Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303
Huang, R.-L., Tan, Z.-L., Xing, T.-X., Pan, Y.-F. and Li, T.-J., An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
Huang, W.J., see Yu, B., 86 (2000) 39
Hubbell III, D.S., see Coblentz, W.K., 89 (2001) 17
Huber, J.T., see Wanderley, R.C., 76 (1999) 207
Huerta, M., Kincaid, R.L., Cronrath, J.D., Busboom, J., Johnson, A.B. and Swenson, C.K., Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15
Hughes, N.R.G., see Herrero, M., 92 (2001) 149
Huhtanen, P. and Hristov, A.N., Estimating passage kinetics using fibre-bound ^{15}N as an internal marker, 94 (2001) 29
Huhtanen, P., see Choi, C.W., 96 (2002) 203
Huhtanen, P., see Khalili, H., 98 (2002) 103
Huhtanen, P., see Shingfield, K.J., 97 (2002) 1
Huisman, J., see Grala, W., 80 (1999) 207
Huisman, J., see Grala, W., 80 (1999) 231
Huisman, E.A., see Ulloa Rojas, J.B., 99 (2002) 195
Hunt, C.W., see Hristov, A.N., 99 (2002) 25
Huntington, J.A., see Rymer, C., 78 (1999) 199
Huonnic, D., see Morisse, J.P., 84 (2000) 129
Hussein, A.S., The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171
Huyghe, C., see Julier, B., 79 (1999) 239
Huyler, M.T. and Kincaid, R.L., The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101
Hvelplund, T., see Hindrichsen, I.K., 98 (2002) 131
Hvelplund, T., see Salawu, M.B., 79 (1999) 289
Hvelplund, T., see Salawu, M.B., 82 (1999) 243
Hyslop, J.J., see Lowman, R.S., 80 (1999) 11
Hyslop, J.J., see McLean, B.M.L., 85 (2000) 79
Hyslop, J.J., see Moore-Colyer, M.J.S., 84 (2000) 183

I

Iantcheva, N., Steingass, H., Todorov, N. and Pavlov, D., A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
Iji, P.A., Saki, A.A. and Tivey, D.R., Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175
Immig, I., see Abel, Hj., 99 (2002) 65
Irish, G.G., Maenz, D.D. and Classen, H.L., A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
Irish, G.G., see Maenz, D.D., 76 (1999) 335
Ishida, M., see Islam, M.R., 92 (2001) 237
Islam, M.R., Nishida, T., Ando, S., Ishida, M., Yoshida, N. and Arakawa, M., Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237
Ivan, M., Neill, L., Alimon, R. and Jalaludin, S., Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

J

Jaakkola, S., see Shingfield, K.J., 97 (2002) 1
Jablecki, G., see Pastuszewska, B., 86 (2000) 117
Jacques, K.A., see Swanson, K.C., 86 (2000) 95
Jadhao, S.B., see Chandramoni, 83 (2000) 287
Jadhao, S.B., see Tiwari, C.M., 89 (2001) 119
Jaguelin-Peyraud, Y., see Février, C., 90 (2001) 103
Jakhmola, R.C., see Mishra, A.S., 84 (2000) 257
Jalaludin, S., see Ivan, M., 92 (2001) 127
Jalaludin, S., see Jetana, T., 84 (2000) 167
Jalava, T., see Dahlman, T., 98 (2002) 219
Jalava, T., see Partanen, K., 93 (2001) 137
Jalava, T., see Perttilä, S., 98 (2002) 203
Jalava, T., see Pölönen, I., 99 (2002) 189
Jalč, D., see Kišidayová, S., 91 (2001) 223
Jalkanen, L., see Pölönen, I., 78 (1999) 39
James, B.W., Goodband, R.D., Unruh, J.A., Tokach, M.D., Nelssen, J.L., Dritz, S.S., O'Quinn, P.R. and Andrews, B.S., Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135
Jansen, P.P., see van Wijk, H.J., 76 (1998) 9
Jensen, B.B., see Knarreborg, A., 99 (2002) 131
Jansman, A.J.M., see Grala, W., 80 (1999) 207
Jansman, A.J.M., see Grala, W., 80 (1999) 231
Jansman, A.J.M., Smink, W., van Leeuwen, P. and Rademacher, M., Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49
Jaurena, G. and Pichard, G., Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159
Jean, K.-B. and Chiang, S.-H., Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241
Jehl, N., see Gidenne, T., 99 (2002) 107
Jelan, Z.A., see Pimpa, O., 92 (2001) 203
Jenkins, T.C., see Loor, J.J., 97 (2002) 65
Jeroch, H., see Dänicke, S., 84 (2000) 279
Jessop, N.S., see Herrero, M., 92 (2001) 149
Jessop, N.S., see Nagadi, S., 87 (2000) 231
Jessop, N.S., see Nagadi, S., 87 (2000) 241
Jetana, T., Abdullah, N., Halim, R.A., Jalaludin, S. and Ho, Y.W., Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167
Jiang, Z., see Guo, Y., 89 (2001) 165
Jibril, H., see Farrell, D.J., 85 (2000) 145
Jiménez, G., see Camacho, D., 80 (1999) 123
Jinhui, Z., see Defa, L., 78 (1999) 179
Johnson, A.B., see Huerta, M., 95 (2002) 15
Johnson, D.E., see Mathis, C.P., 93 (2001) 31
Johnson, E.W., see Defa, L., 78 (1999) 179
Johnson, Z.B., see Coblentz, W.K., 89 (2001) 17
Jones, A.W., see Nandra, K.S., 83 (2000) 273
Jones, F.T., see Ha, S.D., 76 (1998) 23
Jones, R., see Salawu, M.B., 96 (2002) 43
Jones, R., see Wilkins, R.J., 85 (2000) 23
Jones, R., see Winters, A.L., 99 (2002) 177
Jones, R.A., Mustafa, A.F., Christensen, D.A. and McKinnon, J.J., Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97
Jones, R.J. and Palmer, B., In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub

legumes and the grass *Panicum maximum*, 85 (2000) 215
Jones, R.J., Garcia Amado, M.A. and Dominguez-Bello, M.G., Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287
Jones, R.J., Meyer, J.H.F., Bechaz, M. and Stoltz, M.A., An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269
Jones, R.J., see Balogun, R.O., 76 (1998) 77
Jones, R.J., see Palmer, B., 85 (2000) 259
Jones, R.J., see Palmer, B., 86 (2000) 149
Jones, R.J., see Palmer, B., 87 (2000) 29
Jørgensen, H., Gabert, V.M. and Fernández, J.A., Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
Julier, B., Lila, M., Furstoss, V., Travers, V. and Huyghe, C., Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

K

Kailas, M.M., see Manjunatha, J.V., 87 (2000) 95
Kailas, M.M., see Sreerangaraju, G., 85 (2000) 131
Kallah, M.S., Bale, J.O., Abdullahi, U.S., Muhammad, I.R. and Lawal, R., Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137
Kamman, A.A., see Cone, J.W., 97 (2002) 247
Kamra, D.N., see Sahoo, A., 80 (1999) 83
Kandil, F.E., see Smith, A.H., 91 (2001) 41
Karhunen, J., see Laurinen, P., 83 (2000) 1
Karim, S.A., see Sankhyan, S.K., 82 (1999) 261
Karim, S.A., see Santra, A., 86 (2000) 251
Kariuki, J.N., see Muia, J.M.K., 92 (2001) 113
Kariuki, J.N., see Muia, J.M.K., 93 (2001) 177
Kariluoto, S., see Pölönen, I., 99 (2002) 189
Karn, J.F., Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133
Karnezos, T.P., see Pollard, G.V., 98 (2002) 121
Kasim, A.B. and Edwards Jr., H.M., Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15
Kavanagh, S., Lynch, P.B., O'Mara, F. and Caffrey, P.J., A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49
Kawai, M., see Yahaya, M.S., 92 (2001) 141
Kayouli, C., see Moujahed, N., 88 (2000) 219
Kayouli, C., see Atti, N., 100 (2002) 1
Keady, T.W.J. and Mayne, C.S., The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
Kellogg, D.W., see Scarbrough, D.A., 96 (2002) 119
Kemp, P.D., see Min, B.R., 92 (2001) 185
Kennedy, P.M., Lowry, J.B., Coates, D.B. and Oerlemans, J., Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175
Kennedy, P.M., Lowry, J.B. and Conlan, L.L., Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177
Kennelly, J.J., see Robinson, P.H., 97 (2002) 115
Kenny, M.J., see Woods, V.B., 80 (1999) 135
Kerr, B.J., see Kidd, M.T., 94 (2001) 57
Kermasha, S., see Batista, A.M., 100 (2002) 107
Kezar, W., see Moss, B.R., 94 (2001) 43
Khali, A., see Mishra, A.S., 84 (2000) 257
Khalil, F.A., see Abdel-Wahhab, M.A., 97 (2002) 209
Khalili, H. and Sairanen, A., Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
Khalili, H., Kuusela, E., Suvitie, M. and Huhtanen, P., Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103
Khalili, H., see Kuusela, E., 98 (2002) 87
Khalili, H., see Virkajärvi, P., 97 (2002) 23
Khan, M.-u.-N., see Sarwar, M., 82 (1999) 121
Khan, M.Y., see Chandramoni, 83 (2000) 287
Khan, M.Y., see Tiwari, C.M., 89 (2001) 119
Khanal, R.C. and Subba, D.B., Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17
Khatun, A., Ali, M.A. and Dingle, J.G., Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid , 81 (1999) 43

Kibon, A., see Yahaya, M.S., 79 (1999) 137
Kidd, M.T., Gerard, P.D., Heger, J., Kerr, B.J., Rowe, D., Sistani, K. and Burnham, D.J., Threonine and crude protein responses in broiler chicks, 94 (2001) 57
Kiiskinen, T., see Dahlman, T., 98 (2002) 219
Kilpatrick, D.J., see Dawson, L.E.R., 82 (1999) 21
Kilpatrick, D.J., see Gordon, F.J., 79 (1999) 15
Kim, J.-H., see Oh, Y.-G., 78 (1999) 227
Kim, K.H., see Oh, Y.-G., 78 (1999) 227
Kimambo, A.E., see Shem, M.N., 81 (1999) 279
Kimura, A., see Yahaya, M.S., 92 (2001) 141
Kincaid, R.L., see Huerta, M., 95 (2002) 15
Kincaid, R.L., see Huyler, M.T., 78 (1999) 101
King, R.H., Dunshea, F.R., Morrish, L., Eason, P.J., van Barneveld, R.J., Mullan, B.P. and Campbell, R.G., The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17
Kipnis, T., see Ashbell, G., 91 (2001) 213
Kipnis, T., see Ben-Ghedalia, D., 91 (2001) 139
Kišidayová, S., Sviatko, P., Siroka, P. and Jalč, D., Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223
Kitcherside, M.A., Glen, E.F. and Webster, A.J.F., FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125
Kitessa, S.M., Gulati, S.K., Ashes, J.R., Fleck, E., Scott, T.W. and Nichols, P.D., Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201
Kitessa, S.M., see Gulati, S.K., 86 (2000) 139
Kivilahti, K., see Tesfa, A.T., 76 (1999) 275
Klein, P., see Skřivanová, V., 77 (1999) 139
Klingener, J.L., see Mandebvu, P., 93 (2001) 43
Knaus, W., Luger, K., Zollitsch, W., Gufler, H., Gruber, L., Murauer, C. and Lettner, F., Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
Knarreborg, A., Miquel, N., Granli, T. and Jensen, B.B., Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131
Koegel, R.G., see Bal, M.A., 86 (2000) 83
Kokkonen, T., Tuori, M. and Syrjälä-Qvist, L., Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229
Kokkonen, T., Tuori, M., Leivonen, V. and Syrjälä-Qvist, L., Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213
Komolong, M.K., Barber, D.G. and McNeill, D.M., Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
Kondo, T., Ohshita, T., Kyuma, T., Touno, E. and Murai, M., Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321
Konishi, C., Matsui, T., Park, W., Yano, H. and Yano, F., Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115
Koreleski, J., see Żyła, K., 89 (2001) 113
Korhonen, H., see Pölönen, I., 78 (1999) 39
Korhonen, H., see Pölönen, I., 99 (2002) 189
Koski, R.L., see Tapia, M.O., 97 (2002) 239
Koytsotolis, K., see Zervas, G., 76 (1998) 65
Kraidees, M.S., Abouheif, M.A., Al-Saiady, M.Y., Tag-Eldin, A. and Metwally, H., The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149
The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1999) 149
Kramer, S.R., see Mandebvu, P., 93 (2001) 43
Krause, D.O., see McSweeney, C.S., 82 (1999) 227
Krause, D.O., see McSweeney, C.S., 91 (2001) 83
Kreuzer, M., see Machmüller, A., 85 (2000) 41
Kreuzer, M., see Wettstein, H.-R., 85 (2000) 153
Krishan, C.T., see Zerbini, E., 98 (2002) 73
Krishnamoorthy, U., see Bhatta, R., 83 (2000) 67
Krishnamoorthy, U., see Bhatta, R., 90 (2001) 143
Krishnamoorthy, U., see Manjunatha, J.V., 87 (2000) 95
Krishnamoorthy, U., see Sreerangaraju, G., 85 (2000) 131
Krueger, C.G., see Hedqvist, H., 87 (2000) 41
Kume, S., Toharmat, T., Nonaka, K., Oshita, T., Nakui, T. and Ternouth, J.H., Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157

Kung, L., Bracht, J.P. and Tavares, J.Y., Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69
Kutlu, H.R., Ünsal, I. and Görgülü, M., Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213
Kuusela, E. and Khalili, H., Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87
Kuusela, E., see Khalili, H., 98 (2002) 103
Kwakkel, R.P., see Banfield, M.J., 98 (2002) 37
Kwon, Y.M., see Ha, S.D., 76 (1998) 23
Kyuma, T., see Kondo, T., 80 (1999) 321

L

LaCoss, D.D., see Mandebvu, P., 93 (2001) 43
Lage, A.M., see Fonseca, A.J.M., 83 (2000) 173
Lahlou Kassi, A., see El hassan, S.M., 86 (2000) 27
Lallès, J.P., see Salgado, P., 91 (2001) 197
Lallès, J.P., see Salgado, P., 98 (2002) 187
Lambert, A., Lucas, F. and Blanchart, G., Dynamic study of the release and the utilisation of ^{15}N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75
Lambert, B.D., see Löest, C.A., 94 (2001) 115
Larbi, A., Dung, D.D., Olorunju, P.E., Smith, J.W., Tanko, R.J., Muhammad, I.R. and Adekunle, I.O., Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33
Lardy, G.P., see Loe, E.R., 100 (2002) 43
Larondelle, Y., see Lejeune, A., 84 (2000) 295
Larson, B.T., see Swanson, K.C., 86 (2000) 95
Lauer, J.G., see Bal, M.A., 86 (2000) 83
Laurinen, P., Siljander-Rasi, H., Karhunen, J., Alaviuhkola, T., Näsi, M. and Tuppi, K., Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
Lawal, R., see Kallah, M., 84 (2000) 137
Lázaro, R., see Medel, P., 84 (2000) 13
Le Boulengé, E., see Lejeune, A., 84 (2000) 295
Le Goff, G., see Noblet, J., 90 (2001) 35
Le Guen, M.P., see Maaroufi, C., 85 (2000) 61
Le Liboux, S. and Peyraud, J.L., Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297
Leaver, J.D., see Hill, J., 77 (1999) 281
Leaver, J.D., see Hill, J., 82 (1999) 177
Lebreton, Y., see Février, C., 90 (2001) 103
Lebreton, Y., see Mariscal-Landín, G., 97 (2002) 183
Lebzien, P., Forage evaluation in ruminant nutrition. D.I. Givens, E. Owen, R.F.E. Axford, H.M. Omed (Eds.); CABI Publishing, Wallingford, UK, 2000, 496 pages, hardcover, ISBN 0-85199-344-3, £75.00 (US$140.00), 86 (2000) 267
Lebzien, P., see Akbar, M.A., 100 (2002) 53
Nutrient Elements in Grassland: Soil–Plant–Animal Relationships. D.C. Whitehead (Ed.); CABI International, Wallingford, UK, 2000, p. 384, hardback, ISBN 0-85199-437-7, £ 60.00 (US$ 110.00), 89 (2001) 209
Lechevestrier, Y., see Février, C., 90 (2001) 103
Lechner-Doll, M., see Hatt, J.-M., 94 (2001) 65
Ledin, I., see Assefa, G., 92 (2001) 95
Ledin, I., see Van, D.T.T., 100 (2002) 79
Ledoux, D.R., Belyea, R.L., Wallig, M.A. and Tumbleson, M.E., Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227
Ledoux, D.R., see Żyła, K., 89 (2001) 113
Lee, S.S., Ha, J.K. and Cheng, K.-J., Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201
Lees, B.M., see Stanford, K., 81 (1999) 249
Leivonen, V., see Kokkonen, T., 84 (2000) 213
Lejeune, A., Peng, J., Le Boulengé, E., Larondelle, Y. and Van Hove, C., Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295
Lemke, S.L., Ottinger, S.E., Mayura, K., Ake, C.L., Pimpukdee, K., Wang, N. and Phillips, T.D., Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17
Lepetit, J., see Fonty, G., 80 (1999) 297
Letso, M., see Madibela, O.R., 84 (2000) 97
Letso, M., see Madibela, O.R., 95 (2002) 159
Lettner, F., see Knaus, W., 81 (1999) 265
Leury, B.J., see Yu, P., 92 (2001) 1
Leury, B.J., see Yu, P., 93 (2001) 71
Leury, B.J., see Yu, P., 94 (2001) 89
Leury, B.J., see Yu, P., 95 (2002) 33
Leury, B.J., see Yu, P., 99 (2002) 141
Li, T.-J., see Huang, R.-L., 88 (2000) 79
Liang, J.B., see Pimpa, O., 92 (2001) 203

Licitra, G., Van Soest, P.J., Schadt, I., Carpino, S. and Sniffen, C.J., Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
Lila, M., see Julier, B., 79 (1999) 239
Lin, J.C., see Moss, B.R., 94 (2001) 43
Lindberg, J.E., see Nhu Phuc, B.H., 83 (2000) 223
Lindberg, L.-A., see Tesfa, A.T., 76 (1999) 275
Lindeberg, H., see Partanen, K., 93 (2001) 137
Lister, S.J., Dhanoa, M.S., Stewart, J.L. and Gill, M., Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221
Lister, S.J., see Wilman, D., 88 (2000) 139
Liu, J.X. and Ørskov, E.R., Cellulase treatment of untreated and steam pre-treated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189
Liu, J.X., Orskov, E.R. and Chen, X.B., Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345
Liu, J.-X., see Xu, N.-Y., 98 (2002) 167
Liu, J.-X., Wang, X.-Q. and Shi, Z.-Q., Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129
Liu, M.F., see Okine, E.K., 92 (2001) 87
Ljøkjel, K., Harstad, O.M. and Skrede, A., Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
Loe, E.R., Bauer, M.L., Lardy, G.P. and Caton, J.S., Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43
Lloyd, J.D., see Winters, A.L., 99 (2002) 177
Löest, C.A., Titgemeyer, E.C., Drouillard, J.S., Lambert, B.D. and Trater, A.M., Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115
Long, R.J., Apori, S.O., Castro, F.B. and Ørskov, E.R., Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101
Longland, A.C., see McLean, B.M.L., 85 (2000) 79
Longland, A.C., see Moore-Colyer, M.J.S., 84 (2000) 183
Loor, J.J., Herbein, J.H. and Jenkins, T.C., Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65
Lopes, F.C.F., see Aroeira, L.J.M., 78 (1999) 313
Lopez, S., McIntosh, F.M., Wallace, R.J. and Newbold, C.J., Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1
López, S., see Carro, M.D., 79 (1999) 279
Lopez-Bote, C.J., see Soares, M., 95 (2002) 169
López-Saez, A., see Fernández, C., 86 (2000) 71
Lowman, R.S., Theodorou, M.K. and Cuddeford, D., The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221
Lowman, R.S., Theodorou, M.K., Hyslop, J.J., Dhanoa, M.S. and Cuddeford, D., Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11
Lowry, J.B., see Kennedy, P.M., 96 (2002) 175
Lowry, J.B., see Kennedy, P.M., 86 (2000) 177
Lu, G.W. and Chen, T.C., Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159
Lu, M.-Y., see Hsieh, H.-F., 95 (2002) 189
Lucas, F., see Lambert, A., 82 (1999) 75
Luchini, N.D., see Dhiman, T.R., 90 (2001) 169
Luger, K., see Knaus, W., 81 (1999) 265
Lynch, P.B., see Kavanagh, S., 89 (2001) 49

M

Maaroufi, C., Melcion, J.-P., de Monredon, F., Giboulot, B., Guibert, D. and Le Guen, M.P., Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61
Maasdorp, B.V., Muchenje, V. and Titterton, M., Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
Mabon, N., Mandiki, S.N.M., Derycke, G., Bister, J.-L., Wathelet, J.-P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111
Mabon, N., see Derycke, G., 81 (1999) 81

Mabon, N., see Mandiki, S.N.M., 81 (1999) 93
Mabon, N., see Mandiki, S.N.M., 98 (2002) 25
Macdonald, A.M.C., see D'Mello, J.P.F., 80 (1999) 183
Macdonald, A.M.C., see Placinta, C.M., 78 (1999) 21
Machmüller, A., Ossowski, D.A. and Kreuzer, M., Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41
Machmüller, A., see Wettstein, H.-R., 85 (2000) 153
Maciorowski, K.G., see Ha, S.D., 76 (1998) 23
Mack, S., see Esteve-Garcia, E., 87 (2000) 85
Mackie, R.I., see Smith, A.H., 91 (2001) 41
Mackill, D.J., see Abou-El-Enin, O.H., 79 (1999) 129
Macovsky, B., see Plavnik, I., 96 (2002) 229
MacQueen, I.S., see Dhiman, T.R., 90 (2001) 169
Madibela, O.R., Boitumelo, W.S. and Letso, M., Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthenum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97
Madibela, O.R., Letso, M., Boitumelo, W.S., Masedi, M. and Alton, K., Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159
Madsen, J., see Hindrichsen, I.K., 98 (2002) 131
Maenz, D.D., Engele-Schaan, C.M., Newkirk, R.W. and Classen, H.L., The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177
Maenz, D.D., Irish, G.G. and Classen, H.L., Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335
Maenz, D.D., see Irish, G.G., 76 (1999) 321
Maertens, L., see Xiccato, G., 77 (1999) 201
Mafeni, J.M., see Ngwa, A.T., 88 (2000) 253
Mahouachi, M., see Atti, N., 100 (2002) 1
Mäkelä, J., see Dahlman, T., 98 (2002) 219
Mäkelä, J., see Pölönen, I., 78 (1999) 39
Makkar, H.P.S., see Getachew, G., 92 (2001) 51
Maldonado-Vasquez, H., see Aroeira, L.J.M., 78 (1999) 313
Manbeck, H.B., see D'Alfonso, T.H., 80 (1999) 29
Mandebvu, P. and Galbraith, H., Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37
Mandebvu, P., Klingener, J.L., LaCoss, D.D., Ballard, C.S., Sniffen, C.J. and Kramer, S.R., Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43
Mandebvu, P., see Ballard, C.S., 93 (2001) 55
Mandebvu, P., see Uchida, K., 93 (2001) 193
Mandebvu, P., West, J.W., Froetschel, M.A., Hatfield, R.D., Gates, R.N. and Hill, G.M., Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317
Mandibaya, W. and Chihora, R.M., The nutritional value of *Piliostigma thonningii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
Mandiki, S.N.M., Derycke, G., Bister, J.L., Mabon, N., Wathelet, J.P., Marlier, M. and Paquay, R., Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25
Mandiki, S.N.M., Mabon, N., Derycke, G., Bister, J.L., Wathelet, J.-P., Paquay, R. and Marlier, M., Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93
Mandiki, S.N.M., see Derycke, G., 81 (1999) 81
Mandiki, S.N.M., see Mabon, N., 85 (2000) 111
Manjunatha, J.V., Krishnamoorthy, U., Kailas, M.M. and Singh, C.K., Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95
Mannion, P.F., see Farrell, D.J., 82 (1999) 131
Mannion, P.F., see Farrell, D.J., 85 (2000) 145
Mantecón, A.R., see Frutos, P., 95 (2002) 215
Manterola, H.B., Cerda, D.A. and Mira, J.J., Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249
Mantzios, A., see Zervas, G., 76 (1998) 65
Mariscal-Landín, G., Lebreton, Y. and Sève, B., Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin

and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183
Marlier, M., see Derycke, G., 81 (1999) 81
Marlier, M., see Mabon, N., 85 (2000) 111
Marlier, M., see Mandiki, S.N.M., 81 (1999) 93
Marlier, M., see Mandiki, S.N.M., 98 (2002) 25
Marounek, M., see Skřivanová, V., 77 (1999) 139
Marounek, M., Suchorska, O. and Savka, O., Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223
Márquez, C., see Sharma, M., 93 (2001) 109
Martelli, G., see Parisini, P., 79 (1999) 155
Martelli, G., see Scipioni, R., 90 (2001) 81
Martin, O., see Giger-Reverdin, S., 96 (2002) 83
Martins, J.M., see Salgado, P., 98 (2002) 187
Martín-Orúe, S.M., Balcells, J., Guada, J.A. and Fondevila, M., Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171
Martín-Orue, S.M., Balcells, J., Vicente, F. and Castrillo, C., Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59
Martrenchar, A., see Morisse, J.P., 84 (2000) 129
Marzo, F., see Alonso, R., 94 (2001) 1
Masedi, M., see Madibela, O.R., 95 (2002) 159
Mask, P., see Moss, B.R., 94 (2001) 43
Masoero, F., see Piva, G., 89 (2001) 59
Masoero, F., see Rossi, F., 81 (1999) 309
Mason, D., see Davies, Z.S., 83 (2000) 205
Mass, R., see Mathis, C.P., 93 (2001) 31
Massaete, E., see Faftine, O., 76 (1998) 1
Maswaure, S.M., see Ndindana, W., 97 (2002) 199
Mateos, G.G., see Medel, P., 82 (1999) 145
Mateos, G.G., see Medel, P., 84 (2000) 13
Mateos, G.G., see Medel, P., 95 (2002) 113
Mathis, C.P., Cochran, R.C., Vanzant, E.S., Abdelgadir, I.E.O., Heldt, J.S., Olson, K.C., Johnson, D.E., Caton, J., Faulkner, D., Horn, G., Paisley, S., Mass, R., Moore, K. and Halgerson, J., A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31
Mathison, G.W., see Ramsey, P.B., 94 (2001) 155
Mathison, G.W., see Ramsey, P.B., 97 (2002) 145
Mathison, G.W., see Zaman, M.S., 99 (2002) 1
Matos, L.L.de, see Aroeira, L.J.M., 78 (1999) 313
Matsui, T., see Konishi, C., 80 (1999) 115
Matsui, T., see Park, W.-Y., 88 (2000) 31
Matsuoka, S., see Yahaya, M.S., 79 (1999) 137
Matsuoka, S., see Yahaya, M.S., 92 (2001) 141
Mauricio, R., see Vitti, D.M.S.S., 79 (1999) 145
Mauricio, R.M., Mould, F.L., Dhanoa, M.S., Owen, E., Channa, K.S. and Theodorou, M.K., A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321
Mauricio, R.M., Owen, E., Mould, F.L., Givens, I., Theodorou, M.K., France, J., Davies, D.R. and Dhanoa, M.S., Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
Mavimbela, D.T., see van Ryssen, J.B.J., 78 (1999) 263
Mavromichalis, I., Hancock, J.D., Hines, R.H., Senne, B.W. and Cao, H., Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127
May, C., see Gulati, S.K., 98 (2002) 143
Mayes, R.W., see Hatt, J.-M., 94 (2001) 65
Mayne, C.S., see Keady, T.W.J., 81 (1999) 57
Mayne, C.S., see Keady, T.W.J., 90 (2001) 117
Mayura, K., see Lemke, S.L., 93 (2001) 17
Mbugua, D.M., see Schofield, P., 91 (2001) 21
Mbugua, P.N., see Muia, J.M.K., 92 (2001) 113
Mbugua, P.N., see Muia, J.M.K., 93 (2001) 177
McAllister, T., A. see Hristov, A.N., 76 (1998) 161
McAllister, T.A., see Baah, J., 77 (1999) 213
McAllister, T.A., see Hristov, A.N., 76 (1998) 161
McAllister, T.A., see Nsereko, V.L., 88 (2000) 153
McAllister, T.A., see ZoBell, D.R., 96 (2002) 221
McAllister, T.A., see Zaman, M.S., 99 (2002) 1
McCracken, K.J., see George, J., 98 (2002) 237
McDowell, L.R., see White, C.E., 87 (2000) 105
McElhenney, W.H., see Moss, B.R., 94 (2001) 43
McIntosh, F., see Teferedegne, B., 78 (1999) 11
McIntosh, F.M., see Lopez, S., 78 (1999) 1
McKinnon, J.J., see Jones, R.A., 89 (2001) 97
McKinnon, J.J., see Mustafa, A.F., 76 (1999) 265
McKinnon, J.J., see Mustafa, A.F., 80 (1999) 247
McKinnon, J.J., see Mustafa, A.F., 83 (2000) 301
McKinnon, J.J., see Mustafa, A.F., 92 (2001) 33
McKinnon, J.J., see Mustafa, A.F., 95 (2002) 123
McKinnon, J.J., see Batista, A.M., 100 (2002) 107
McLean, B.M.L., Hyslop, J.J., Longland, A.C., Cuddeford, D. and Hollands, T., Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79
McNabb, W.C., see Min, B.R., 92 (2001) 185
McNeill, D.M., see Komolong, M.K., 92 (2001) 59
McNeill, D.M., see McSweeney, C.S., 91 (2001) 83

McNiven, M.A., Prestløkken, E., Mydland, L.T. and Mitchell, A.W., Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1
McSweeney, C.S., Palmer, B., Bunch, R. and Krause, D.O., In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
McSweeney, C.S., Palmer, B., McNeill, D.M. and Krause, D.O., Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83
Meagher, L.P., Smith, B.L. and Wilkins, A.L., Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157
Medel, P., Baucells, F., Gracia, M.I., de Blas, C. and Mateos, G.G., Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113
Medel, P., García, M., Lázaro, R., de Blas, C. and Mateos, G.G., Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13
Medel, P., Salado, S., de Blas, J.C. and Mateos, G.G., Processed cereals in diets for early-weaned piglets, 82 (1999) 145
Meeske, R., Basson, H.M. and Cruywagen, C.W., The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
Meeske, R., van der Merwe, G.D., Greyling, J.F. and Cruywagen, C.W., The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159
Mehra, U.R., see Hosamani, S.V., 76 (1998) 117
Mehra, U.R., see Verma, A.K., 87 (2000) 253
Melcion, J.P., see Aufrère, J., 92 (2001) 215
Melcion, J.-P., see Maaroufi, C., 85 (2000) 61
Méndez, J., see Nicodemus, N., 80 (1999) 43
Mendez, P., see Ventura, M.R., 85 (2000) 279
Mendoza, M.G.D., see Cabrera, E.J.I., 83 (2000) 49
Mendoza, M.G.D., see García, C.C.G., 83 (2000) 165
Merkel, R.C., Pond, K.R., Burns, J.C. and Fisher, D.S., Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
Merry, R.J., see Davies, Z.S., 83 (2000) 205
Merry, R.J., see Dewhurst, R.J., 85 (2000) 1
Merry, R.J., see Winters, A.L., 99 (2002) 177
Meschy, F., see Bravo, D., 99 (2002) 73
Metwally, H., see Kraidees, M.S., 76 (1998) 149
Metwally, H., see Kraidees, M.S., 76 (1999) 149
Meunier-Salaün, M.C., Edwards, S.A. and Robert, S., Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53
Meurens, M., see Xiccato, G., 77 (1999) 201
Meyer, J.H.F., see Jones, R.J., 85 (2000) 269
Milton, J.B., see White, C.L., 99 (2002) 45
Min, B.R., Fernandez, J.M., Barry, T.N., McNabb, W.C. and Kemp, P.D., The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185
Min, D.H., Vough, L.R. and Reeves III, J.B., Dairy slurry effects on forage quality of orchardgrass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143
Mińkowski, K., Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237
Mir, Z., see Okine, E.K., 92 (2001) 87
Mir, Z., see Zaman, M.S., 99 (2002) 1
Mir, P.S., see Zaman, M.S., 99 (2002) 1
Mira, J.J., see Manterola, H.B., 92 (2001) 249
Miron, J., see Ben-Ghedalia, D., 91 (2001) 139
Miron, J., see Ben-Ghedalia, D., 92 (2001) 175
Mishra, A.S., Chaturvedi, O.H., Khali, A., Prasad, R., Santra, A., Misra, A.K., Parthasarathy, S. and Jakhmola, R.C., Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257
Mishra, D.P., see Tripathi, M.K., 92 (2001) 73
Mishra, D.P., see Tripathi, M.K., 94 (2001) 137
Misra, A.K., see Mishra, A.S., 84 (2000) 257
Michalet-Doreau, B., see Gidenne, T., 99 (2002) 107
Mitchell, A.W., see McNiven, M.A., 96 (2002) 1
Mitchell, D.A., see Villas-Bôas, S.G., 98 (2002) 1
Miquel, N., see Knarreborg, A., 99 (2002) 131
M'ncene, W.B., Tuitoek, J.K. and Muiruri, H.K., Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239
Mohamed, F.A., see Farag, M. Diaa El-Din H., 77 (1999) 267
Mohammed, F., see Bhatta, R., 83 (2000) 67
Mohammed, F., see Bhatta, R., 90 (2001) 143
Mohanna, C. and Nys, Y., Changes in zinc and manganese availability in broiler chicks induced

by vegetal and microbial phytases, 77 (1999) 241
Mohanna, C., Carré, B. and Nys, Y., Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255
Molina, D.O., Pell, A.N. and Hogue, D.E., Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69
Moloney, A.P. and O'Kiely, P., Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221
Moloney, A.P., see Woods, V.B., 80 (1999) 135
Moloney, A.P., see Woods, V.B., 100 (2002) 15
Moncoulon, R., see Enjalbert, F., 76 (1999) 195
Monetti, P.G., see Rizzi, L., 97 (2002) 103
Montero, R., see Alomar, D., 78 (1999) 57
Moore, K., see Mathis, C.P., 93 (2001) 31
Moore-Colyer, M.J.S., Hyslop, J.J., Longland, A.C. and Cuddeford, D., Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183
Morel, P.C.H., see Pearson, G., 79 (1999) 301
Morgavi, D.P., see Nsereko, V.L., 88 (2000) 153
Morisse, J.P., Huonnic, D., Cotte, J.P. and Martrenchar, A., The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
Morrish, L., see King, R.H., 83 (2000) 17
Mosase, K.W., see Aganga, A.A., 91 (2001) 107
Moschini, M., see Piva, G., 89 (2001) 59
Moss, A.R. and Givens, D.I., The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127
Moss, A.R., Deaville, E.R. and Givens, D.I., The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187
Moss, B.R., Reeves, D.W., Lin, J.C., Torbert, H.A., McElhenney, W.H., Mask, P. and Kezar, W., Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43
Moughan, P.J., Dong, G.Z., Pearson, G. and Wilkinson, B.H.P., Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
Moughan, P.J., see Pearson, G., 79 (1999) 301
Moughan, P.J., see van Wijk, H.J., 76 (1998) 9
Moujahed, N., Kayouli, C., Thewis, A., Beckers, Y. and Rezgui, S., Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
Mould, F., see Vitti, D.M.S.S., 79 (1999) 145
Mould, F.L., see Mauricio, R.M., 79 (1999) 321
Mould, F.L., see Mauricio, R.M., 89 (2001) 33
Mountzouris, K.C., Fegeros, K. and Papadopoulos, G., Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
Mourato, M., see Salgado, P., 91 (2001) 197
Mourato, M., see Seabra, M., 89 (2001) 1
Mthiyane, D.M.N., Nsahlai, I.V. and Bonsi, M.L.K., The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171
Muchenje, V., see Maasdorp, B.V., 77 (1999) 49
Mueller-Harvey, I., Analysis of hydrolysable tannins, 91 (2001) 3
Mueller-Harvey, I., see Hedqvist, H., 87 (2000) 41
Muhammad, I.R., see Kallah, M., 84 (2000) 137
Muhammad, I.R., see Larbi, A., 77 (1999) 33
Mui, N.T., see Van, D.T.T., 100 (2002) 79
Muia, J.M.K., Tamminga, S., Mbugua, P.N. and Kariuki, J.N., Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113
Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177
Muir, J.P., see Faftine, O., 76 (1998) 1
Muiruri, H.K., see M'ncene, W.B., 78 (1999) 239
Mullan, B.P., see Hanbury, C.D., 87 (2000) 1
Mullan, B.P., see King, R.H., 83 (2000) 17
Müller, R., see Giger-Reverdin, S., 96 (2002) 83
Mulligan, F.J., see Woods, V.B., 80 (1999) 135
Mündel, H.-H., see Stanford, K., 81 (1999) 249
Muntifering, R.B., Crosby, D.D., Powell, M.C. and Chappelka, A.H., Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243
Mupangwa, J.F., Acamovic, T., Topps, J.H., Ngongoni, N.T. and Hamudikuwanda, H., Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139
Murai, M., see Kondo, T., 80 (1999) 321

Murauer, C., see Knaus, W., 81 (1999) 265
Murphy, J.J., The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189
Murphy, M., see Hedqvist, H., 87 (2000) 41
Murphy, M.J., see Tapia, M.O., 97 (2002) 239
Murphy, M.R., see Corley III, R.N., 79 (1999) 247
Mustafa, A.F., McKinnon, J.J. and Christensen, D.A., Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265
Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247
Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301
Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33
Mustafa, A.F., McKinnon, J.J., Christensen, D.A. and He, T., Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123
Mustafa, A.F., see Jones, R.A., 89 (2001) 97
Mustafa, A.F., see Batista, A.M., 100 (2002) 107
Mustafa, I.A., see Belal, I.E., 81 (1999) 291
Muzquiz, M., see Alonso, R., 94 (2001) 1
Muzquiz, M., see Ventura, M.R., 85 (2000) 279
Mydland, L.T., see McNiven, M.A., 96 (2002) 1

N

Nabeneza, S., see Hassoun, P., 100 (2002) 31
Nada, S.A., see Abdel-Wahhab, M.A., 97 (2002) 209
Nagadi, S., Herrero, M. and Jessop, N.S., The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231
The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241
Nahed, J., see Camacho, D., 80 (1999) 123
Nakui, T., see Kume, S., 93 (2001) 157
Nandra, K.S., Dobos, R.C., Orchard, B.A., Neutze, S.A., Oddy, V.H., Cullis, B.R. and Jones, A.W., The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273
Näsi, M., Piironen, J. and Partanen, K., Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125
Näsi, M., see Laurinen, P., 83 (2000) 1
Ndindana, W., Dzama, K., Ndiweni, P.N.B., Maswaure, S.M. and Chimonyo, M., Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199
Ndiweni, P.N.B., see Ndindana, W., 97 (2002) 199
Ndlovu, L.R., see Dube, J.S., 91 (2001) 59
Ndlovu, L.R., see Hove, L., 91 (2001) 95
Nefzaoui, A., see Ben Salem, H., 78 (1999) 297
Nefzaoui, A., see Ben Salem, H., 96 (2002) 15
Negi, A.S., see Ramana, D.B.V., 88 (2000) 103
Neill, L., see Ivan, M., 92 (2001) 127
Nelssen, J.L., see Grinstead, G.S., 83 (2000) 237
Nelssen, J.L., see James, B.W., 96 (2002) 135
Neutze, S.A., see Nandra, K.S., 83 (2000) 273
Newbold, C.J., see El hassan, S.M., 86 (2000) 27
Newbold, C.J., see Lopez, S., 78 (1999) 1
Newbold, C.J., see Nsereko, V.L., 76 (1998) 51
Newbold, C.J., see Teferedegne, B., 78 (1999) 11
Newkirk, R.W. and Classen, H.L., The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115
Newkirk, R.W., see Maenz, D.D., 81 (1999) 177
Ngongoni, N.T., see Mupangwa, J.F., 83 (2000) 139
Nguyen, H.V., see Yahaya, M.S., 92 (2001) 141
Ngwa, A.T., Pone, D.K. and Mafeni, J.M., Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253
Nhu Phuc, B.H., Ogle, B. and Lindberg, J.E., Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223
Nianogo, A.J., see Savadogo, M., 84 (2000) 265
Nianogo, A.J., see Savadogo, M., 87 (2000) 57
Nichols, P.D., see Kitessa, S.M., 89 (2001) 189
Nichols, P.D., see Kitessa, S.M., 89 (2001) 201
Nicodemus, N., Carabaño, R., García, J., Méndez, J. and de Blas, C., Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43
Niemelä, P., see Dahlman, T., 98 (2002) 219

Niemelä, P., see Pölönen, I., 78 (1999) 39
Nishida, T., see Islam, M.R., 92 (2001) 237
Noblet, J. and Le Goff, G., Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35
Nogueira Filho, J.C.M., Fondevila, M., Barrios Urdaneta, A. and González Ronquillo, M., In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145
Nogueira-Filho, J.C.M., see Fondevila, M., 95 (2002) 1
Nolan, J., see Thomson, E., 91 (2001) 233
Nomdedeu, M., see Di Marco, O.N., 99 (2002) 37
Nonaka, K., see Kume, S., 93 (2001) 157
Nousiainen, J.I., see Virkajärvi, P., 97 (2002) 23
Nozière, P., see Agbagla-Dohnani, A., 94 (2001) 15
Nsahlai, I.V., Osuji, P.O. and Umunna, N.N., Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223
Nsahlai, I.V., see Mthiyane, D.M.N., 94 (2001) 171
Nsereko, V.L., Morgavi, D.P., Rode, L.M., Beauchemin, K.A. and McAllister, T.A., Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153
Nsereko, V.L., Rooke, J.A., Newbold, C.J. and Wallace, R.J., Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
Ntim, I., see Atuahene, C.C., 83 (2000) 185
Nunes do Prado, I., see Giger-Reverdin, S., 96 (2002) 83
Nys, Y., see Mohanna, C., 77 (1999) 241
Nys, Y., see Mohanna, C., 77 (1999) 255

O

Obiyan, R.I., see Onifade, A.A., 77 (1999) 25
Ochoa, S., see Camacho, D., 80 (1999) 123
Ochtabińska, A., see Pastuszewska, B., 86 (2000) 117
Oddy, V.H., see Nandra, K.S., 83 (2000) 273
Odenyo, A., see Teferedegne, B., 78 (1999) 11
Odenyo, A.A., see Hindrichsen, I.K., 98 (2002) 131
Odenyo, A.A., see Smith, A.H., 91 (2001) 41
Oerlemans, J., see Kennedy, P.M., 96 (2002) 175
Ofori, S.K., see Donkoh, A., 81 (1999) 299
Ogle, B., see Nhu Phuc, B.H., 83 (2000) 223
Oh, Y.-G., Kim, K.H., Kim, J.-H., Choung, J.-J. and Chamberlain, D.G., The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227
Ohshita, T., see Kondo, T., 80 (1999) 321
O'Kiely, P., see Moloney, A.P., 81 (1999) 221
Okine, E.K., Wang, Z., Goonewardene, L.A., Mir, Z. and Liu, M.F., Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage–grain diets, 92 (2001) 87
Oliveira, R.F.M. and Donzele, J.L., Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319
Olorunju, P.E., see Larbi, A., 77 (1999) 33
Olson, K.C., see Mathis, C.P., 93 (2001) 31
Olson, K.C., see ZoBell, D.R., 87 (2000) 279
Olson, K.C., see ZoBell, D.R., 96 (2002) 221
O'Mara, F., see Kavanagh, S., 89 (2001) 49
O'Mara, F.P., Coyle, J.E., Drennan, M.J., Young, P. and Caffrey, P.J., A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
O'Mara, F.P., see Woods, V.B., 80 (1999) 135
O'Mara, F.P., see Woods, V.B., 100 (2002) 15
Ondiek, J.K., see Abdulrazak, S.A., 85 (2000) 89
Onifade, A.A., Obiyan, R.I., Onipede, E., Adejumo, D.O., Abu, O.A. and Babatunde, G.M., Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25
Onipede, E., see Onifade, A.A., 77 (1999) 25
O'Quinn, P.R., see James, B.W., 96 (2002) 135
Orchard, B.A., see Nandra, K.S., 83 (2000) 273
Orskov, E.R., see Liu, J.X., 76 (1999) 345
Ørskov, E.R., see Abdulrazak, S.A., 85 (2000) 89
Ørskov, E.R., see Apori, S.O., 76 (1998) 129
Ørskov, E.R., see Baba, A.S.H., 95 (2002) 93
Ørskov, E.R., see Liu, J.X., 88 (2000) 189
Ørskov, E.R., see Long, R.J., 80 (1999) 101
Ørskov, E.R., see Verbič, J., 82 (1999) 195
Ørskov, E.R., see Zahedifar, M., 95 (2002) 83
Ortega, C.M.E., see García, C.C.G., 83 (2000) 165
Ortega-Cerrilla, M.E., Finlayson, H.J. and Armstrong, D.G., The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73
Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde

as assessed by the dacron bag technique, 77 (1999) 83
Ortiz, L.T., see Alzueta, C., 97 (2002) 169
Ortiz, L.T., see Rebolé, A., 78 (1999) 153
Ortiz, L.T., see Treviño, J., 84 (2000) 155
Oshita, T., see Kume, S., 93 (2001) 157
Ossowski, D.A., see Machmüller, A., 85 (2000) 41
Osuji, P.O., see Hindrichsen, I.K., 98 (2002) 131
Osuji, P.O., see Nsahlai, I.V., 85 (2000) 223
Osuji, P.O., see Smith, A.H., 91 (2001) 41
Osuji, P.O., see Teferedegne, B., 78 (1999) 11
Ottinger, S.E., see Lemke, S.L., 93 (2001) 17
Ouhida, I., Pérez, J.F., Piedrafita, J. and Gasa, J., The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183
Ovejero, F.J., see Carro, M.D., 79 (1999) 279
Owen, E., see Adogla-Bessa, T., 82 (1999) 51
Owen, E., see Mauricio, R.M., 79 (1999) 321
Owen, E., see Mauricio, R.M., 89 (2001) 33
Owen, E., see Vitti, D.M.S.S., 79 (1999) 145

P

Pack, M. and Höhler, D., Comments on "Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs [A. Römer, H. Abel, Anim. Feed Sci. Technol. 81 (1999) 193–203]", 88 (2000) 129
Paggi, R.A., Fay, J.P. and Ferández, H.M., Corrigendum to "Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid". [Anim. Feed Sci. Technol. 78 (1999) 341–347], 80 (1999) 163
Paggi, R.A., Fay, J.P. and Fernández, H.M., Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341
Paisley, S., see Mathis, C.P., 93 (2001) 31
Palmer, B. and Jones, R.J., The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149
Palmer, B., Jones, R.J., Wina, E. and Tangendjaja, B., The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29
Palmer, B., see Jones, R.J., 85 (2000) 215
Palmer, B., see McSweeney, C.S., 82 (1999) 227
Palmer, B., see McSweeney, C.S., 91 (2001) 83
Pan, Y.-F., see Huang, R.-L., 88 (2000) 79
Papachristou, T.G., Platis, P.D., Papanastasis, V.P. and Tsiouvaras, C.N., Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267
Papadopoulos, G., see Mountzouris, K.C., 77 (1999) 115
Papanastasis, V.P., see Papachristou, T.G., 80 (1999) 267
Papon, Y., see Broudiscou, L.-P., 77 (1999) 149
Papon, Y., see Broudiscou, L.-P., 79 (1999) 43
Papon, Y., see Broudiscou, L.-P., 87 (2000) 263
Paquay, R., see Derycke, G., 81 (1999) 81
Paquay, R., see Mabon, N., 85 (2000) 111
Paquay, R., see Mandiki, S.N.M., 81 (1999) 93
Paquay, R., see Mandiki, S.N.M., 98 (2002) 25
Parisini, P., Martelli, G., Sardi, L. and Escribano, F., Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
Park, J., see Anil, L., 86 (2000) 157
Park, R.S., Agnew, R.E., Gordon, F.J. and Barnes, R.J., The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325
Park, W., see Konishi, C., 80 (1999) 115
Park, W.-Y., Matsui, T., Yano, F. and Yano, H., Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
Parr, E.N., see Peter, C.M., 94 (2001) 199
Parr, T.M., see Peter, C.M., 94 (2001) 199
Partanen, K., Jalava, T., Valaja, J., Perttilä, S., Siljander-Rasi, H. and Lindeberg, H., Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137
Partanen, K., see Näsi, M., 77 (1999) 125
Partanen, K., see Perttilä, S., 98 (2002) 203
Parthasarathy, S., see Mishra, A.S., 84 (2000) 257
Pascual, J.J., Cervera, C. and Fernández-Carmona, J., The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191
Pascual, J.J., see Blas, E., 88 (2000) 239

Pascual, J.J., Tolosa, C., Cervera, C., Blas, E. and Fernández-Carmona, J., Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105
Pastuszewska, B., Jabłecki, G., Święch, E., Buraczewska, L. and Ochtabińska, A., Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117
Pathak, N.N., see Giri, S.S., 83 (2000) 195
Pathak, N.N., see Sahoo, A., 80 (1999) 83
Paton, S.J., see Swanson, K.C., 86 (2000) 95
Pauly, T.M., Hansson, I.B. and Tham, W.A., The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127
Pavlov, D., see Iantcheva, N., 81 (1999) 333
Pearson, G., Moughan, P.J., Dong, G.Z. and Morel, P.C.H., Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Pearson, G., see Moughan, P.J., 79 (1999) 309
Pearson, G., see van Wijk, H.J., 76 (1998) 9
Pell, A.N., see Molina, D.O., 81 (1999) 69
Pell, A.N., see Schofield, P., 91 (2001) 21
Peng, J., see Lejeune, A., 84 (2000) 295
Pereda, R., see de J. Marichal, M., 88 (2000) 91
Perevolotsky, A., see Silanikove, N., 91 (2001) 69
Pérez Vendrell, A.M., see Cosson, T., 77 (1999) 345
Pérez, J.F., see Ouhida, I., 85 (2000) 183
Pérez-Gil, F., see Camacho, D., 80 (1999) 123
Perez-Maldonado, R.A., see Farrell, D.J., 82 (1999) 131
Perez-Maldonado, R.A., see Farrell, D.J., 85 (2000) 145
Pérez-Sato, M., see Cobos, M.A., 95 (2002) 179
Perttilä, S., see Partanen, K., 93 (2001) 137
Perttilä, S., Valaja, J., Partanen, K., Jalava, T. and Venäläinen, E., Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203
Perttilä, S., see Pölönen, I., 99 (2002) 189
Pessarakli, M., see Wanderley, R.C., 76 (1999) 207
Peter, C.M. and Baker, D.H., Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63
Peter, C.M., Parr, T.M., Parr, E.N., Webel, D.M. and Baker, D.H., The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize–soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199
Peters, J.P., see Watkins, S.E., 81 (1999) 35
Pfeiffer, A.-M., see Baker, R.T.M., 99 (2002) 97
Peyraud, J.-L., see Boudon, A., 93 (2001) 229
Peyraud, J.-L., see Boudon, A., 97 (2002) 83
Peyraud, J.L., see Delagarde, R., 84 (2000) 49
Peyraud, J.L., see Le Liboux, S., 76 (1999) 297
Phillips, N., see Rodehutscord, M., 82 (1999) 213
Phillips, T.D., see Lemke, S.L., 93 (2001) 17
Phillips, N., see White, C.L., 99 (2002) 45
Phipps, R.H., see Anil, L., 86 (2000) 157
Pichard, G., see Jaurena, G., 92 (2001) 159
Piedrafita, J., see Ouhida, I., 85 (2000) 183
Piironen, J., see Näsi, M., 77 (1999) 125
Piironen, J., see Żyła, K., 89 (2001) 113
Pimpa, O., Liang, J.B., Jelan, Z.A. and Abdullah, N., Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203
Pimpukdee, K., see Lemke, S.L., 93 (2001) 17
Pisulewska, E. and Pisulewski, P.M., Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261
Pisulewski, P.M., see Pisulewska, E., 86 (2000) 261
Piva, G., Moschini, M., Fiorentini, L. and Masoero, F., Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59
Piva, G., see Rossi, F., 81 (1999) 309
Placinta, C.M., D'Mello, J.P.F. and Macdonald, A.M.C., A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21
Placinta, C.M., see D'Mello, J.P.F., 80 (1999) 183
Platis, P.D., see Papachristou, T.G., 80 (1999) 267
Plavnik, I., Macovsky, B. and Sklan, D., Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229
Poku-Prempeh, Y.B., see Donkoh, A., 77 (1999) 163
Pollard, G.V., Richardson, C.R. and Karnezos, T.P., Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121
Pölönen, I., Niemelä, P., Xiao, Y., Jalkanen, L., Korhonen, H. and Mäkelä, J., Formic acid—sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39
Pölönen, I., Valaja, J., Jalava, T., Perttilä, S., Kariluoto, S. and Korhonen, H., Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189
Poncet, C., see Archimède, H., 87 (2000) 153

Poncet, C., see Drogoul, C., 87 (2000) 117
Poncet, C., see Drogoul, C., 87 (2000) 131
Pond, K.R., see Merkel, R.C., 82 (1999) 91
Pond, K.R., see Merkel, R.C., 82 (1999) 107
Pone, D.K., see Ngwa, A.T., 88 (2000) 253
Pösö, R., see Tesfa, A.T., 76 (1999) 275
Pott, E.B., Henry, P.R., Zanetti, M.A., Rao, P.V., Hinderberger Jr., E.J. and Ammerman, C.B., Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
Pott, E.B., Henry, P.R., Rao, P.V., Hinderberger Jr., E.J. and Ammerman, C.B., Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107
Powell, M.C., see Muntifering, R.B., 84 (2000) 243
Prasad, R., see Mishra, A.S., 84 (2000) 257
Prestløkken, E. and Harstad, O.M., Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
Prestløkken, E., In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1
Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
Corrigendum to "In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs" [Anim. Feed Sci. Technol. 77 (1999) 1–23], 82 (1999) 271
Prestløkken, E., see Harstad, O.M., 83 (2000) 31
Prestløkken, E., see Harstad, O.M., 94 (2001) 127
Prestløkken, E., see McNiven, M.A., 96 (2002) 1
Provenza, F.D., see Silanikove, N., 91 (2001) 69

R

Rademacher, M., see Jansman, A.J.M., 98 (2002) 49
Rafiq, M., Dixon, R.M., Hosking, B.J. and Egan, A.R., Leaf content of straw diets influences supplementation responses by sheep, 100 (2002) 93
Rakow, G., see Slominski, B.A., 78 (1999) 249
Rama Rao, S.V., Ramasubba Reddy, V. and Ravindra Reddy, V., Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1
Rama Rao, S.V., Ravindra Reddy, V. and Ramasubba Reddy, V., Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
Ramana, D.B.V., Singh, S., Solanki, K.R. and Negi, A.S., Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103
Ramasubba Reddy, V., see Rama Rao, S.V., 79 (1999) 211
Ramasubba Reddy, V., see Rama Rao, S.V., 80 (1999) 1
Ramirez, L.R., see García, C.C.G., 83 (2000) 165
Ramos, G., see Frutos, P., 95 (2002) 215
Ramos, J.J.A., see Cabrera, E.J.I., 83 (2000) 49
Ramsey, P.B., Mathison, G.W. and Goonewardene, L.A., Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145
Ranilla, M.J., see Tejido, M.L., 97 (2002) 41
Rao, P.V., see Pott, E.B., 79 (1999) 93
Rao, P.V., see Pott, E.B., 79 (1999) 107
Rasool, S., see Ahmad, T., 83 (2000) 103
Rattunde, H.F.W., see Zerbini, E., 81 (1999) 17
Ravi, U., Singh, P., Garg, A.K. and Agrawal, D.K., Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121
Ravindra Reddy, V., see Rama Rao, S.V., 79 (1999) 211
Ravindra Reddy, V., see Rama Rao, S.V., 80 (1999) 1
Razdan, A., see Bergh, M.O., 78 (1999) 215
Rearte, D.H., see Alvarez, H.J., 91 (2001) 183
Rebolé, A., Rodríguez, M.L., Alzueta, C., Ortiz, L.T. and Treviño, J., A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
Rebolé, A., see Alzueta, C., 97 (2002) 169
Rebolé, A., see Treviño, J., 84 (2000) 155
Reed, C., Trigo-Stockli, D., Blasi, D.A. and Fairchild, F.J., Storage of pelleted wheat middlings in farm bins, 88 (2000) 47
Reed, J.D., see Dube, J.S., 91 (2001) 59
Reed, J.D., see Hedqvist, H., 87 (2000) 41
Reeves, D.W., see Moss, B.R., 94 (2001) 43

Reeves III, J.B., see Min, D.H., 95 (2002) 143
Refstie, S., Svihus, B., Shearer, K.D. and Stroebakken, T., Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331
Reñé, D., see Cosson, T., 77 (1999) 345
Repetto, J.L., see Cajarville, C., 87 (2000) 203
Rezgui, S., see Moujahed, N., 88 (2000) 219
Richards, C.J., see Swanson, K.C., 86 (2000) 95
Richardson, C.R., see Pollard, G.V., 98 (2002) 121
Ricke, S.C., see Ha, S.D., 76 (1998) 23
Rizzi, L., Simioli, M., Sardi, L. and Monetti, P.G., Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103
Roberson, K.D., Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
Robert, S., see Meunier-Salaün, M.C., 90 (2001) 53
Robertson, J.B., see Ruiz, R., 89 (2001) 155
Robinson, P.H., Getachew, G., De Peters, E.J. and Calhoun, M.C., Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149
Robinson, P.H., Gill, M. and Kennelly, J.J., Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115
Robinson, P.H., Campbell Mathews, M. and Fadel, J.G., Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257
Robinson, P.H., see Getachew, G., 93 (2001) 1
Rode, L.M., see Nsereko, V.L., 88 (2000) 153
Rodehutscord, M., Young, P., Phillips, N. and White, C.L., Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
Rodríguez, C.A., see Cajarville, C., 87 (2000) 203
Rodríguez, M.L., see Alzueta, C., 97 (2002) 169
Rodríguez, M.L., see Rebolé, A., 78 (1999) 153
Rodríguez, M.L., see Treviño, J., 84 (2000) 155
Rodrigues, M.A.M., Fonseca, A.J.M., Sequeira, C.A. and Dias-da-Silva, A.A., Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
Ropp, J.K., see Hristov, A.N., 99 (2002) 25
Römer, A. and Abel, H., Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193
Corrigendum to "Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs" [Ani. Feed. Sci. Tech. 81 (1999) 193–203], 83 (2000) 325
Rooke, J.A., see Nsereko, V.L., 76 (1998) 51
Roothaert, R.L., Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1
Roothaert, R.L., see Salawu, M.B., 77 (1999) 181
Rosenkrans Jr., C.F., see Coblentz, W.K., 89 (2001) 17
Rossi, F., Fiorentini, L., Masoero, F. and Piva, G., Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309
Rossnagel, B.G., see Ankrah, N.O., 81 (1999) 205
Roush, W.B., see Cravener, T.L., 90 (2001) 131
Roush, W.B., see D'Alfonso, T.H., 80 (1999) 29
Rowe, D., see Kidd, M.T., 94 (2001) 57
Ruano, A., see García-Ciudad, A., 77 (1999) 91
Ruano-Ramos, A., García-Ciudad, A. and García-Criado, B., Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331
Rubio, L.A., see Alonso, R., 94 (2001) 1
Ruiz, R., Van Soest, P.J., Van Amburgh, M.E., Fox, D.G. and Robertson, J.B., Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
Rymer, C., Huntington, J.A. and Givens, D.I., Effects of inoculum preparation method and concentration, method of inoculation and presoaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199
Rymer, C., see Brown, V.E., 98 (2002) 13

S

Sabatel, V. de O., see Herrero, M., 92 (2001) 149
Saeed, M.N., see Sarwar, M., 82 (1999) 121
Sahlstrøm, S., see Skrede, G., 90 (2001) 199
Sahoo, A., Agarwal, N., Kamra, D.N., Chaudhary, L.C. and Pathak, N.N., Influence of the level of

molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83
Sahoo, A., see Giri, S.S., 83 (2000) 195
Sairanen, A., see Khalili, H., 84 (2000) 199
Sairanen, A., see Virkajärvi, P., 97 (2002) 23
Saki, A.A., see Iji, P.A., 89 (2001) 175
Salado, S., see Medel, P., 82 (1999) 145
Salawu, M.B., Acamovic, T., Stewart, C.S. and Roothaert, R.L., Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181
Salawu, M.B., Acamovic, T., Stewart, C.S., Hvelplund, T. and Weisbjerg, M.R., The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243
Salawu, M.B., Adesogan, A.T., Fraser, M.D., Fychan, R. and Jones, R., Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
Salawu, M.B., Adesogan, A.T., Weston, C.N. and Williams, S.P., Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77
Salawu, M.B., see Adesogan, A.T., 96 (2002) 161
Salgado, P., Lallès, J.P., Toullec, R., Mourato, M., Cabral, F. and Freire, J.P.B., Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
Salgado, P., Martins, J.M., Carvalho, F., Abreu, M., Freire, J.P.B., Toullec, R., Lallès, J.P. and Bento, O., Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187
Saloniemi, H., see Tesfa, A.T., 76 (1999) 275
San Martín, R., see de J. Marichal, M., 88 (2000) 91
Sankhyan, S.K., Shinde, A.K., Bhatta, R. and Karim, S.A., Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261
Santini, F.J., see Alvarez, H.J., 91 (2001) 183
Santra, A. and Karim, S.A., Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251
Santra, A., see Mishra, A.S., 84 (2000) 257
Sardi, L., see Parisini, P., 79 (1999) 155
Sardi, L., see Rizzi, L., 97 (2002) 103
Sarwar, M., Khan, M.-u.-N. and Saeed, M.N., Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121
Sarwar, M., see Ahmad, T., 83 (2000) 103
Sass, D., see ZoBell, D.R., 96 (2002) 221
Sastry, V.R.B., see Elangovan, A.V., 88 (2000) 113
Saukko, T., see Tesfa, A.T., 76 (1999) 275
Sauvant, D., see Giger-Reverdin, S., 96 (2002) 83
Sauvant, D., see Valentin, S.F., 78 (1999) 81
Sauvant, D., see Bravo, D., 99 (2002) 73
Savadogo, M., Zemmelink, G. and Nianogo, A.J., Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
Savadogo, M., Zemmelink, G., Nianogo, A.J. and Van Keulen, H., Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57
Savka, O., see Marounek, M., 80 (1999) 223
Scarbrough, D.A., Coblentz, W.K., Coffey, K.P., Turner, J.E., Davis, G.V., Kellogg, D.W. and Hellwig, D.H., Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119
Scarbrough, D.A., see Coblentz, W.K., 89 (2001) 17
Scerra, V., Caridi, A., Foti, F. and Sinatra, M.C., Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169
Schadt, I., see Licitra, G., 77 (1999) 99
Schofield, P., Mbugua, D.M. and Pell, A.N., Analysis of condensed tannins: a review, 91 (2001) 21
Scholten, R.H.J., van der Peet-Schwering, C.M.C., Verstegen, M.W.A., den Hartog, L.A., Schrama, J.W. and Vesseur, P.C., Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1
Schöner, F.-J., see Baker, R.T.M., 99 (2002) 97
Schrama, J.W., see Scholten, R.H.J., 82 (1999) 1

Scipioni, R. and Martelli, G., Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81
Scott, T.W., see Gulati, S.K., 79 (1999) 57
Scott, T.W., see Gulati, S.K., 86 (2000) 139
Scott, T.W., see Gulati, S.K., 98 (2002) 143
Scott, T.W., see Kitessa, S.M., 89 (2001) 189
Scott, T.W., see Kitessa, S.M., 89 (2001) 201
Seabra, M., Carvalho, S., Freire, J., Ferreira, R., Mourato, M., Cunha, L., Cabral, F., Teixeira, A. and Aumaitre, A., *Lupinus luteus*, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1
Siddique, K.H.M., see White, C.L., 99 (2002) 45
Segura, M., see Gidenne, T., 99 (2002) 107
Seigler, D.S., see Smith, A.H., 91 (2001) 41
Senne, B.W., see Mavromichalis, I., 93 (2001) 127
Sequeira, C.A., see Rodrigues, M.A.M., 95 (2002) 133
Sève, B., see Mariscal-Landín, G., 97 (2002) 183
Seynaeve, M., see Van Nevel, C., 83 (2000) 89
Shand, W.J., see Apori, S.O., 76 (1998) 129
Shannak, S., Südekum, K.-H. and Susenbeth, A., Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195
Corrigendum to "Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures". [Anim. Feed Sci. Technol. 85 (2000) 195–214], 86 (2000) 269
Sharma, A., see Zerbini, E., 81 (1999) 17
Sharma, A., see Zerbini, E., 98 (2002) 73
Sharma, M. and Márquez, C., Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109
Sharma, S.D., see Tripathi, M.K., 92 (2001) 73
Sharma, S.D., see Tripathi, M.K., 94 (2001) 137
Shaver, R.D., see Bal, M.A., 86 (2000) 83
Shayo, C.M. and Udén, P., Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141
Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63
Shearer, K.D., see Refstie, S., 79 (1999) 331
Shem, M.N., Hovell, F.D.D. and Kimambo, A.E., Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279
Shen, H.S., Sundstøl, F., Eng, E.R. and Eik, L.O., Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
Shenkoru, T., see Dana, N., 86 (2000) 239
Sherwood, H., see Bowman, J.G.P., 78 (1999) 273
Shi, Z.-Q., see Liu, J.-X., 91 (2001) 129
Shinde, A.K., see Sankhyan, S.K., 82 (1999) 261
Shingfield, K.J., Jaakkola, S. and Huhtanen, P., Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1
Shinners, K.J., see Bal, M.A., 86 (2000) 83
Shinners, K.J., see ZoBell, D.R., 96 (2002) 221
Shiyan, Q., see Defa, L., 78 (1999) 179
Short, F.J., Wiseman, J. and Boorman, K.N., Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195
Sibanda, S., see Hove, L., 91 (2001) 95
Siddique, K.H.M., see Hanbury, C.D., 87 (2000) 1
Siddique, K.H.M., see White, C.L., 99 (2002) 45
Silanikove, N., Perevolotsky, A. and Provenza, F.D., Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69
Siljander-Rasi, H., see Laurinen, P., 83 (2000) 1
Siljander-Rasi, H., see Partanen, K., 93 (2001) 137
Silva Filho, J.C., see Vitti, D.M.S.S., 79 (1999) 145
Simbaya, J., see Slominski, B.A., 78 (1999) 249
Šimek, M., see Třináctý, J., 79 (1999) 269
Simioli, M., see Rizzi, L., 97 (2002) 103
Simon, O., see Dänicke, S., 84 (2000) 279
Sims, P.L., see Bailey, D.W., 76 (1998) 95
Sinatra, M.C., see Scerra, V., 78 (1999) 169
Sinclair, F.L., see Thorne, P.J., 81 (1999) 119
Singh, C.K., see Manjunatha, J.V., 87 (2000) 95
Singh, G.P., see Das, A., 81 (1999) 133
Singh, P., see Ravi, U., 88 (2000) 121
Singh, S., see Ramana, D.B.V., 88 (2000) 103
Singh, S.D., see Elangovan, A.V., 88 (2000) 113
Siroka, P., see Kišidayová, S., 91 (2001) 223
Siroka, P., see Váradyová, Z., 83 (2000) 127
Sistani, K., see Kidd, M.T., 94 (2001) 57
Sklan, D., see Plavnik, I., 96 (2002) 229
Skrede, A., Berge, G.M., Storebakken, T., Herstad, O., Aarstad, K.G. and Sundstøl, F., Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1999) 103
Skrede, A., see Ljøkjel, K., 84 (2000) 83
Skrede, A., see Skrede, G., 90 (2001) 199
Skrede, G., Sahlstrøm, S., Skrede, A., Holck, A. and Slinde, E., Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199
Skřivanová, V., Marounek, M. and Klein, P., Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139
Slinde, E., see Skrede, G., 90 (2001) 199
Slominski, B.A., Simbaya, J., Campbell, L.D., Rakow, G. and Guenter, W., Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
Smink, W., see Jansman, A.J.M., 98 (2002) 49
Smith, A.H., Odenyo, A.A., Osuji, P.O., Wallig, M.A., Kandil, F.E., Seigler, D.S. and Mackie, R.I., Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41
Smith, B.L., see Meagher, L.P., 91 (2001) 157
Smith, J.W., see Larbi, A., 77 (1999) 33
Smits, A., see Goelema, J.O., 78 (1999) 109
Smith-Lemmon, L., see Baker, R.T.M., 99 (2002) 97
Sniffen, C.J., see Ballard, C.S., 93 (2001) 55
Sniffen, C.J., see Licitra, G., 77 (1999) 99
Sniffen, C.J., see Mandebvu, P., 93 (2001) 43
Sniffen, C.J., see Uchida, K., 93 (2001) 193
Soares, M. and Lopez-Bote, C.J., Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169
Soevik, T., Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65
Sokhansanj, S.R.T., see Ankrah, N.O., 81 (1999) 205
Solaiman, S.G., see Bunting, L.D., 98 (2002) 61
Solanki, K.R., see Ramana, D.B.V., 88 (2000) 103
Solomon, R., see Ben-Ghedalia, D., 91 (2001) 139
Soto, L., see Camacho, D., 80 (1999) 123
Souffrant, W.B., Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93
Sowell, B.F., see Bowman, J.G.P., 78 (1999) 273
Sowell, B.F., see Earley, A.V., 80 (1999) 281
Sowell, B.F., see Taylor, N., 96 (2002) 193
Spanghero, M. and Volpelli, L.A., A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
Spanghero, M., Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153
Spanghero, M., see Susmel, P., 79 (1999) 223
Sprague, M., see Yu, P., 92 (2001) 1
Sprague, M., see Yu, P., 94 (2001) 89
Spreeuwenberg, M.A.M., see Goelema, J.O., 76 (1998) 35
Sreerangaraju, G., Krishnamoorthy, U. and Kailas, M.M., Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
Stahringer, R.C., see Arakaki, L.C., 84 (2000) 121
Stanford, K., Wallins, G.L., Lees, B.M. and Mündel, H.-H., Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249
Steen, R.W.J., see Gordon, F.J., 79 (1999) 15
Stefanon, B., see Susmel, P., 79 (1999) 223
Steingass, H., see Iantcheva, N., 81 (1999) 333
Stern, M.D., see Bach, A., 84 (2000) 23
Stern, M.D., see Tapia, M.O., 97 (2002) 239
Stewart, C.S., see Salawu, M.B., 77 (1999) 181
Stewart, C.S., see Salawu, M.B., 79 (1999) 289
Stewart, C.S., see Salawu, M.B., 82 (1999) 243
Stewart, J.L., see Lister, S.J., 86 (2000) 221
Stockebrand, S., see Alomar, D., 80 (1999) 309
Stoltz, M.A., see Jones, R.J., 85 (2000) 269
Storebakken, T., see Refstie, S., 79 (1999) 331
Storebakken, T., see Skrede, A., 76 (1998) 103
Straub, R.J., see Bal, M.A., 86 (2000) 83
Strickling, J.A., Harmon, D.L., Dawson, K.A. and Gross, K.L., Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205
Subba, D.B., see Khanal, R.C., 92 (2001) 17
Subba, D.B., see Thorne, P.J., 81 (1999) 119
Suchorska, O., see Marounek, M., 80 (1999) 223
Südekum, K.-H., see Shannak, S., 85 (2000) 195
Südekum, K.-H., see Shannak, S., 86 (2000) 269
Sundstøl, F., see Shen, H.S., 80 (1999) 151
Sundstøl, F., see Skrede, A., 76 (1998) 103
Sundstøl, F., see Tolera, A., 79 (1999) 165
Sundstøl, F., see Tolera, A., 81 (1999) 1
Sundstøl, F., see Tolera, A., 85 (2000) 239
Sundstøl, F., see Tolera, A., 87 (2000) 215
Susenbeth, A., see Shannak, S., 85 (2000) 195
Susenbeth, A., see Shannak, S., 86 (2000) 269
Susmel, P., Spanghero, M. and Stefanon, B., Interpretation of rumen degradability of concen-

trate feeds with a Gompertz model, 79 (1999) 223
Suvitie, M., see Khalili, H., 98 (2002) 103
Sviatko, P., see Kišidayová, S., 91 (2001) 223
Svihus, B, see Refstie, S., 79 (1999) 331
Svihus, B., Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45
Svihus, B., Edvardsen, D.H., Bedford, M.R. and Gullord, M., Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
Swanson, K.C., Harmon, D.L., Jacques, K.A., Larson, B.T., Richards, C.J., Bohnert, D.W. and Paton, S.J., Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95
Swenson, C.K., see Huerta, M., 95 (2002) 15
Świątkiewicz, S., see Żyła, K., 89 (2001) 113
Święch, E., see Pastuszewska, B., 86 (2000) 117
Syrjälä-Qvist, L., see Dahlman, T., 98 (2002) 219
Syrjälä-Qvist, L., see Kokkonen, T., 84 (2000) 213
Syrjälä-Qvist, L., see Kokkonen, T., 84 (2000) 229
Syrjälä-Qvist, L., see Tesfa, A.T., 76 (1999) 275

T

Tag-Eldin, A., see Kraidees, M.S., 76 (1998) 149
Tag-Eldin, A., see Kraidees, M.S., 76 (1999) 149
Taillade, P., see Cosson, T., 77 (1999) 345
Tait, R.M., see Baah, J., 77 (1999) 213
Takahashi, J., see Yahaya, M.S., 79 (1999) 137
Takahashi, J., see Yahaya, M.S., 92 (2001) 141
Tamminga, S., see Goelema, J.O., 76 (1998) 35
Tamminga, S., see Grala, W., 80 (1999) 207
Tamminga, S., see Muia, J.M.K., 92 (2001) 113
Tamminga, S., see Muia, J.M.K., 93 (2001) 177
Tamminga, S., see van Laar, H., 79 (1999) 179
Tamminga, S., see van Laar, H., 88 (2000) 13
Tamminga, S., see Yu, P., 86 (2000) 165
Tamminga, S., see Yu, P., 99 (2002) 141
Tan, Z.-L., see Huang, R.-L., 88 (2000) 79
Tang, Q., see Guo, Y., 89 (2001) 165
Tangendjaja, B., see Palmer, B., 87 (2000) 29
Tanko, R.J., see Larbi, A., 77 (1999) 33
Tapia, M.O., Stern, M.D., Koski, R.L., Bach, A. and Murphy, M.J., Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239
Tavares, J.Y., see Kung, L., 84 (2000) 69
Taylor, N., Hatfield, P.G., Sowell, B.F., Bowman, J.G.P., Drouillard, J.S. and Dhuyvetter, D.V., Pellet and block supplements for grazing ewes, 96 (2002) 193
Taylor, S.J., see Getachew, G., 93 (2001) 1
Teferedegne, B., McIntosh, F., Osuji, P.O., Odenyo, A., Wallace, R.J. and Newbold, C.J., Influence of foliage from different accessions of the subtropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11
Tegegne, A., see Dana, N., 86 (2000) 239
Teixeira, A., see Seabra, M., 89 (2001) 1
Tejido, M.L., Ranilla, M.J. and Carro, M.D., In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41
Ternouth, J.H., see Kume, S., 93 (2001) 157
Tesfa, A.T., Tuori, M., Syrjälä-Qvist, L., Pösö, R., Saloniemi, H., Heinonen, K., Kivilahti, K., Saukko, T. and Lindberg, L.-A., The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275
Thacker, P.A., Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hulless barley, 79 (1999) 29
Thacker, P.A., see Defa, L., 78 (1999) 179
Tham, W.A., see Pauly, T.M., 78 (1999) 127
Thapa, B., see Thorne, P.J., 81 (1999) 119
Theodorou, M.K., see Davies, Z.S., 83 (2000) 205
Theodorou, M.K., see Lowman, R.S., 80 (1999) 11
Theodorou, M.K., see Lowman, R.S., 97 (2002) 221
Theodorou, M.K., see Mauricio, R.M., 79 (1999) 321
Theodorou, M.K., see Mauricio, R.M., 89 (2001) 33
Thewis, A., see Moujahed, N., 88 (2000) 219
Thomke, S., see Wahlström, A., 77 (1999) 229
Thomson, E. and Nolan, J., UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233
Thorne, P.J., Subba, D.B., Walker, D.H., Thapa, B., Wood, C.D. and Sinclair, F.L., The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119
Tisserand, J.L., see Ben Salem, H., 78 (1999) 297
Tisserand, J.L., see Drogoul, C., 87 (2000) 117
Tisserand, J.L., see Drogoul, C., 87 (2000) 131
Titgemeyer, E.C., see Löest, C.A., 94 (2001) 115
Titterton, M., see Ashbell, G., 91 (2001) 213
Titterton, M., see Maasdorp, B.V., 77 (1999) 49
Tivey, D.R., see Iji, P.A., 89 (2001) 175

Tiwari, C.M., Chandramoni, A.S., Jadhao, S.B., Gowda, S.K. and Khan, M.Y., Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119
Tiwari, C.M., see Chandramoni, 83 (2000) 287
't Mannetje, L., see Zemmelink, G., 96 (2002) 31
Todorov, N., see Iantcheva, N., 81 (1999) 333
Toharmat, T., see Kume, S., 93 (2001) 157
Toivonen, V., see Choi, C.W., 96 (2002) 203
Tokach, M.D., see Grinstead, G.S., 83 (2000) 237
Tokach, M.D., see James, B.W., 96 (2002) 135
Tolera, A. and Sundstøl, F., Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215
Tolera, A., Berg, T. and Sundstøl, F., The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165
Tolosa, C., see Pascual, J.J., 81 (1999) 105
Topps, J.H., see Hove, L., 91 (2001) 95
Topps, J.H., see Mupangwa, J.F., 83 (2000) 139
Torbert, H.A., see Moss, B.R., 94 (2001) 43
Torrallardona, D., Conde, R., Esteve-García, E. and Brufau, J., Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119
Toullec, R., see Salgado, P., 91 (2001) 197
Toullec, R., see Salgado, P., 98 (2002) 187
Touno, E., see Kondo, T., 80 (1999) 321
Trater, A.M., see Löest, C.A., 94 (2001) 115
Travers, V., see Julier, B., 79 (1999) 239
Treacher, R., see ZoBell, D.R., 87 (2000) 279
Treviño, J., Rodríguez, M.L., Ortiz, L.T., Rebolé, A. and Alzueta, C., Protein quality of linseed for growing broiler chicks, 84 (2000) 155
Treviño, J., see Alzueta, C., 97 (2002) 169
Treviño, J., see Rebolé, A., 78 (1999) 153
Trigo-Stockli, D., see Reed, C., 88 (2000) 47
Třináctý, J., Šimek, M. and Homolka, P., Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269
Tripathi, M.K., Agrawal, I.S., Sharma, S.D. and Mishra, D.P., Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73
Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137
Trocino, A., see Xiccato, G., 77 (1999) 201
Tsiouvaras, C.N., see Papachristou, T.G., 80 (1999) 267
Tuah, A.K., see Baah, J., 77 (1999) 213
Tuitoek, J.K., see M'ncene, W.B., 78 (1999) 239
Tumbleson, M.E., see Ledoux, D.R., 76 (1999) 227
Tumbleson, M.E., see Wallig, M.A., 99 (2002) 205
Tuori, M., see Kokkonen, T., 84 (2000) 213
Tuori, M., see Kokkonen, T., 84 (2000) 229
Tuori, M., see Tesfa, A.T., 76 (1999) 275
Tuppi, K., see Laurinen, P., 83 (2000) 1
Turner, J.E., see Coblentz, W.K., 89 (2001) 17
Turner, J.E., see Scarbrough, D.A., 96 (2002) 119
Twum, I.G., see Donkoh, A., 77 (1999) 163
Tyagi, A.K., Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215
Tyler, R.T., see Ankrah, N.O., 81 (1999) 205

U

Uchida, K., Mandebvu, P., Ballard, C.S., Sniffen, C.J. and Carter, M.P., Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193
Udén, P., see Dung, N.N.X., 95 (2002) 205
Udén, P., see Shayo, C.M., 78 (1999) 141
Udén, P., see Shayo, C.M., 82 (1999) 63
Ulloa Rojas, J.B., Verreth, J.A.J., van Weerd, J.H. and Huisman, E.A., Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195
Umunna, N.N., see Nsahlai, I.V., 85 (2000) 223
Unruh, J.A., see James, B.W., 96 (2002) 135
Ünsal, I., see Kutlu, H.R., 90 (2001) 213

V

Vadiveloo, J., Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57
Vaessen, L.M., see Goelema, J.O., 78 (1999) 109
Valaja, J., see Dahlman, T., 98 (2002) 219
Valaja, J., see Partanen, K., 93 (2001) 137
Valaja, J., see Perttilä, S., 98 (2002) 203
Valaja, J., see Pölönen, I., 99 (2002) 189
Valdés, C., see Carro, M.D., 79 (1999) 279
Valentin, S.F., Williams, P.E.V., Forbes, J.M. and Sauvant, D., Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81
Van Amburgh, M.E., see Ruiz, R., 89 (2001) 155
van Barneveld, R.J., see King, R.H., 83 (2000) 17
Van De Voorde, G., see Van Nevel, C., 83 (2000) 89
van der Merwe, G.D., see Meeske, R., 97 (2002) 159
van der Peet-Schwering, C.M.C., see Scholten, R.H.J., 82 (1999) 1
van der Poel, A.F.B., see Goelema, J.O., 76 (1998) 35
van der Poel, A.F.B., see Goelema, J.O., 76 (1999) 35
Van Driessche, E., see Van Nevel, C., 83 (2000) 89
Van Driessche, E., see Van Nevel, C.J., 94 (2001) 147
Van, D.T.T., Ledin, I. and Mui, N.T., Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79
van Gelder, A.H., see Cone, J.W., 76 (1999) 251
van Gelder, A.H., see Cone, J.W., 96 (2002) 55
van Gelder, A.H., see Cone, J.W., 97 (2002) 247
van Gelder, A.H., see Cone, J.W., 99 (2002) 221
Van Hove, C., see Lejeune, A., 84 (2000) 295
Van Houtte, S., see Di Marco, O.N., 99 (2002) 37
van Kempen, T. and Bodin, J.-C., Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139
Van Keulen, H., see Savadogo, M., 87 (2000) 57
van Laar, H., Tamminga, S., Williams, B.A. and Verstegen, M.W.A., Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13
van Laar, H., Tamminga, S., Williams, B.A., Verstegen, M.W.A. and Engels, F.M., Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179
van Leeuwen, P., see Grala, W., 80 (1999) 207
van Leeuwen, P., see Grala, W., 80 (1999) 231
van Leeuwen, P., see Jansman, A.J.M., 98 (2002) 49
Van Nevel, C., Seynaeve, M., Van De Voorde, G., De Smet, S., Van Driessche, E. and De Wilde, R., Effects of increasing amounts of *Lupinus albus* seeds without or with whole egg powder in the diet of growing pigs on performance, 83 (2000) 89
Van Nevel, C.J., De Rycke, H., Beeckmans, S., De Wilde, R. and Van Driessche, E., Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147
van Ravenswaay, R.O., Henry, P.R. and Ammerman, C.B., Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185
van Ryssen, J.B.J. and Mavimbela, D.T., Broiler litter as a source of selenium for sheep, 78 (1999) 263
Van Soest, P.J., see Licitra, G., 77 (1999) 99
Van Soest, P.J., see Ruiz, R., 89 (2001) 155
van Weerd, J.H., see Ulloa Rojas, J.B., 99 (2002) 195
van Wijk, H.J., Moughan, P.J., Hodgkinson, S.M., Jansen, P.P and Pearson, G., Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
Vanhatalo, A., see Choi, C.W., 96 (2002) 203
Vanzant, E.S., see Mathis, C.P., 93 (2001) 31
Váradyová, Z., Zeleňák, I. and Siroka, P., In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
Vázquez de Aldana, B.R., García Ciudad, A., Zabalgogeazcoa, I. and García Criado, B., Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169
Vázquez de Aldana, B.R., see García-Ciudad, A., 77 (1999) 91
Verreth, J.A.J., see Ulloa Rojas, J.B., 99 (2002) 195
Venäläinen, E., see Perttilä, S., 98 (2002) 203
Ventura, M.R., Castanon, J.I.R., Muzquiz, M., Mendez, P. and Flores, M.P., Influence of

alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279
Verbič, J., Ørskov, E.R., Žgajnar, J., Chen, X.B. and Žnidaršič-Pongrac, V., The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
Verma, A.K., Dass, R.S. and Mehra, U.R., Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253
Verma, S.V.S., Gowda, S.K. and Elangovan, A.V., Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169
Verma, S.V.S., see Elangovan, A.V., 88 (2000) 113
Verneque, R.S., see Aroeira, L.J.M., 78 (1999) 313
Verstegen, M.W.A., see van Laar, H., 79 (1999) 179
Verstegen, M.W.A., see van Laar, H., 88 (2000) 13
Verstegen, M.W.A., see Grala, W., 80 (1999) 207
Verstegen, M.W.A., see Grala, W., 80 (1999) 231
Verstegen, M.W.A., see Scholten, R.H.J., 82 (1999) 1
Verreth, J.A.J., see Ulloa Rojas, J.B., 99 (2002) 195
Vesseur, P.C., see Scholten, R.H.J., 82 (1999) 1
Vestergaard, E.M., see Danielsen, V., 90 (2001) 71
Vicente, F., see Martín-Orue, S.M., 88 (2000) 59
Victor, X.V.A., see Zerbini, E., 98 (2002) 73
Villas-Bôas, S.G., Esposito, E. and Mitchell, D.A., Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1
Virkajärvi, P., Sairanen, A., Nousiainen, J.I. and Khalili, H., Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23
Vissia, G.H.P. and Beynen, A.C., Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139
Vitti, D.M.S.S., Abdalla, A.L., Silva Filho, J.C., del Mastro, N.L., Mauricio, R., Owen, E. and Mould, F., Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145
Vittori, A., see Aroeira, L.J.M., 78 (1999) 313
Volpelli, L.A., see Spanghero, M., 81 (1999) 151
Vough, L.R., see Min, D.H., 95 (2002) 143

W

Wahlström, A., Elwinger, K. and Thomke, S., Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229
Waldroup, P.W., see Watkins, S.E., 81 (1999) 35
Walker, D.H., see Thorne, P.J., 81 (1999) 119
Wallace, R.J., see El hassan, S.M., 86 (2000) 27
Wallace, R.J., see Lopez, S., 78 (1999) 1
Wallace, R.J., see Nsereko, V.L., 76 (1998) 51
Wallace, R.J., see Teferedegne, B., 78 (1999) 11
Wallig, M.A., see Ledoux, D.R., 76 (1999) 227
Wallig, M.A., see Smith, A.H., 91 (2001) 41
Wallig, M.A., Belyea, R.L. and Tumbleson, M.E., Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205
Wallins, G.L., see Stanford, K., 81 (1999) 249
Wanderley, R.C., Alhadhrami, G.A., Pessarakli, M., Aquino-Ramos, J.L. and Huber, J.T., An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207
Wang, N., see Lemke, S.L., 93 (2001) 17
Wang, X.-Q., see Liu, J.-X., 91 (2001) 129
Wang, Z., see Okine, E.K., 92 (2001) 87
Wathelet, J.-P., see Derycke, G., 81 (1999) 81
Wathelet, J.-P., see Mabon, N., 85 (2000) 111
Wathelet, J.-P., see Mandiki, S.N.M., 81 (1999) 93
Wathelet, J.P., see Mandiki, S.N.M., 98 (2002) 25
Watkins, S.E., Waldroup, P.W., Peters, J.P. and Desai, A.D., Stability of bacitracin methylene disalicylate and chlortetracyline in combination in a pelleted pig feed, 81 (1999) 35
Wayne Kellogg, D., see Coblentz, W.K., 89 (2001) 17
Webel, D.M., see Peter, C.M., 94 (2001) 199
Webster, A.J.F., see Kitcherside, M.A., 86 (2000) 125
Weimer, P.J. and Abrams, S.M., In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115
Weinberg, Z.G., see Ashbell, G., 91 (2001) 213
Weinberg, Z.G., see Filya, I., 88 (2000) 39
Weisbjerg, M.R., see Salawu, M.B., 79 (1999) 289
Weisbjerg, M.R., see Salawu, M.B., 82 (1999) 243
Wemmers, A., see Goelema, J.O., 78 (1999) 109
Wenk, C., The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21
Wen-Shyg Chiou, P., see Huang, H.-J., 77 (1999) 303

Wen-Shyg Chiou, P., Yu, B. and Wu, S.-S., Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65
Wensing, T., see Xu, C., 81 (1999) 161
West, J.W., see Mandebvu, P., 77 (1999) 317
Weston, C.N., see Salawu, M.B., 94 (2001) 77
Wettstein, H.-R., Machmüller, A. and Kreuzer, M., Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153
Weyers, J.S., see Coblentz, W.K., 89 (2001) 17
White, C.E., Campbell, D.R. and McDowell, L.R., Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105
White, C.L., see Hanbury, C.D., 87 (2000) 1
White, C.L., see Rodehutscord, M., 82 (1999) 213
White, C.L., Hanbury, C.D., Young, P., Phillips, N., Wiese, S.C., Milton, J.B., Davidson, R.H., Siddique, K.H.M. and Harris, D., The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45
Wiedmeier, R.D., see ZoBell, D.R., 87 (2000) 279
Wiedmeier, R.D., see ZoBell, D.R., 96 (2002) 221
Wiese, S.C., see White, C.L., 99 (2002) 45
Wilkins, A.L., see Meagher, L.P., 91 (2001) 157
Wilkins, R.J. and Jones, R., Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23
Wilkinson, B.H.P., see Moughan, P.J., 79 (1999) 309
Williams, B.A., see van Laar, H., 79 (1999) 179
Williams, B.A., see van Laar, H., 88 (2000) 13
Williams, P.E.V., see Valentin, S.F., 78 (1999) 81
Williams, S.P., see Salawu, M.B., 94 (2001) 77
Wilman, D. and Adesogan, A., A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33
Wilman, D., Field, M., Lister, S.J. and Givens, D.I., The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139
Wina, E., see Palmer, B., 87 (2000) 29
Winters, A.L., Lloyd, J.D., Jones, R. and Merry, R.J., Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177
Wiryawan, K.G. and Dingle, J.G., Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
Wiseman, J., Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1
Wiseman, J., see Agunbiade, J.A., 80 (1999) 165
Wiseman, J., see Aumaitre, A., 90 (2001) 1
Wiseman, J., see Garnsworthy, P.C., 85 (2000) 33
Wiseman, J., see Short, F.J., 79 (1999) 195
Wiseman, J., see Zarkadas, L.N., 93 (2001) 93
Wiseman, J., see Zarkadas, L.N., 95 (2002) 73
Woldeghebriel, A., see Corley III, R.N., 79 (1999) 247
Wood, C.D., see Thorne, P.J., 81 (1999) 119
Woods, V.B., Moloney, A.P., Mulligan, F.J., Kenny, M.J. and O'Mara, F.P., The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135
Woods, V.B., O'Mara, F.P. and Moloney, A.P., The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15
Wu, S.-S., see Wen-Shyg Chiou, P., 78 (1999) 65
Wu, Y.-M., see Xu, N.-Y., 98 (2002) 167
Wubben, J.E., see Albin, D.M., 87 (2000) 173
Wynn, P.C., see Gulati, S.K., 98 (2002) 143

X

Xandé, A., see Archimède, H., 87 (2000) 153
Xiao, G.Q., see Hill, J., 89 (2001) 83
Xiao, R.-J., Xu, Z.-R. and Chen, H.-L., Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119
Xiao, Y., see Pölönen, I., 78 (1999) 39
Xiccato, G., Trocino, A., Carazzolo, A., Meurens, M., Maertens, L. and Carabaño, R., Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
Xing, T.-X., see Huang, R.-L., 88 (2000) 79
Xu, C., Wensing, T. and Beynen, A.C., Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161
Xu, N.-Y., Wu, Y.-M., Chen, X.-J. and Liu, J.-X., Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167
Xu, Z.-R., see Xiao, R.J., 79 (1999) 119

Y

Yahaya, M.S., Kimura, A., Harai, J., Nguyen, H.V., Kawai, M., Takahashi, J. and Matsuoka, S., Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Yahaya, M.S., Takahashi, J., Matsuoka, S. and Kibon, A., Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Yano, F., see Konishi, C., 80 (1999) 115

Yano, F., see Park, W.-Y., 88 (2000) 31

Yano, H., see Konishi, C., 80 (1999) 115

Yano, H., see Park, W.-Y., 88 (2000) 31

Yavuz, M., see Bunting, L.D., 98 (2002) 61

Yosef, E. and Ben-Ghedalia, D., Changes in thioacidolysis products of lignin in wheat straw as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Yosef, E., see Ben-Ghedalia, D., 91 (2001) 139

Yoshida, N., see Islam, M.R., 92 (2001) 237

Young, P., see O'Mara, F.P., 81 (1999) 167

Young, P., see Rodehutscord, M., 82 (1999) 213

Young, P., see White, C.L., 99 (2002) 45

Yu, B., Huang, W.J. and Chiou, P.W.S., Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Yu, B., see Huang, H.-J., 77 (1999) 303

Yu, B., see Wen-Shyg Chiou, P., 78 (1999) 65

Yu, P., Boon-ek, L., Leury, B.J. and Egan, A.R., Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71

Yu, P., Egan, A.R., Boon-ek, L. and Leury, B.J., Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Yu, P., Goelema, J.O. and Tamminga, S., Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Yu, P., Leury, B.J., Sprague, M. and Egan, A.R., Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Yu, P., Sprague, M., Egan, A.R., Castleman, G.H. and Leury, B.J., Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Yu, P., Goelema, J.O., Leury, B.J., Tamminga, S. and Egan, A.R., An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Yuan, J., see Guo, Y., 89 (2001) 165

Z

Zabalgogeazcoa, I., see García-Ciudad, A., 77 (1999) 91

Zabalgogeazcoa, I., see Vázquez de Aldana, B.R., 93 (2001) 169

Zahedifar, M., Castro, F.B. and Ørskov, E.R., Effect of hydrolytic lignin on formation of protein–lignin complexes and protein degradation by rumen microbes, 95 (2002) 83

Zaman, M.S., Mir, Z., Mir, P.S., El-Meadawy, A., McAllister, T.A., Cheng, K.-J., ZoBell, D. and Mathison, G.W., Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1

Zanetti, M.A., see Pott, E.B., 79 (1999) 93

Zarkadas, L.N. and Wiseman, J., Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

Zeleňák, I., see Váradyová, Z., 83 (2000) 127

Zemmelink, G. and 't Mannetje, L., Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Zemmelink, G., see Savadogo, M., 84 (2000) 265

Zemmelink, G., see Savadogo, M., 87 (2000) 57

Zerbini, E., Krishan, C.T., Victor, X.V.A. and Sharma, A., Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Zerbini, E., Sharma, A. and Rattunde, H.F.W., Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Zervas, G., Fegeros, K., Koytsotolis, K., Goulas, C. and Mantzios, A., Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Žgajnar, J., see Verbič, J., 82 (1999) 195

Žnidaršič-Pongrac, V., see Verbič, J., 82 (1999) 195

ZoBell, D.R., Olson, K.C., Wiedmeier, R.D., Sass, D., Shinners, K.J. and McAllister, T.A., Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

ZoBell, D.R., Wiedmeier, R.D., Olson, K.C. and Treacher, R., The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

ZoBell, D., see Zaman, M.S., 99 (2002) 1

Zollitsch, W., see Knaus, W., 81 (1999) 265

Zomberg, Z., see Ben-Ghedalia, D., 91 (2001) 139

Zukerman, E., see Ben-Ghedalia, D., 91 (2001) 139

Żyła, K., Koreleski, J., Świątkiewicz, S., Ledoux, D.R. and Piironen, J., Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

ELSEVIER

Animal Feed Science and Technology
(2002) 157–264

ANIMAL FEED SCIENCE AND TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Subject index

Animal Feed Science and Technology, volumes 76–100, 1998–2002

PII: S0377-8401(02)00198-0

A

Abomasum
Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Acacia
Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89
Proanthocyanidins and other phenolics in Acacia leaves of Southern Africa, 91 (2001) 59

Acacia angustissima
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41

Acacia boliviana
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Acacia cyanophylla
Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

***Acacia cyanophylla* Lindl.**
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Acetogenic bacteria
Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1

Acetyl bromide lignin
Changes in thioacidolysis products of lignin in wheat straw as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Acid concentration
The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Acid phosphatase
Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125
Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Acid-insoluble ash
A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Actinomyces
Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

Additive
The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

ADF
Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77
Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

ADL
Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Aerobic stability
Ensiling of whole crop wheat with cellulase–hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39
Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65

Affinity purified
Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Aflatoxicol
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Aflatoxicosis
Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Aflatoxin B_1
Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

Aflatoxins
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109
Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Agglutination
A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Air pollution
Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Albizia lebbeck
Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175

Alfalfa
Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321
Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163
Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153
Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage–grain diets, 92 (2001) 87
Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157

Alfalfa hay
Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

Alfalfa silage
Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO_2-treated wheat straw, 92 (2001) 175

Algae
Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237

Alkali treatment
Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Alkaline treatment
Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Alkaloids
Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

***n*-Alkane**
Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

Allantoin
Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Allantoin excretion
Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Alysicarpus glumaceous
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

AME
A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145
Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

AME values
A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131

Amelioration
Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

AME_n
The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Amino acid
Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267
Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195
Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Amino acid composition
Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49

Amino acid profile
Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65
Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass®) determined in situ, 83 (2000) 31
Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127

Amino acid retention
Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Amino acids
Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139
The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309
Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173
An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131
Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115
Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183
Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

Ammonia treatment
Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Ammonia utilization
Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Ammoniated straw
Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Ammonia-treated barley straw
Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Amylase
Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Anaerobic fungal cultures
Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Anaerobic fungi
Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Analysis
FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Animal agriculture
Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Animal fat
Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Animal performance
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81

Animal physiology
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93

Animal waste
Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267
Broiler litter as a source of selenium for sheep, 78 (1999) 263

Anionic diet
Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153

Antibiotics
Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223
Stability of bacitracin methylene disalicylate and chlortetracyline in combination in a pelleted pig feed, 81 (1999) 35
Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137

Antigenic proteins
Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Antimicrobial additives
Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Antimicrobial agents
Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119

Antimicrobials
Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Antinutrients
In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Antinutritional compounds
Effects of increasing amounts of *Lupinus albus seeds without or with whole egg powder in the diet of growing pigs on performance*, 83 (2000) 89

Antinutritional factors
A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1
The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1
Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Apparent ileal digestibility
Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Arabinoxylans
Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Artificial neural networks
Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131

Artificial rumen
Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223
In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

A. rugosus
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Aspergillus niger
Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Assay
A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
Enzymatic assays for xylanase and β-glucanase feed enzymes, 77 (1999) 345
Analysis of condensed tannins: a review, 91 (2001) 21

Associative effects
Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes, 87 (2000) 163
Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175

Astaxanthin
Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97

Asystasia intrusa
Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Atlantic salmon
Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97

Atriplex nummularia
Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

Autumn
The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147

Availability
Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Available phosphorus
Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63

Azolla
Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid , 81 (1999) 43
Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

B

Bacteria
Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61
Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Bacterial adhesion
In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Bacterial inoculants
The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Bacterial protein meal
Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

B. decumbens
Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Bagasse
Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

Bahiagrass
Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Bamboo shoot shells
Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129

Barley
Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73
Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hulless barley, 79 (1999) 29
Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247
Processed cereals in diets for early-weaned piglets, 82 (1999) 145
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
Chemical characterization and in situ nutrient degradability of wet distillers' grains derived

from barley-based ethanol production, 83 (2000) 301
Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13
Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79
Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199
Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45
Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113
Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15
Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53
Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Barley cultivars
Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Barley grain
Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37
Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Barley silage
Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1

Barley variety
Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79

B. ruziziensis
Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Basal endogenous protein
Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49

Beef cattle
Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95
Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1
The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Beef cows
Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Beef heifer
Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

Beet pulp
Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Behaviour
Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273
The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53
Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Bengal gram husk
Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Bentonite
Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

Benzoic acid
Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Bermudagrass
Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Berseem supplementation
Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Betaine
Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71
The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Betaine bypass
Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Bile acids
Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Bioavailability
Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107
Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39
Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185
Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103

Bioconversion
Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Birds
Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

Birdsfoot trefoil
Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Biuret
Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115

Bloat
Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Blood
Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Blood analytes
Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Blood biochemistry
Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Blood composition
Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Blood meal
Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159
Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91

Blood metabolites
Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Blood parameters
The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Blue fox
Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Blue fox (*Alopex lagopus*)
Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

Body composition
Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241
The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191
Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137

Body growth
Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Body weight gain
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Bone mineralization
Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103

Botanical fractions
Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95
Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Bound tannins
Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Brachiaria brizantha
Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Broiler
Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227
The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163
Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1
Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299
Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159
Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279
The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183
Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113
Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213
The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115
Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171
Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45
Threonine and crude protein responses in broiler chicks, 94 (2001) 57
Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189
Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolyzable energy of a diet containing linseed in broiler chickens, 97 (2002) 169
Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Broiler chick
Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267
Protein quality of linseed for growing broiler chicks, 84 (2000) 155
Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Broiler chickens
The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85
Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175
Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Broiler litter
Broiler litter as a source of selenium for sheep, 78 (1999) 263
Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43
The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171
Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61

Browse
Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181
Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51

Browse intake
Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Browse plants
Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129

Browse seeds
Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107

Browse species
Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215

Brush border membrane
A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321
Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Buddleia
Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Buffalo
Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117
Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121
Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Buffer
Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43

Buffering capacity
Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Bushel weight
Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

By-pass protein
Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

By-product feedstuffs
Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255
Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99

C

C. goreensis
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Ca: P ratio
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Caecal microbial activity
Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Caecum
Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Calcium
Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103

Calcium oxide
Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313

Calibration transfer
The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Calliandra calothyrsus
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

***Calliandra* sp.**
Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Calves
Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73
Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137
Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61

Camels' and cows' nutrition
An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Canine
Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Canola
The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177
Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Canola meal
The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Canola presscake
Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Canthaxanthin
Pigmenting efficacy of astaxanthin and canthaxanthin in fresh-water reared Atlantic salmon, *Salmo salar*, 99 (2002) 97

Carbohydrase
Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Carbohydrate fractions
Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69
Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205

Carbohydrate substrates
Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Carbohydrate supplements
The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage

supplemented with starch or sucrose, 78 (1999) 227

Carboxymethylcellulose
Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Carcass
Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Carcass characteristics
Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119
Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135
Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229
Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121

Carcass performance
Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Carcass traits
Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

Carcass yield
The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Carotene
Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Cassava leaf meal
Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Cassava peels
Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Cassia mimosoides* and *Ipomea eriocarpa
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Cat
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Cattle
The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133
A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221
Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53
The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Cattle beef
The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Cattle-beef supplement
Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

Cattle-communal
The nutritional value of *Piliostigma thonninghii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Cattle-dairy
Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Cell contents
The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Cell wall components
In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

Cell wall digestibility
Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69

Cell walls
Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179
Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Cellulolytic bacteria
Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Cellulose
Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Cell-wall
Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Cell-wall degradation
The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Cell-wall digestibility
Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Central highlands of Ethiopia
Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Cereal grain forages
Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Cereal grains
A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21
Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Chamaecytisus proliferus
Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

Chelation
The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Chemical analysis
Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Chemical characteristics
Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Chemical composition
Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and

chemical composition of fresh silage, 78 (1999) 57
Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
Ensiling of whole crop wheat with cellulase–hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51
Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75
Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173
Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49
Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthenum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97
A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145
Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83
Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149
The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171
Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159
Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Chemical treatments

Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Chemisorption index

Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

Chick

Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219
Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15
Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63

Chicken

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163
Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331
Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223
Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

Chicken-broiler

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241
Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255
A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Chickpea
Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Chickpea haulm
Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Chios lambs
Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Chitinolytic bacteria
The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179

Cholecalciferol
Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211

Chopping
Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Chromic oxide
A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Chromium
Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95
Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121

Circulating hormones
Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25

Citrus fruit peel
Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169

Classification
Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Clay
Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Climate change
Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

Clinical enzymes
Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Cloning
The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Clostridium tyrobutyricum
The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Cnidoscolus aconitifolious
The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163

Coated protein degradability
Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249

Cobalt
Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223

Coccidiosis
Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Coffee pulp
Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Colorimetry
Analysis of hydrolysable tannins, 91 (2001) 3

Colostrum
The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Comparison of methods
Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Compatibility
Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Complex diets
Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Composition
Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid, 81 (1999) 43
Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117
Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Compound feeds
Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Concentrate
Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135
A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177
Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Concentrated separator by-product
Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Concentrate feeds
Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Concentrate feedstuffs
The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Concentration
Effects of inoculum preparation method and concentration, method of inoculation and presoaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Condensed tannin
Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215
An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269
The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29
Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287
Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103
Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185
Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215

Conjugated linoleic acid
Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139
Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169
Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Consecutive batch culture
Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

Continuous culture
Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Control strategies
A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Co-occurrence
A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Copper
Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107
Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Corn
Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59

Corn gluten feed
Bioavailability of phosphorus in corn gluten feed derived from conventional and low-phytate maize, 95 (2002) 63

Corn silage
Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43
Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37

Corn supplementation
Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and

supplemented with dry cracked corn or high moisture corn, 91 (2001) 183

Cotton meal
Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

***p*-Coumaric acid**
Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Cow
Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165
Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169

Cow/calf performance
Liquid supplementation of grazing cows and calves, 80 (1999) 281

Cowpea haulm
Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

CP degradation
Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119

Crambe meal
Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227
Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205

Creatine monohydrate
Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135

Creatinine
Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71

Crop maturity
Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37

Crop residue
The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Crossbred bulls
Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Crossbred cattle calves
Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Crossbred dairy cows
Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Crotalaria senegalensis
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Crude protein
Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255
An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
Threonine and crude protein responses in broiler chicks, 94 (2001) 57

Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

Crumbled pellets
Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Cultivated
Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17

Cynara cardunculus
Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

D

Dacron bag technique
Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Daily gain
Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

Dairy
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Dairy cattle
Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Dairy cow
Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1998) 297
Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303
The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189
Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1
Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67
Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95
Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55
Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193

Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69
The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147
Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1
Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Dairy heifer
Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Dairy manure
Dairy slurry effects on forage quality of orchardgrass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143

Dallis grass
Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247

Damascus kids
Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Dates
Evaluation of date-feed ingredients mixes, 81 (1999) 291

Decontamination
Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Defaunation
Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11
Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Deglucosing
Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Degradabilities
In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127

Degradability
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
The nutritional value of *Piliostigma thonninghii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273
The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231
Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91
Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31
Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Degradation
Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179
The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Degradation kinetics
Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247

Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Dehulling
Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Dehydration
Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Denaturation
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

De-oiled rice bran
Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83

Desmodium intortum
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Detergent insoluble protein
The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

Determinant lupins
The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187

Developing countries
Examination of a technology for silage making in plastic bags, 91 (2001) 213

DHA
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

DHP
Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Dicotyledons
Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Diet formulation
UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233
Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Diet sampling
Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Dietary energy
Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Dietary fat
The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Dietary fibre
Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219
Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331
Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

The nutritional significance of "dietary fibre" analysis, 90 (2001) 3
The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21
Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35
Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71
Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Dietary preference
Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Dietary starch
Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Dietary viscosity
Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Dietary wood charcoal
Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

Diets
Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23
Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1999) 23

Digesta flow
Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Digesta passage
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Digesta viscosity
Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Digestibility
Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125
Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139
Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281
A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239
Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hulless barley, 79 (1999) 29
Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137
Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269
Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch

polysacchride content in different soyabean products, 79 (1999) 331
Changes in thioacidolysis products of lignin in wheat straw as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 80 (1999) 55
The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249
A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63
Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 83 (2000) 115
Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195
An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223
Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249
Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213
Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117
The potential of forage–maize intercrops in ruminant nutrition, 86 (2000) 157
Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177
The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29
Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71
Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1
The nutritional significance of "dietary fibre" analysis, 90 (2001) 3
Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107

Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183

Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197

Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93

Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137

Digestion characteristics of dallis grass (*Paspalum dilatatum*, Poir) pastures during the grazing season, 93 (2001) 247

Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155

Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169

Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43

The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1

The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183

Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199

Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Digestibility and balance of nutrients

Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Digestibility in vivo

The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Digestible amino acid

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid , 81 (1999) 43

Digestible energy

Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Effect of environmental temperature on performance and on physiological and hormonal para-

meters of gilts fed at different levels of digestible energy, 81 (1999) 319
Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Digestible lysine
Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Digestible organic matter in dry matter
Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77

Digestible protein
Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid , 81 (1999) 43

Digestible undegraded protein
Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Digestion
Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149
Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213
Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133
Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121
Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165
Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41
Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205
Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21
Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65
Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1

Digestion kinetics
Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317
Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107
Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43

Digestion rate
Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205
The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Digestive behavior
An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Digestive tract
The nutritional significance of "dietary fibre" analysis, 90 (2001) 3

Digitaria decumbens
Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153

Diosgenin
Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Direct-fed microbials
Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Disappearance kinetics
Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Distillers' grains
Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301

Diurnal
Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115

DL-malate
Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

DM degradability
Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

DM intake
Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

DMD
The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

DOE
Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Dog
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Double-muscled bulls
Energy and protein requirements of Belgian Blue double-muscled bulls, 90 (2001) 153

Dried leaves
Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Dried rice distillers' grain
Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Dry cow
Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153

Dry matter
The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Dry matter loss
Cellulase treatment of untreated and steam pretreated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Dry roasting
Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89
Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Dry season
Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1
The nutritional value of *Piliostigma thonninghii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Dry sub-humid
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Drying
Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121

Drying method
Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

Duodenal flow
Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227
Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

DVE/OEB model
Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

E

Eating mode
Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Eating time
Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Ecology
Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83

Egg performance
The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Egg powder
Effects of increasing amounts of *Lupinus albus seeds without or with whole egg powder in the diet of growing pigs on performance*, 83 (2000) 89

Egg production
Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89
Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Egg quality
Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

Electron irradiation
Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

Electrophoresis
Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Endogenous nitrogen
Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93

Endogenous nitrogen losses
Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207

Endophyte
Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Energy
Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255
A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17
Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167
Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21

Energy and protein requirements
Energy and protein requirements of Belgian Blue double-muscled bulls, 90 (2001) 153

Energy and protein value
The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187

Energy intake
Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Energy metabolism
Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Energy supplement
Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Energy utilisation
The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15
Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Energy value
A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35
Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Ensilage
Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Ensiled cassava leaves
Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Ensiling
The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15
The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake

and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Entire male lambs
Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37

Environment
Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Environmental temperature
Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Enzymatic activity
In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Enzymatic digestibility
Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239

Enzymatic methods
A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

Enzyme
Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185
The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279
Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45
Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Enzyme inhibition
Analysis of condensed tannins: a review, 91 (2001) 21

Enzyme supplementation
Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113

Enzyme treatment
Cellulase treatment of untreated and steam pretreated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189

Enzymes
A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215
Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1
The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159
Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolyzable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

EPA
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Epismilagenin
Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Equine
Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Equine hindgut
Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in

vivo digestibility and rate of passage of digesta, 87 (2000) 117
Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Equivalents
Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Error estimation
Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Establishment
Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Esterases
Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Estimation of microbial protein yield and intestinal protein digestion
Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Ethanol production
Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Ethanol treatment
Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

Ether linkages
Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Ethnobotany
Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Evaluation methods
Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Evaluation with broilers
A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Ewe bodyweight
Pellet and block supplements for grazing ewes, 96 (2002) 193

Ewes
The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Ewes and lambs performances
Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25

Expander
In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Expander treatment
Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227

Expansion
Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Extraction
Analysis of hydrolysable tannins, 91 (2001) 3

Extruded soybeans
Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Extrusion
Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Extrusion cooking
The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

F

Faba beans
Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183

Faecal sampling
Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Faeces
Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321
Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
Influence of inoculum source on gas production profiles, 99 (2002) 221

Fat
Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65
Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169
In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1
Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169

Fat digestibility
Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Fat digestion
Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161

Fat supplementation
Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Fatty acid composition
Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103

Fatty acids
Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Fatty acyl amide
Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

FDNB-lysine
Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Feed
Enzymatic assays for xylanase and β-glucanase feed enzymes, 77 (1999) 345
Hydrothermal and β-glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205
Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295
Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35
Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Feed conservation
Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265

Feed conversion efficiency
Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Feed efficiency
Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage–grain diets, 92 (2001) 87
Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229

Feed formulation
Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131

Feed intake
Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1
Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137
Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Feed mills
Evaluation of date-feed ingredients mixes, 81 (1999) 291

Feed segregation
Stability of bacitracin methylene disalicylate and chlortetracyline in combination in a pelleted pig feed, 81 (1999) 35

Feed selection
Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Feeding behavior
Liquid supplementation of grazing cows and calves, 80 (1999) 281

Feeding frequency
Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Feeding level
Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Feeding stuffs
FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125

Feeding value
Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303
Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid , 81 (1999) 43
Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Feedlot
Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1

Feedstuff evaluation

Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Feedstuffs

A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Fenugreek

Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage–grain diets, 92 (2001) 87

Fermentation

Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127

An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205

Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69

Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39

Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201

Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83

The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117

Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

Fermentation characteristics

The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

Fermentation kinetics

Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221

Fermentation models
Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Fermentation pattern
Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Fermentation quality
Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129

Fermented blood meal
Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239

Fermenter
Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Fertilization
Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43

Fertilizer
Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

Ferulic acid
Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317
Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 83 (2000) 115

Festuca pratensis
Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Festucosis
Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Fiber concentration
Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Fibre
Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183
Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107
FibreCap: an improved method for the rapid analysis of fibre in feeding stuffs, 86 (2000) 125
Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53
Effect of dietary fibre on ileal digestibility and endogenous nitrogen losses in the pig, 90 (2001) 93
Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103
Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137
Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199

Fibre analysis
The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

Fibre degradation
Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Fibre digestion
Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117
Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Fibre fermentation
Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Fibre-bound ^{15}N
Estimating passage kinetics using fibre-bound ^{15}N as an internal marker, 94 (2001) 29

Fibres
Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1

Fibrolytic enzymes
Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317
Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Fibrous feed
The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Ficus
Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Field pea
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Filter bags
A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33

Fineness
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Finishing
The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Finishing pigs
Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Fish
Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331

Fish meal
Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Fish oil
Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57
The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57

Fishmeal
Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Flavonoid
Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Flaxseed
Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123

Fluorine
Relative bio-availability of phosphorus from Venezuelan raw rock phosphates for poultry, 94 (2001) 103

Fodder
Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Fodder beet
Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221

Fodder quality
The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Fodder tree leaf
Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17
Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175

Fodder trees
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1

Foliage
Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Folic acid
Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39
Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Food selection
Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

Forage
Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33
Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281
Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177
A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137
Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31
Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77
Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115
Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

Forage conservation
Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1

Forage intake
Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

Liquid supplementation of grazing cows and calves, 80 (1999) 281
Pellet and block supplements for grazing ewes, 96 (2002) 193

Forage legumes
Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41

Forage particle size
Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297

Forage protein degradation
An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Forage quality
Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33
Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243
The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231
Dairy slurry effects on forage quality of orchardgrass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143

Forage:concentrate ratio
In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

Forbs
Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Foregut fermentation
Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Formaldehyde
The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73
Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Formaldehyde treatment
Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Formic acid
Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39
Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Fractionation
Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71

Fractions
Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Free amino acids
Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

Freezing
Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Fresh grass
The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Fumonisins
A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21
Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Fungi
The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

***Fusarium* sp., trichothecenes**
A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21
Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

G

Gas production
Influence of protein fermentation on gas production profiles, 76 (1999) 251
Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345
Effects of inoculum preparation method and concentration, method of inoculation and presoaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199
A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321
Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11
Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17
A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145
An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89
The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231
The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241
Cellulase treatment of untreated and steam pretreated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189
In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1
In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115
Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205
In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1
Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215
Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55
The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221
Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13
Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Gas production technique
Influence of inoculum source on gas production profiles, 99 (2002) 221

Gastrointestinal fluid
Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

Gastrointestinal passage rate
Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117

Gastrointestinal tract
Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1

Gelatinization
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73

General feed mixtures
Relationship between analysed and theoretical content of diethylether extractable fat in standardised commercial feed mixtures for farm animals, 79 (1999) 65

Genetics
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33

Genotypes
Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17

Gliricidia maculata
Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Gliricidia sepium
Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

β-glucanase
Enzymatic assays for xylanase and β-glucanase feed enzymes, 77 (1999) 345
Hydrothermal and β-glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205
Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

β-glucans
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Gluconapin
Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Glucose tolerance
Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95

Glucosinolate
Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1999) 227
Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73
Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137
Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205
Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Glutaraldehyde
Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Glycerol
Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Goat
Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159
Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201
Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Gompertz model
Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Gossypol
Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149

Grain
The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165
Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

Grain feeding
Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59
Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Grain legumes
Recent research on improving the quality of grain legumes for chicken growth, 76 (1999) 185

Grainless diets
Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Grass
Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91
Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331
Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23
The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Grass silage
The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127
The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227
The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229
Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203
The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127
Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and

in the artificial rumen system RUSITEC, 99 (2002) 65

Grassland management
Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

Grassland samples
Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Grazing
Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261
Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183
Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Grazing management
Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87

Grazing method
Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87

Greece
Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Grinding
Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57
Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Grinding resistance
Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Groundnut
Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Groundnut haulm
Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Growing
The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279

Growing cattle
Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Growing pigs
Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179
Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239
Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35

Growth
Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119
Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43
Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar

beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs, 82 (1999) 37
The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
Efficacy of chromium-yeast supplementation for growing beef steers, 86 (2000) 95
Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251
Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81
Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137
Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199
Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Growth implants
Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

Growth Inhibition
Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Growth performance
The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149
The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163
Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179
Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hulless barley, 79 (1999) 29
Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161
Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299
Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1
Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185
Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71
Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Growth promoters
Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131

Growth rate
Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121
Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Growth stage
Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17

Guar Gum
Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Guinea grass
Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Gut morphology
Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

H

Haematology
Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Half-life
Effect of hepatic folic acid status on formic acid metabolism in blue foxes (*Alopex lagopus*), 99 (2002) 189

Halophyte
The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Harvesting techniques
Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Hay
Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333
The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
Effect of variety, soil type and fertiliser on the establishment, growth, forage yield, quality and voluntary intake by cattle of oats and vetches cultivated in pure stands and mixtures, 92 (2001) 95

Hay processing
Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117
Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

HCN
Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

Health
The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Heat processing
Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113

Heat production
The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Heat treatment
Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265
Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229
Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115
Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1
Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Heavy pig
Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Heifers
Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

Hematological
Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Hemicellulose
Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Hepatogenous photosensitization
Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Herbaceous dicots
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Herbage allowance
Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87

Heterogeneity
The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Highland sheep
Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Highlands of Chiapas
Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Hills
Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17

Hindgut
In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127

Histological analyses
Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151

Histopathology
Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Hoatzin
Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Homogeneity
The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Horse
Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Horse bean
Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Hot climates
The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

HPLC
Analysis of hydrolysable tannins, 91 (2001) 3
Analysis of condensed tannins: a review, 91 (2001) 21
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

HPLC gel permeation chromatography
Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

HSCAS
Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Hull-less barley
Hydrothermal and β-glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Hydrogen peroxide
Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313
Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Hydroxystearic acid
Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

I

Ileal
Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Ileal digestibility
Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229
Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215
Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195
Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207
Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103
Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49

Ileo-rectal anastomosis
Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Immunity
Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Immunoaffinity column
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Immunoglobulin G
Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

In sacco
Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h,

and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257
The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

In sacco degradability
Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101
Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

In sacco degradation
Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131
In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15
The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171

In sacco digestion
Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

In situ
Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17
Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237
A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31
Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55
Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119

In situ degradability
Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75
Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89

In situ degradation
An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207
Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

In situ dry matter degradability
Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81

In situ dry matter disappearance
Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145

In situ ruminal degradability
The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

In vitro
Influence of protein fermentation on gas production profiles, 76 (1999) 251
Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149
Effects of inoculum preparation method and concentration, method of inoculation and presoaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199
A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321
Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11

Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257
In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59
Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143
In vitro rumen fermentation and gas production: influence of yellow grease, tallow, corn oil and their potassium soaps, 93 (2001) 1
Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

In vitro degradation

Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value, 95 (2002) 215

In vitro digestibility

Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181
Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141
Ensiling of whole crop wheat with cellulase–hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51
A comparison of filter bag methods with conventional tube methods of determining the in vitro digestibility of forages, 84 (2000) 33
Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257
Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215
The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149
An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

In vitro digestion

An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

In vitro disappearance

Effects of source and level of nitrogen, and changing buffer/ruminal fluid at 48 h on in vitro digestion of feedstuffs, 93 (2001) 43

In vitro dry matter digestibility

Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthenum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97

In vitro gas production

Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81
Misleading relationships between in situ rumen dry matter disappearance, chemical analyses and in vitro gas production and digestibility, of sugarcane bagasse treated with varying levels of electron irradiation and ammonia, 79 (1999) 145
Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101
Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

In vitro N digestibility
Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

In vitro studies
Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

In vitro technique
A comparison of in vitro rumen fluid and enzymatic methods to predict digestibility and energy value of grass and alfalfa hay, 81 (1999) 333

In vitro viscosity
Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

In vivo
Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11
Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

In vivo, in situ and in vitro digestibility
Effect of maize crop maturity on silage chemical composition and digestibility (in vivo, in situ and in vitro), 99 (2002) 37

Income
Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Indigenous communities
Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Indigenous knowledge
The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Ingredient amino acid digestibility
A comparison of total and digestible amino acids in diets for broilers and layers, 82 (1999) 131

Ingredient composition
Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201

Inhibitors
Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Initial pH
Intrinsic buffering capacity of feedstuffs, 96 (2002) 83

Inocula
Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Inoculum
Influence of inoculum source on gas production profiles, 99 (2002) 221

Inoculant
The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Inoculation
Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

Intake
Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on

some physical factors regulating intake and digestion, 81 (1999) 133
Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223
Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279
The potential of forage–maize intercrops in ruminant nutrition, 86 (2000) 157
Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201
Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69
Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129
Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113
Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65
Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31
Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31
Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Intake level

Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Interactions

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Intercropping

Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1

Intercrops

The potential of forage–maize intercrops in ruminant nutrition, 86 (2000) 157
Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77
The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Interference

Stability of bacitracin methylene disalicylate and chlortetracyline in combination in a pelleted pig feed, 81 (1999) 35

Intestinal and total tract digestibility

In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107

Intestinal digestibility

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1
Protein degradability and intestinal digestibility of blood meals: comparison of two processing methods, 88 (2000) 91
Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123

Intestinal disappearance
The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Intestinal enzymes
Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Intestinal function
Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Intestine
A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Intra-caecal fermentation parameters
Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183
Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Intramuscular fat
Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71

In-vitro digestibility
Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Iodine
Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Ionophores
The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Iron
Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185

Iron–amino acid complex
Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Irrigation
Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Iso-production curves
Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Isotherm
Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

K

Karanj (*Pongamia pinnata*) cake
Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121

Ketosis
Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55

Kids
Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

L

***L. albus* seeds**
Effects of increasing amounts of *Lupinus albus seeds without or with whole egg powder in the diet of growing pigs on performance*, 83 (2000) 89

Lactating cows
Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Lactating ewes
Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Lactating performance
Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303

Lactation
Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Lactation performance
The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1998) 275

Lactic acid
Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Lactic acid fermentation
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Lactose
Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Lamb
The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149
Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111
Effect of source of betaine on growth performance and carcass traits in lambs, 86 (2000) 71
Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251
Performance of lambs fed expeller pressed and solvent extracted karanj (*Pongamia pinnata*) oil cake, 88 (2000) 121
Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1
Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89
Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33
Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds, 97 (2002) 103
Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Lathyrism
A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Lathyrus
A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1
The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Lathyrus cicera
Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract

apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Layers

Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1

Comparison of the nutritive value for laying hens of diets containing azolla (*Azolla pinnata*) based on formulation using digestible protein and digestible amino acid versus total protein and total amino acid , 81 (1999) 43

Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213

Laying hens

Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

L-Carnitine

Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61

Leaf

Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Leaf/stem ratio

Leaf content of straw diets influences supplementation responses by sheep, 100 (2002) 93

Lecithin

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169

Lectin

A new assay for functional lectins: the brush border lectin agglutination assay (BBLAA), 76 (1999) 321

Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335

Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Legume seeds

Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Effect of the DVE and OEB value changes of grain legumes (lupin and faba beans) after roasting on the performance of lambs fed a roughage-based diet, 94 (2001) 89

Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Legume straws

Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75

Legume-containing diets

Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Legumes

Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

Lentil

Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Leucaena leaf meal

Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Leucaena leucocephala
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Level of berseem
Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Level of intake
The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135
The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Lignin
Effect of hydrolytic lignin on formation of protein–lignin complexes and protein degradation by rumen microbes, 95 (2002) 83
Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Lignin requirements
Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43

Lignocellulose
Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Linear program
UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Linseed
Protein quality of linseed for growing broiler chicks, 84 (2000) 155
Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolyzable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

Lipid digestion
Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139

Lipid protection
Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249

Lipids
Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Liquid diet
Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1
Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Listeria monocytogenes
The effect of mechanical forage treatments on the growth of *Clostridium tyrobutyricum* and *Listeria monocytogenes* in grass silage, 78 (1999) 127

Litter
Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Litter mortality
Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105

Live weight change
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Liver abscesses
Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145

Liver enzymes
Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization,

liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Liver fat
Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Livestock
Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Lotus corniculatus
The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185

Low protein
Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

Lucas test
Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Lucas/uniformity test
Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Lucerne
Measurement of cell-wall digestibility in lucerne using the filter bag technique, 79 (1999) 239
Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141
Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Lupin
Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17
Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183
The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Lupin seed
Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215
The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187

Lupinus luteus
Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

Lys
Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass®) determined in situ, 83 (2000) 31

M

Maintenance
The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15

Maize
The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165
Processed cereals in diets for early-weaned piglets, 82 (1999) 145

Maize cobs
Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199
Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

Maize grain
Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Maize silage
Comparison of the in vitro gas production technique and the nylon bag degradability technique to measure short- and long-term processes of degradation of maize silage in dairy cows, 78 (1999) 81
Evaluation of the chemical composition and the particle size of maize silages produced in north-west of Portugal, 83 (2000) 173
Comparison of major carbohydrate fractions and cell wall digestibility in silages made from older and newer maize genotypes grown in the UK, 89 (2001) 69
Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205

Maize sources
Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Maize stover
Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215
Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131
Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

Maize–soyabean meal
Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15

Maize varieties
Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

MALDI-TOF mass spectrometry
Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Manganese
Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241
Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Manganese methionine
Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Markers
A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49
Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
Estimating passage kinetics using fibre-bound ^{15}N as an internal marker, 94 (2001) 29

Mash
Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Mastication
The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Maturity
Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241
Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121
Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Maturity stage
The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Meals
Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Measurement methods
The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Meat and bone meal
Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Meat meals
Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Meat quality
Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119
Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1
Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135
The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Mechanical action
Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Medium chain fatty acids
Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65

Medium-chain triglycerides
Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1998) 241

Mesquite pods
In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107

Met
Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass®) determined in situ, 83 (2000) 31

Metabolism
Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183
Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Metabolites
Effect of substrate and feed antibiotics on in vitro production of volatile fatty acids and methane in caecal contents of chickens, 80 (1999) 223

Metabolizable energy
A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed, 78 (1999) 153
Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29
Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Metabolizable energy intake
Leaf content of straw diets influences supplementation responses by sheep, 100 (2002) 93

Methane
Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41
Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153
The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Methane production
Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1
Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Methanogenesis
Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43
Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
Effect of adding caprylic and capric acid to grass on fermentation characteristics during ensiling and in the artificial rumen system RUSITEC, 99 (2002) 65

Methionine
Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85

Methionine hydroxyanalogue utilization
Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

Methods
Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Microbial
Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83

Microbial activity
Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33
In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1

Microbial adhesion to forage
An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Microbial colonization
Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Microbial composition
Microbial protein supply from the rumen, 85 (2000) 1

Microbial efficiency
Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51

Microbial inoculant
Effect of enzyme or microbial treatment of bermudagrass forages before ensiling on cell wall composition, end products of silage fermentation and in situ digestion kinetics, 77 (1999) 317

Microbial interaction
Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Microbial metabolites
Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137

Microbial N supply
Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Microbial nitrogen supply
Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71

Microbial phytase
The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Microbial protein
Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279
Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Microbial protein synthesis
The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227
Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Microbial synthesis
The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195
Microbial protein supply from the rumen, 85 (2000) 1

Microbiology
Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131

Micronization
Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hulless barley, 79 (1999) 29
Processed cereals in diets for early-weaned piglets, 82 (1999) 145
Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13
Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123

Micro-organism
Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Milk
Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169

Milk fat
Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57
Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139
Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143

Milk fatty acids
Effects of untreated and heat-treated canola presscake on milk yield and composition of dairy cows, 89 (2001) 97

Milk production
Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159
Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213
Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193
The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159
Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Milk production and composition
Milk production and ruminal digestion in lactating dairy cows grazing temperate pastures and supplemented with dry cracked corn or high moisture corn, 91 (2001) 183

Milk protein
The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189
Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Milk yield
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201
Effect of feeding an energy supplement to dairy cows pre- and postpartum on intake, milk yield, and incidence of ketosis, 93 (2001) 55
Increasing the digestible undegraded protein intake of lactating dairy cows by feeding fishmeal or a rumen protected vegetable protein blend, 96 (2002) 69

Milled wood lignin
Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Millet
Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17
Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Milling
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Mimosa tannins
The use of tannins as silage additives: effects on silage composition and mobile bag disap-

pearance of dry matter and protein, 82 (1999) 243

Mimosine
Influence of feeding increasing levels of leucaena leaf meal on the performance of milch goats and metabolism of mimosine and 3-hydroxy-4 (1H) pyridone, 78 (1999) 159

Mineral balance
Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157

Mineral content
Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331

Minerals
Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125
The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177
The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

Mink
Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Mobile bag
The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Mobile bag digestibility
Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

Mobile nylon bag technique
Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass®) determined in situ, 83 (2000) 31
Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127

Modeling
Influence of protein fermentation on gas production profiles, 76 (1999) 251

Moisture content
Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345

Molasses
The effects of increasing the proportion of molasses in the diet of milking dairy cows on milk production and composition, 78 (1999) 189
Nitrogen utilization and performance of pigs given diets containing a dried or undried fermented blood/molasses mixture, 78 (1999) 239
Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83
Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121
Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253
Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127
Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53

Molecular weight
Dynamic study of the release and the utilisation of ^{15}N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Molybdenum
Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
Estimated relative bioavailability of supplemental inorganic molybdenum sources and their effect on tissue molybdenum and copper concentrations in lambs, 79 (1999) 107

Monensin
Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165
The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Monocotyledons
Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability, 88 (2000) 13

Monogastric
Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1

Monosaccharide digestibility
Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO_2-treated wheat straw, 92 (2001) 175

Monounsaturated fatty acid
Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189

Montmorillonite
Physiological and toxicological responses in rats fed aflatoxin-contaminated diet with or without sorbent materials, 97 (2002) 209

Morphological fraction
Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
Morphological fractions of maize stover harvested at different stages of grain maturity and nutritive value of different fractions of the stover, 81 (1999) 1
In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

Mortality
Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139

Mottgrass
Influence of nitrogen fertilization and stage of maturity of mottgrass (*Pennisetum purpureum*) on its composition, dry matter intake, ruminal characteristics and digestion kinetics in cannulated buffalo bulls, 82 (1999) 121

MS
Analysis of hydrolysable tannins, 91 (2001) 3

Mukota pigs
Digestibility of high fibre diets and performance of growing Zimbabwean indigenous Mukota pigs and exotic Large White pigs fed maize based diets with graded levels of maize cobs, 97 (2002) 199

Multinutrient block
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

Multipurpose tree
Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221
Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131

Multivariate
Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Mustard cake
Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Mustard meal
Effect of moist heat treatment on in-vitro degradability and ruminal escape protein and amino acids of mustard meal, 76 (1999) 265

Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73
Effect of substitution of soybean meal with treated or untreated high glucosinolate mustard (*Brassica juncea*) meal on intake, digestibility, growth performance and body composition of calves, 94 (2001) 137

Mustard straw
Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Muzaffarnagari sheep
Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Mycotoxin
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109
Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169
Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Myrabolam tannins
The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

N

^{15}N
An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207
Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

N digestibility
The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

N excretion
Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

***n*-3 Fatty acids**
Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143

N requirement for maintenance
Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

N retention
Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
Digestibility and nitrogen utilisation of diets containing protein at different levels and supplemented with DL-methionine, L-methionine and L-lysine in blue fox (*Alopex lagopus*), 98 (2002) 219

N solubility
In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Napier
Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113
Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Narbon bean
Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Native range
Influence of liquid supplement delivery method on forage and supplement intake by grazing beef cows, 78 (1999) 273

N-balance trials
Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193

NDF
Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77
Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

NDF fermentation
The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

N-digestibility
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

Near infrared analysis
The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Near infrared reflectance spectroscopy (NIRS)
Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309
Classification and comparison of *Gliricidia* provenances using near infrared reflectance spectroscopy, 86 (2000) 221

Near infrared spectroscopy
Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91
Near infrared spectroscopy prediction of mineral content in botanical fractions from semi-arid grasslands, 77 (1999) 331
The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139

Near-infrared reflectance
Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Neem bitters
Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Neem kernel meal
Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169
Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Neotyphodium
Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Nepal
Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17

Neutral detergent
Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Neutral detergent solubles
Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63

Neutral sugars
Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179

Nigeria
Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Ninhydrin assay
Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

NIR
Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

NIR spectra
Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

NIRS
Near-infrared reflectance spectroscopy (NIRS) appears to be superior to nitrogen-based regression as a rapid tool in predicting the poultry digestible amino acid content of commonly used feedstuffs, 76 (1998) 139

Nitrogen
In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1
Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223
Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
Ruminal nitrogen disappearance from sod-seeded cereal grain forages in Northern Arkansas, 89 (2001) 17
Effects of expander-treating a barley-based concentrate on ruminal fermentation, bacterial N synthesis, escape of dietary N, and performance of dairy cows, 90 (2001) 227

Nitrogen balance
Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207
Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161

Nitrogen balance test
Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

Nitrogen content
Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Nitrogen degradation
Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Nitrogen digestion
In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1

Nitrogen disappearance
Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247

Nitrogen isotopes
Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71

Nitrogen retention
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Nitrogen source
Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195

Nitrogen substrates
Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the

utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Nitrogen utilization
Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223

N-metabolism
Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO_2-treated wheat straw, 92 (2001) 175

NMR
Analysis of hydrolysable tannins, 91 (2001) 3

Non-essential amino acids
Threonine and crude protein responses in broiler chicks, 94 (2001) 57

Nonfiber carbohydrate
Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Non-lactating dairy cow
Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Nonruminant
Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83

Non-starch polysaccharide
Composition and digestibility of beet pulp with and without molasses and dried using three methods, 85 (2000) 121
Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175
The nutritional significance of "dietary fibre" analysis, 90 (2001) 3

NRC
Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Nursery pig
Lactose, sucrose, and molasses in simple and complex diets for nursery pigs, 93 (2001) 127

Nutrient
Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Nutrient analyses
Yield and quality of three corn hybrids as affected by broiler litter fertilization and crop maturity, 94 (2001) 43

Nutrient composition
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Nutrient content
UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Nutrient degradability
Chemical characterization and in situ nutrient degradability of wet distillers' grains derived from barley-based ethanol production, 83 (2000) 301

Nutrient digestibility
Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Nutrient management
Dairy slurry effects on forage quality of orchardgrass, reed canarygrass and alfalfa-grass mixtures, 95 (2002) 143

Nutrient profile
Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149

Nutrient utilization
Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117
Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251
The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115
Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33
Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1

Nutrients
The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21

Nutrition
Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Nutritional
Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Nutritional uniformity
Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Nutritional value
Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Nutritive value
Chemical composition, in sacco degradation and in vitro gas production of some Ghanaian browse plants, 76 (1998) 129
Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
The nutritional value of *Piliostigma thonninghii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
Feed intake and selection of tree fodder by dairy heifers, 79 (1999) 1
The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165
Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101
The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119
In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287
Nutritive evaluation of some Acacia tree leaves from Kenya, 85 (2000) 89
Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187
Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203
Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103
Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107
Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal, 92 (2001) 17
Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15
Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175
Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolyzable energy of a diet containing linseed in broiler chickens, 97 (2002) 169
The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45

Nylon bag digestion
Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77

Nylon bag technique
Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass®) determined in situ, 83 (2000) 31
Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127
Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247

Nylon bags
In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Nylon bags methods
Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

Nylon capsule
Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

O

Oat silage
The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Oats
Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45

Obano
The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

ODAP
A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Odd-chain fatty acids
Microbial protein supply from the rumen, 85 (2000) 1

Oil palm slurry
The nutritive value of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston): studies with broiler chickens, 77 (1999) 163
Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185

Oilseeds
Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41

Oleic acid
Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Oligosaccharides
Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations, 86 (2000) 205

Olive leaves
Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Optimal pressure toasting
Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Optimal seed processing
An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Optimum feeding levels
Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

Optimum ration
Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

Opuntia ficus-indica* f. *inermis
Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15

Orchardgrass
Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass, 92 (2001) 141

Organic acids
Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137
Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131

Organic farming
Effect of grazing method and herbage allowance on the grazing efficiency of milk production in organic farming, 98 (2002) 87
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Organic trace minerals
Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193

Organs
Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Osmotic pressure
Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Oxidative stability
Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189

Ozone
Yield and quality characteristics of bahiagrass (*Paspalum notatum*) exposed to ground-level ozone, 84 (2000) 243

P

Palm kernel cake
Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127

Palm kernel meal
Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103

Palm kernels
Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165

Paraserianthes falcataria
Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107

Parasitic plants
Chemical composition and in vitro dry matter digestibility of four parasitic plants (*Tapinanthus lugardii*, *Erianthenum ngamicum*, *Viscum rotundifolium* and *Viscum verrucosum*) in Botswana, 84 (2000) 97
Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159

Particle size
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
Evaluation of the chemical composition and the particle size of maize silages produced in northwest of Portugal, 83 (2000) 173

Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249
Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13
Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107
Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61
Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15
Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Partition of nutrient
Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

Passage
Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115

Passage kinetics
Estimating passage kinetics using fibre-bound ^{15}N as an internal marker, 94 (2001) 29

Passage lag
Influence of time of feeding a protein meal on diurnal patterns of amino acids in duodenal digesta protein of lactating dairy cows, 97 (2002) 115

Passage rate
Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

Pasture
Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261
Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
Use of chromium mordanted neutral detergent residue as a predictor of fecal output to estimate intake in grazing high producing Holstein cows, 89 (2001) 155
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Patulin
Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Pea
Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61
Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77
Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161
Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183

Pea globulin
Dynamic study of the release and the utilisation of ^{15}N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Pea seed
Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Peanut skins
Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69

Pearl millet
Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Pectinase
Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

PEG
An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219

PEG 4000
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215

PEG binding
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215
The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149
The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*, 87 (2000) 29

PEG–tannin complexes
An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Pellet
Evaluation of pellets from different industrial processing of dehydrated lucerne in dairy cattle feeding, 99 (2002) 13

Pelleting
Hydrothermal and β-glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205

Pellets
Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Penicillium camemberti
Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169

Penicillium roqueforti
Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169

Pennisetum purpureum
Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Pepsin–cellulase digestibility
Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Pepsin–HCl hydrolysis
The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289

Peptide
Dynamic study of the release and the utilisation of ^{15}N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75
Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

Perennial ryegrass
Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the

utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Performance
Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25
Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139
Effects of grass clover-pellets and whole plant maize-pellets on the feed intake and performance of dairy cows, 81 (1999) 265
Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195
Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237
The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers, 87 (2000) 85
Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165
Effects of providing dietary wood (oak) charcoal to broiler chicks and laying hens, 90 (2001) 213
Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1
Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119

Periparturient cows
Relationships between crude protein and mineral concentrations in alfalfa and value of alfalfa silage as a mineral source for periparturient cows, 93 (2001) 157

Permeability
Examination of a technology for silage making in plastic bags, 91 (2001) 213

Pet food
Determination of aflatoxins in domestic pet foods (dog and cat) using immunoaffinity column and HPLC, 93 (2001) 109

Phaseolus vulgaris
The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

Phenolic acid
Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Phenolics
Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41
Proanthocyanidins and other phenolics in Acacia leaves of Southern Africa, 91 (2001) 59

Phleum pratense
Effect of herbage allowance on pasture utilization, regrowth and milk yield of dairy cows in early, mid and late season, 97 (2002) 23

Phosphate
Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Phosphorus
Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125
Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Phosphorus excretion
Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113

Phosphorus requirement
Non-phytin phosphorus requirements of commercial broilers and White Leghorn layers, 80 (1999) 1

Phosphorus supplementation
The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize–soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199

Physical and chemical characteristics
Fractionation of pea flour with pilot scale sieving. I. Physical and chemical characteristics of pea seed fractions, 85 (2000) 61

Physical characteristics
Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Physical processing
Physical processing of barley and its effects on intra-caecal fermentation parameters in ponies, 85 (2000) 79

Physical properties
Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Phytase
Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125
Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241
Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
Effect of microbial phytase produced from a fungus *Aspergillus niger* on bioavailability of phosphorus and calcium in broiler chickens, 83 (2000) 103
Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1
Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age, 89 (2001) 113
The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize–soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199
Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73

Phytate
Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241
Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177
Effect of sources of maize and maize particle sizes on the utilization of phytate phosphorus in broiler chicks, 86 (2000) 15
Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
The non-mineral nutritional impact of phytate in canola meal fed to broiler chicks, 91 (2001) 115

Phytate phosphorus
Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115

Phytic acid
Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–

soybean meal or barley–soybean meal diets, 77 (1999) 125
The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid in solution and in a slurry of canola meal, 81 (1999) 177

Pig

Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103
Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1999) 241
Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115
Efficacy of *Trichoderma reesei* phytase and acid phosphatase activity ratios in phytate phosphorus degradation in vitro and in pigs fed maize–soybean meal or barley–soybean meal diets, 77 (1999) 125
Influence of nitrogen fertilization on the nutritional value of high-lysine barley determined in growing pigs, 79 (1999) 79
Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
Energy and nutrient use of palm kernels, palm kernel meal and palm kernel oil in diets for growing pigs, 80 (1999) 165
Effects of ileal endogenous nitrogen losses and dietary amino acid supplementation on nitrogen retention in growing pigs, 80 (1999) 207
Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
A comparison of the predictions of digestible energy content of compound feeds for pigs by chemical or in vitro analysis, 81 (1999) 151
Effects of DL-methionine hydroxyanalogue (MHA) or DL-methionine (DL-Met) on N-retention in broiler chickens and pigs, 81 (1999) 193
Fermented co-products and fermented compound diets for pigs: a review, 82 (1999) 1
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
The energy value of *Lupinus angustifolius* and *Lupinus albus* for growing pigs, 83 (2000) 17
Effect of replacing soybean protein with cassava leaf protein in cassava root meal based diets for growing pigs on digestibility and N retention, 83 (2000) 223
Effects of *Spirulina platensis* on growth performance of weanling pigs, 83 (2000) 237
Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1
An in vitro method for the estimation of ileal crude protein and amino acids digestibility using the dialysis tubing for pig feedstuffs, 88 (2000) 79
A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49
The nutritional significance of "dietary fibre" analysis, 90 (2001) 3
The role of dietary fibre in the digestive physiology of the pig, 90 (2001) 21
Prediction of the standardized ileal true digestibility of amino acids from the chemical composition of oilseed meals in the growing pig, 90 (2001) 103
Effect of dietary carbadox or formic acid and fibre level on ileal and faecal nutrient digestibility and microbial metabolite concentrations in ileal digesta of the pig, 93 (2001) 137
The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize–soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199
Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205
Effect of creatine monohydrate on finishing pig growth performance, carcass characteristics and meat quality, 96 (2002) 135
Apparent and standardised true ileal digestibility of protein and amino acids from faba bean, lupin and pea, provided as whole seeds, dehulled or extruded in pig diets, 97 (2002) 183
Evaluation through literature data of the amount and amino acid composition of basal endogenous crude protein at the terminal ileum of pigs, 98 (2002) 49
Component digestibility of lupin (*Lupinus angustifolius*) and pea (*Pisum sativum*) seeds and effects on the small intestine and body organs in anastomosed and intact growing pigs, 98 (2002) 187

Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119
Establishment and application of an in vitro methodology to study the effects of organic acids on coliform and lactic acid bacteria in the proximal part of the gastrointestinal tract of piglets, 99 (2002) 131

Pig growth
Effects of increasing amounts of *Lupinus albus seeds without or with whole egg powder in the diet of growing pigs on performance*, 83 (2000) 89

Pig nutrition
Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Pig performance
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1

Pig-growing
Effect of micronization on the performance of growing/finishing pigs fed diets based on hulled and hulless barley, 79 (1999) 29

Piglet
Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71
Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105
Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1
Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197
Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
Effects of dietary lecithin and fat unsaturation on nutrient utilisation in weaned piglets, 95 (2002) 169

Piglet nutrition
Processed cereals in diets for early-weaned piglets, 82 (1999) 145
Particle size and heat treatment of barley in diets for early-weaned piglets, 84 (2000) 13

Piliostigma thonninghii
The nutritional value of *Piliostigma thonninghii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287

Pima cottonseed
Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149

Pisum sativum
The effect of extrusion cooking on mineral bioavailability in pea and kidney bean seed meals, 94 (2001) 1

Plane of nutrition
Growth performance of faunated and defaunated Malpura weaner lambs, 86 (2000) 251

Plant breeding
Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Plant cell wall degradation
Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297

Plant extract
Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263

Plant oils
Utilization of fats based on the composition of sow milk fat in the diet of weanling pigs, 77 (1999) 115

Plasma
Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119

Plasma constituents
Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179

Plasma lipids
Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215
Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189

Plastic bags
Examination of a technology for silage making in plastic bags, 91 (2001) 213

Polydextrose
In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

Polyethylene glycol (PEG)
Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51
Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

Polyphenolics
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Polyphenols
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49

Polysaccharide utilisation
Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159

Polysaccharide-degrading enzymes
Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

Ponies
Intra-caecal fermentation parameters in ponies fed botanically diverse fibre-based diets, 84 (2000) 183

Pony
Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta, 87 (2000) 117
Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Posilo
The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Postpartum
The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Potential utility index
The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Poultry
Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249
Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Poultry chicken
Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195

Poultry feed
Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Poultry litter
Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113

Poultry nutrition
Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

Predicting in vivo digestibility
Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187

Prediction
Evulation of an in vitro batch culture technique for estimating the in vivo digestibility and digestible energy content of equine feeds using equine faeces as the source of microbial inoculum, 80 (1999) 11
Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Preference
Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Pregnancy
The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21
Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Preparation
Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Prepartum
The influence of dry period feeding on liver fat and postpartum performance of dairy cows, 76 (1999) 275

Preservation
Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39
The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237

Pre-soaking
Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199

Pressed beet pulp silage
Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Pressure
Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Pressure toasting
Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Pretreatment
Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177

Proanthocyanidins
Composition and degradability of different fractions of *Calliandra* leaves, pods and seeds, 77 (1999) 181

The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91
Intake, digestibility and nitrogen utilization of three tropical tree legumes. II. As protein supplements, 82 (1999) 107
Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41
Proanthocyanidins and other phenolics in Acacia leaves of Southern Africa, 91 (2001) 59

Processed corn silage
Effects of processed corn silage on its digestibility and production of growing beef replacement heifers, 96 (2002) 221

Processing
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Production response
Nutritional influence of broiler chicken diets based on covered normal, waxy and high amylose barleys with or without enzyme supplementation, 78 (1999) 215

Products quality
Consequences of the use of ensiled sugar beet-pulp in the diet of heavy pigs on performances, carcass characteristics and nitrogen balance: a review, 90 (2001) 81

Pronase
Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

Propionate
Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Protease
Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31
Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247

Protected fat
Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57

Protected fat supplements
Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139
Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143

Protected groundnut cake
Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119

Protected lipid
Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

Protected methionine
Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Protection
Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Protection and rumen degradability
Effect of hydrolytic lignin on formation of protein–lignin complexes and protein degradation by rumen microbes, 95 (2002) 83

Protective treatment

Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309

Protein

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35

Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Influence of protein fermentation on gas production profiles, 76 (1999) 251

Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99

The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109

Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Nylon capsule method and alfalfa hay crude protein digestibility evaluation, 79 (1999) 269

Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309

The effect of the digestible undegradable protein concentration of concentrates and protein source offered to ewes in late pregnancy on colostrum production and lamb performance, 82 (1999) 21

Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157

The effect of method of forage preservation on the protein degradability and microbial protein synthesis in the rumen, 82 (1999) 195

Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213

Effective rumen degradability and intestinal indigestibility of individual amino acids in solvent-extracted soybean meal (SBM) and xylose-treated SBM (SoyPass®) determined in situ, 83 (2000) 31

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed, 87 (2000) 1

Milk yield response of dairy cows fed fat along with protein, 90 (2001) 169

Nutrient digestibility of chickpea (*Cicer arietinum* L.) seeds and effects on the small intestine of weaned piglets, 91 (2001) 197

A collaborative study comparing an in situ protocol with single time-point enzyme assays for estimating ruminal protein degradability of different forages, 93 (2001) 31

Use of artificially applied *n*-alkanes as markers for the estimation of digestibility, food selection and intake in pigeons (*Columba livia*), 94 (2001) 65

Rumen degradability and intestinal indigestibility of individual amino acids in corn gluten meal, canola meal and fish meal determined in situ, 94 (2001) 127

Effect of hydrolytic lignin on formation of protein–lignin complexes and protein degradation by rumen microbes, 95 (2002) 83

Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205

Protein breakdown

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51

Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

Protein degradability

Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Protein degradation

Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153

Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41

Protein-energy interactions

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF, 87 (2000) 241

Protein evaluation

Using the DVE/OEB model to determine optimal conditions of pressure toasting on horse beans (*Vicia faba*) for the dairy feed industry, 86 (2000) 165

Protein quality

Protein quality of linseed for growing broiler chicks, 84 (2000) 155

Effect of temperature, pressure and alkaline treatments on meat meal quality, 89 (2001) 59

Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Protein sub-fractions

Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Protein supplement

Effects of feeding crambe meal upon intake, gain, health and meat quality of broiler chicks, 76 (1998) 227

Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Protein synthesis

Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149

Protein value

Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Proteolysis

Dynamic study of the release and the utilisation of ^{15}N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

Proteolytic activity

Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341

Protozoa

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Proximate analysis

Prediction of amino acid profiles in feed ingredients: Genetic algorithm calibration of artificial neural networks, 90 (2001) 131

Pullet

The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Purine bases

Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Purine derivatives

Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297

Microbial protein supply from the rumen, 85 (2000) 1

Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215
Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171
Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71
Purine derivative excretion and ruminal microbial yield in growing lambs fed raw and dry roasted legume seeds as protein supplements, 95 (2002) 33

Q

Quails

Laying performance of Japanese quail fed graded levels of neem (*Azadirachta indica*) kernel meal incorporated diets, 88 (2000) 113

Quality

Quality characteristics of broiler blood meal as affected by yeast, glucose oxidase, and antioxidant treatments, 83 (2000) 159

Quality control

Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Quantity

Quantitative analyses of selected plant by-product feedstuffs, a global perspective, 79 (1999) 255

Quebracho

Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59

Quebracho tannins

The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243

R

Rabbit

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25
Effects of virginiamycin and salinomycin on performance, digestibility of nutrients and mortality of rabbits, 77 (1999) 139
Nutritive evaluation and ingredient prediction of compound feeds for rabbits by near-infrared reflectance spectroscopy (NIRS), 77 (1999) 201
Performance response of lactating and growing rabbits to dietary lignin content, 80 (1999) 43
Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
Effect of diets with different digestible energy content on the performance of rabbit does, 81 (1999) 105
Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175
Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107

Rabbit does

The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191

Ractopamine

Effects of ractopamine at different dietary protein levels on growth performance and carcass characteristics in finishing pigs, 79 (1999) 119

Radiation processing

Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

Rangelands
Use of deciduous woody species as a diet supplement for goats grazing Mediterranean shrublands during the dry season, 80 (1999) 267

Rape seeds
Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103

Rapeseed hulls
Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231

Rapeseed lecithin gums
Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117

Rapeseed meal
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111
Chemical changes and influences of rapeseed antinutritional factors on gestating and lactating ewes. 1. Animal performances and plasma hormones and glucose, 98 (2002) 25

Rat
Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9
Protein quality in blood meal. I. The rat as a model animal for determining apparent ileal amino acid digestibility in the growing pig, 79 (1999) 301
Protein quality in blood meal. II. The effect of processing on in vivo nitrogen digestibility in rats, protein solubility and FDNB-available lysine, 79 (1999) 309
Inhibitory effect of dietary carboxymethylcellulose on fat digestibility in rats fed diets containing either starch or glucose, 85 (2000) 139
Nutritional value of rapeseed meal containing lecithin gums precipitated with citric acid, 86 (2000) 117
Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41
Effect of pelleting on glucosinolate content of Crambe meal, 99 (2002) 205

Rearing diets
The use of step-down and modified constant protein feeding systems in developing pullets reared in hot climates, 85 (2000) 171

Receiving
Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Receptor-analogs
Binding of biotinylated legume seed lectins with glycoproteins in blotted receptor-analogs: influence of incubation pH, 94 (2001) 147

Rectal temperature
Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Regrowth age
Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Regulation
Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133

Reproduction
The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185

Reproductive performance
The effect of dietary fat on the performance and body composition of rabbits in their second lactation, 86 (2000) 191
Effect of feeding a combination of zinc, manganese and copper amino acid complexes, and cobalt glucoheptonate on performance of early lactation high producing dairy cows, 93 (2001) 193

Requirement
Estimation of the phosphorus requirement of weanling pigs fed supplemental phytase, 80 (1999) 91
Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Residual metabolizable feed consumption
Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage–grain diets, 92 (2001) 87

Residues
Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183
Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Respiratory rate
Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319

Retention time
The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183

Rice
Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Rice bran
Blend of oil palm slurry and rice bran as feed ingredient for broiler chickens, 83 (2000) 185
Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Rice straw
Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345
Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57
Cellulase treatment of untreated and steam pretreated rice straw — effect on in vitro fermentation characteristics, 88 (2000) 189
Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129
In sacco degradability, chemical and morphological composition of 15 varieties of European rice straw, 94 (2001) 15

Ring-test
Enzymatic assays for xylanase and β-glucanase feed enzymes, 77 (1999) 345

Roasting
Comparison of raw and roasted narbon beans (*Vicia narbonensis*) on performance and meat sensory attributes of lambs fed a roughage-based diet, 92 (2001) 1

Rotational grazing
Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313

Roughage: concentrate ratios
Energy metabolism with particular reference to methane production in Muzaffarnagari sheep fed rations varying in roughage to concentrate ratio, 83 (2000) 287

Round bale silage
The effect of adding an enzyme containing lactic acid bacterial inoculant to big round bale oat silage on intake, milk production and milk composition of Jersey cows, 97 (2002) 159

Rumen
Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61
Effects of inorganic nitrogen and amino acids on the degradation of ammonia-treated barley straw

and proteosynthesis in a continuous culture of rumen microbes, 77 (1999) 149
Effects of inoculum preparation method and concentration, method of inoculation and pre-soaking the substrate on the gas production profile of high temperature dried grass, 78 (1999) 199
Optimal mineral composition of artificial saliva for fermentation and methanogenesis in continuous culture of rumen microorganisms, 79 (1999) 43
Mechanical resistance of wheat straw after incubation in cultures of ruminal cellulolytic microorganisms, 80 (1999) 297
The effects of level of fish oil inclusion in the diet on rumen digestion and fermentation parameters in cattle offered grass silage based diets, 81 (1999) 57
In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep, 83 (2000) 127
An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
Measuring resistance to ruminal degradation and bioavailability of ruminally protected methionine, 84 (2000) 23
Effects of various compounds on in vitro ruminal fermentation and production of sulfide, 84 (2000) 69
The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121
The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
Microbial protein supply from the rumen, 85 (2000) 1
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures, 85 (2000) 195
Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes, 87 (2000) 263
Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201
Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189
The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83
In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115
Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203
Growth and metabolic responses of Holstein calves fed broiler litter-based diets supplemented with L-carnitine, 98 (2002) 61
Effects of fungal phytase addition, formaldehyde treatment and dietary concentrate content on ruminal phosphorus availability, 99 (2002) 73
Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1

Rumen ammonia

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Rumen availability

Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131

Rumen bacteria

Influence of protease inhibitors on nitrogen distribution in ensiled perennial ryegrass and the utilisation of silage nitrogen for growth by rumen bacteria in vitro, 76 (1998) 51
Dynamic study of the release and the utilisation of ^{15}N-labeled pea globulin peptides by mixed ruminal bacteria in vitro, 82 (1999) 75

Rumen ciliates

Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223

Rumen degradability

Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and

broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
The disappearance of dry matter, nitrogen and amino acids in the gastrointestinal tract from *Calliandra* leaves, 79 (1999) 289
Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203
Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43

Rumen degradable protein
Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59
Microbial nitrogen production in growing heifers: direct measurement of duodenal flow of purine bases versus urinary excretion of purine derivatives as estimation procedures, 88 (2000) 171

Rumen degradation
Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223
Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115
Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313
Rumen degradation and estimation of microbial protein yield and intestinal digestion of napier grass (*Pennisetum purpureum*) and various concentrates, 93 (2001) 177

Rumen escape protein
Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques, 97 (2002) 247

Rumen fermentation
Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117
Influence of protein fermentation on gas production profiles, 76 (1999) 251
The effect of the form of nitrogen in the diet on ruminal fermentation and the yield of microbial protein in sheep consuming diets of grass silage supplemented with starch or sucrose, 78 (1999) 227
Influence of the level of molasses in de-oiled rice bran-based concentrate mixture on rumen fermentation pattern in crossbred cattle calves, 80 (1999) 83
Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221
Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165
Effect of concentrate type on rumen fermentation and milk production of cows at pasture, 84 (2000) 199
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229
Influence of dietary rumen-degradable protein supply on rumen characteristics and carbohydrate fermentation in beef cattle offered high-grain diets, 88 (2000) 59
Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119
Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143
Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113
Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127
Effect of forage conservation method, concentrate level and propylene glycol on diet digestibility, rumen fermentation, blood metabolite concentrations and nutrient utilisation of dairy cows, 97 (2002) 1
Patterns of rumen fermentation in bulls fed barley/molasses diets, 97 (2002) 53
The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127
Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13
Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Rumen fluid
Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341
Comparison of organic matter degradation in several feedstuffs in the rumen as determined with the nylon bag and gas production techniques, 96 (2002) 55
Influence of inoculum source on gas production profiles, 99 (2002) 221

Rumen fluid composition
Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Rumen fluid inoculum
Comparison of bovine rumen liquor and bovine faeces as inoculum for an in vitro gas production technique for evaluating forages, 89 (2001) 33

Rumen hydrogenation
Hydrogenation of eicosapentaenoic and docosahexaenoic acids and their incorporation into milk fat, 79 (1999) 57
Protection of conjugated linoleic acids from ruminal hydrogenation and their incorporation into milk fat, 86 (2000) 139

Rumen microbes
Phosphate rather than surfactant accounts for the main contribution to enhanced fibre digestibility resulting from treatment with boiling neutral detergent, 86 (2000) 177
The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

Rumen microbial protein
Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203

Rumen microbiology
Effect of adding acetogenic bacteria on methane production by mixed rumen microorganisms, 78 (1999) 1
The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221

Rumen protozoa
Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Rumen Simulation Technique (RUSITEC)
Effect of DL-malate on mixed ruminal microorganism fermentation using the rumen simulation technique (RUSITEC), 79 (1999) 279

Rumen stability
Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161

Rumen-escape protein
Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59

Rumen-undegradable protein
Protein sub-fractions and amino acid profiles of rumen-undegradable protein in dairy cows from soybean, cottonseed and fish meals, 78 (1999) 65

Ruminal bacteria
The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179
Fractionation of ammonia nitrogen isotopes by ruminal bacteria in vitro, 100 (2002) 71

Ruminal degradability
Influence of the concentration of the protease from *Streptomyces griseus* relative to ruminal protein degradability, 77 (1999) 99
Effect of fat coating on rumen degradation and intestinal digestibility of soybean meal, 81 (1999) 309
Effects of micronization of flaxseed on nutrient disappearance in the gastrointestinal tract of steers, 95 (2002) 123
Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145
In situ ruminal and intestinal nutrient digestibilities of mesquite (*Prosopis juliflora*) pods, 100 (2002) 107

Ruminal degradation
In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1

Ruminal digestion
Effect of forage particle size and feeding frequency on fermentation patterns and sites and extent of digestion in dairy cows fed mixed diets, 76 (1999) 297
The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Ruminal disappearance
Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155

Ruminal fermentation
Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195
Effects of dried rice distillers' and grain supplementation on the performance of lactating cows, 77 (1999) 303
Effects of patulin on rumen microbial fermentation in continuous culture fermenters, 97 (2002) 239

Ruminal NH_3
Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Ruminal parameters
Protein degradability of soybean meal coated with different lipid substances and its effects on ruminal parameters when included in steer rations, 92 (2001) 249

Ruminal pH
Influence of nonfiber carbohydrate concentration on forage fiber digestion in vitro, 86 (2000) 107

Ruminant
Stability of exogenous polysaccharide-degrading enzymes in the rumen, 76 (1998) 161
In situ ruminal degradation and intestinal digestibility of dry matter and protein in expanded feedstuffs, 77 (1999) 1
The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73
The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101
Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279
Ruminal degradability and intestinal digestibility of protein and amino acids in barley and oats expander-treated at various intensities, 82 (1999) 157
Chemical composition, DM and NDF degradation kinetics in rumen of seven legume straws, 83 (2000) 75
Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
Comparative evaluation of the effects of coconut oil, oilseeds and crystalline fat on methane release, digestion and energy balance in lambs, 85 (2000) 41
Effects of raw and modified canola lecithins compared to canola oil, canola seed and soy lecithin on ruminal fermentation measured with rumen simulation technique, 85 (2000) 153
Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27
Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53
Effects of time and dietary iron on tissue iron concentration as an estimate of relative bioavailability of supplemental iron sources for ruminants, 90 (2001) 185
Use of the automated gas production technique to determine the fermentation kinetics of carbohydrate fractions in maize silage, 93 (2001) 205
The nutritive value for ruminants of lupin seeds from determinate and dwarf determinate plants, 94 (2001) 187
Intrinsic buffering capacity of feedstuffs, 96 (2002) 83
Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175
The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127

Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131

Rumination time
Feed intake and behaviour of kids and lambs fed sugar cane as the sole roughage with or without concentrate, 100 (2002) 79

Ruminococci
Production of *Ruminococcus flavefaciens* growth inhibitor(s) by *Ruminococcus albus*, 77 (1999) 61

Ryegrass
Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Ryegrass silage
Performance and carcass characteristics of beef cattle fed diets containing silage from intercropped barley and annual ryegrass, 99 (2002) 1

S

Saccharomyces cerevisiae
Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49
Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

Sahel
Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Salicornia
The effect of dietary inclusion of halophyte *Salicornia bigelovii* Torr on growth performance and carcass characteristics of lambs, 76 (1998) 149

Salmon
Digestibility of bacterial protein grown on natural gas in mink, pigs, chicken and Atlantic salmon, 76 (1998) 103

Salmonella typhimurium
Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23

Salmo salar
Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysaccharide content in different soyabean products, 79 (1999) 331

Sample handling
Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57

Sample preparation
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149

Sample processing
The effect of sample processing on gas production profiles obtained using the pressure transducer technique, 97 (2002) 221

Saturation
Feeding tallow triglycerides of different saturation and particle size to lactating dairy cows, 83 (2000) 249

Savanna
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Scanning electron microscopy
Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213

Screenings
Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249

Season
Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a

perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Seasonal changes
Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261

Seasonal variation
Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33
The release of intracellular constituents from fresh ryegrass (*Lolium perenne* L.) during ingestive mastication in dairy cows: effect of intracellular constituent, season and stage of maturity, 93 (2001) 229
The release of cell contents of fresh rye-grass (*Lolium perenne* L.) during digestion in dairy cows: effect of the intracellular constituents, season and stage of maturity, 97 (2002) 83

Secondary effluent
Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Seed
Groundnut (*Arachis hypogaea*) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars, 77 (1999) 33

Selective consumption
Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57
Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Selenium
Broiler litter as a source of selenium for sheep, 78 (1999) 263

Semi-arid
Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1
Nutrient composition of native forbs of semi-arid and dry sub-humid savannas of Nigeria, 84 (2000) 137

Semiarid grassland
Assessment of the potential of NIR spectroscopy for the estimation of nitrogen content in grasses from semiarid grasslands, 77 (1999) 91

Semi-automation
A semi-automated in vitro gas production technique for ruminant feedstuff evaluation, 79 (1999) 321

Seminal characteristics
Feed intake, sperm output and seminal characteristics of Ethiopian highland sheep supplemented with different levels of leucaena (*Leucaena leucocephala*) leaf hay, 86 (2000) 239

Sepiolite
Protein and energy retention in pigs fed diets containing sepiolite, 79 (1999) 155
The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183
Effects of removal of mucilage and enzyme or sepiolite supplement on the nutrient digestibility and metabolyzable energy of a diet containing linseed in broiler chickens, 97 (2002) 169

Sesbania
In vitro rumen degradability of crude protein in seeds from four *Sesbania* spp. and the effects of treatments designed to reduce the levels of antinutrients in the seeds, 95 (2002) 49

Sesbania sesban
Influence of foliage from different accessions of the sub-tropical leguminous tree, *Sesbania sesban*, on ruminal protozoa in Ethiopian and Scottish sheep, 78 (1999) 11

Shaoxing duck
Investigation on requirement of crude protein for maintenance in Shaoxing ducks, 98 (2002) 167

Shearing strength
Measurements of physical strength and their relationship to the chemical composition of four species of *Brachiaria*, 92 (2001) 149

Sheep
Examination of microbial degradation of *Ficus exasperata* leaves and cassava peels by in situ incubation and scanning electron microscopy, 77 (1999) 213
Broiler litter as a source of selenium for sheep, 78 (1999) 263
Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93
Heat treatment of soybean meal and rapeseed meal suppresses rumen degradation of phytate phosphorus in sheep, 80 (1999) 115
Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69
A comparison of digestibility of some concentrate feed ingredients in cattle and sheep, 81 (1999) 167
Use of lentil screenings in the diets of early weaned lambs and ewes in the second trimester of pregnancy, 81 (1999) 249
Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
Comparison of diet and faecal collection methods for assessment of seasonal variation in dry matter intake by sheep maintained on a *Cenchrus ciliaris* pasture, 82 (1999) 261
Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 83 (2000) 115
Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261
Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants — in vivo and in vitro digestibility, 85 (2000) 99
Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
The potential of forage–maize intercrops in ruminant nutrition, 86 (2000) 157
Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep, 87 (2000) 153
Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies, 87 (2000) 187
Heat treatment of rapeseed meal increases phytate flow into the duodenum of sheep, 88 (2000) 31
Influence of an anaerobic fungal culture administration on in vivo ruminal fermentation and nutrient digestion, 88 (2000) 201
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
Post-ruminal protein supply and N retention of weaner sheep fed on a basal diet of lucerne hay (*Medicago sativa*) with increasing levels of quebracho tannins, 92 (2001) 59
Effects of bentonite on rumen fermentation and duodenal flow of dietary components in sheep fed palm kernel cake by-product, 92 (2001) 127
Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO_2-treated wheat straw, 92 (2001) 175
Effect of dietary protein variation in terms of net truly digested intestinal protein (DVE) and rumen degraded protein balance (OEB) on the concentrations and excretion of urinary creatinine, purine derivatives and microbial N supply in sheep: comparison with the prediction from the DVE/OEB model, 93 (2001) 71
Digestion kinetic parameters from an in vitro gas production method as predictors of voluntary intake of forage by mature ewes, 95 (2002) 133
Supplementation of *Acacia cyanophylla* Lindl. foliage-based diets with barley or shrubs from arid areas (*Opuntia ficus-indica* f. *inermis* and *Atriplex nummularia* L.) on growth and digestibility in lambs, 96 (2002) 15
In vitro digestibility of forages as influenced by source of inoculum (sheep rumen versus Rusitec fermenters) and diet of the donor sheep, 97 (2002) 41

The nutritional value of *Lathyrus cicera* and *Lupinus angustifolius* grain for sheep, 99 (2002) 45
Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1
Measurement of yield and in situ dry matter degradability of maize varieties harvested at two stages of maturity in sheep, 100 (2002) 53

Sheep digestion
Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Sheep production
Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Sheep supplementation
Effects of energy and protein supplementation on microbial-N synthesis and allantoin excretion in sheep fed guinea grass, 84 (2000) 167

Sheep versus cattle
The effect of animal species on in sacco degradation of dry matter and protein of feeds in the rumen, 83 (2000) 273

Sheep wether
The effect of animal species (cattle or sheep) and level of intake by cattle on in vivo digestibility of concentrate ingredients, 80 (1999) 135

Sheep-lamb
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93

Shell strength
Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Shellfish wastes, lamb performance
The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179

Shrimp shell waste
The effect of shrimp shell waste on ruminal bacteria and performance of lambs, 95 (2002) 179

Shrub legumes
Nutrient intake and utilisation by goats fed dried leaves of the shrub legumes *Acacia angustissima*, *Calliandra calothyrsus* and *Leucaena leucocephala* as supplements to native pasture hay, 91 (2001) 95

Shrubs
Influence of alkaloid content on intake of subspecies of *Chamaecytisus proliferus*, 85 (2000) 279

Silage
Effect of freezing and grinding method on near-infrared reflectance (NIR) spectra variation and chemical composition of fresh silage, 78 (1999) 57
The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325
Rumen and blood variables in steers fed grass silage or whole-crop fodder beet silage, 81 (1999) 221
The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
The use of tannins as silage additives: effects on silage composition and mobile bag disappearance of dry matter and protein, 82 (1999) 243
An automated system for measuring gas production from forages inoculated with rumen fluid and its use in determining the effect of enzymes on grass silage, 83 (2000) 205
Alternative home-grown protein sources for ruminants in the United Kingdom, 85 (2000) 23
The effect of bacterial inoculants on the fermentation and aerobic stability of whole crop wheat silage, 88 (2000) 39
The use of near infrared spectroscopy to investigate the composition of silages and the rate and extent of cell-wall degradation, 88 (2000) 139
Effect of inoculation of herbage prior to ensiling with *Streptomyces achromogenes* ISP 5028 on chemical composition of silage, 89 (2001) 83
The effects of concentrate energy source on feed intake and rumen fermentation parameters of dairy cows offered a range of grass silages, 90 (2001) 117
Examination of a technology for silage making in plastic bags, 91 (2001) 213
Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33

Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159
The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water, 94 (2001) 171
The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161
Effect of protein and energy supplements on milk production in organic farming, 98 (2002) 103
Evaluation of a rapid method for estimating free amino acids in silages, 99 (2002) 177

Silage additive
Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO_2-treated wheat straw, 92 (2001) 175

Silage composition
Effects of oven- or freeze-drying on chemical composition and NIR spectra of pasture silage, 80 (1999) 309

Silage degradability
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 2. Rumen fermentation and digesta passage rate, 84 (2000) 229

Silage quality
The potential of forage–maize intercrops in ruminant nutrition, 86 (2000) 157

Silage to concentrate ratio
The in situ ruminal degradability of concentrate feedstuffs in steers as affected by level of feed consumption and ratio of grass silage to concentrate, 100 (2002) 15

Silvopastoral practice
Traditional knowledge and fodder potential of the genus *Buddleia* in the Highlands of Chiapas, Mexico, 80 (1999) 123

Single cell protein
Influence of dairy *Penicillium spp.* on nutrient content of citrus fruit peel, 78 (1999) 169
Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Sinigrin
Influence of water soaking of mustard cake on glucosinolate hydrolysis, 99 (2002) 215

Siris
Utilisation of tropical dry season grass by ruminants is increased by feeding fallen leaf of siris (*Albizia lebbeck*), 96 (2002) 175

Slaughterhouse offal
Formic acid–sodium benzoate preserved slaughterhouse offal and supplementary folic acid in mink diet, 78 (1999) 39

Small ruminants
Feed selection and dietary preferences of forage by small ruminants grazing natural pastures in the Sahelian zone of Cameroon, 88 (2000) 253

Smooth bromegrass
Divergent selection for two laboratory predictors of voluntary intake: relationships among the predictors and leaf morphology variables, 84 (2000) 107

Sodium
The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment, 96 (2002) 147

Sodium hydroxide
Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide, 83 (2000) 313
Effect of sodium hydroxide and alkaline hydrogen peroxide treatment on physical and chemical characteristics and IVOMD of mustard straw, 84 (2000) 257

Solar-dried blood meal
Chemical composition of solar-dried blood meal and its effect on performance of broiler chickens, 81 (1999) 299

Soluble carbohydrates
Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223

Soluble lignin
Characterization of soluble lignin released from alfalfa by sheep digestion, 80 (1999) 321

Soluble non-ammonia nitrogen
Quantitation of the flow of soluble non-ammonia nitrogen entering the omasal canal of dairy cows fed grass silage based diets, 96 (2002) 203

Soluble tannins
Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

Sorbents
Development of a multi-tiered approach to the in vitro prescreening of clay-based enterosorbents, 93 (2001) 17

Sorghum
Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17
Composition and in vitro gas production of whole stems and cell walls of different genotypes of pearl millet and sorghum, 98 (2002) 73

Sorghum stover
Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265
Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57

SO_2-treated wheat straw
Changes in thioacidolysis products of lignin in wheat straw as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 80 (1999) 55
Changes in the alkaline-labile phenolic compounds of wheat straw cell walls as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 83 (2000) 115
Digestion by sheep of monosaccharide constituents of direct cut alfalfa silage made with SO_2-treated wheat straw, 92 (2001) 175

Sows
Effect of dietary fibre on the energy value of feeds for pigs, 90 (2001) 35
Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53
Dietary fibre for pregnant sows: effect on performance and behaviour, 90 (2001) 71

Soyabean
Apparent protein digestibility and recovery of endogenous nitrogen at the terminal ileum of pigs fed diets containing various soyabean products, peas or rapeseed hulls, 80 (1999) 231
Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Soya bean products
The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products, 87 (2000) 173

Soyabean protein
Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331

Soya oil
Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Soyabean meal
Fermentation characteristics of cell-wall sugars from soya bean meal, and from separated endosperm and hulls of soya beans, 79 (1999) 179
Effect of ethanol concentration and application period of soyabean meal on the kinetics of ruminal digestion, 79 (1999) 247
The effect of supplementing grass silage with soya bean meal on digestibility, in sacco degradability, rumen fermentation and methane production in sheep, 97 (2002) 127
Apparent ileal digestibility of amino acids in protein feedstuffs and diet formulation based on total vs digestible lysine for poultry, 98 (2002) 203

Soybean
Laboratory procedure to determine protein digestibility of heat-treated feedstuffs for dairy cattle, 96 (2002) 1

Soybean hulls
Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Soybean meal
Indigenous feed microflora and *Salmonella typhimurium* marker strain survival in poultry mash diets containing varying levels of protein, 76 (1998) 23
Carbohydrate-binding and agglutinating lectins in raw and processed soybean meals, 76 (1999) 335
Effect of heat treatment of soybean meal and fish meal on amino acid digestibility in mink and dairy cows, 84 (2000) 83
Replacement of soybean meal and barley grain by chickpeas in lamb and kid fattening diets, 96 (2002) 103

Soybean oil
Soy hulls as a replacement for maize in lactating dairy ewe diets with or without dietary fat supplements, 76 (1998) 65

Spearmint
Effects of feeding ensiled spearmint (*Mentha spicata*) byproduct on nutrient utilization and ruminal fermentation of steers, 92 (2001) 33

Spreadable butter
Milk fat enriched in *n*-3 fatty acids, 98 (2002) 143

Spreadsheet
UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Stability
Stability of bacitracin methylene disalicylate and chlortetracyline in combination in a pelleted pig feed, 81 (1999) 35

Stable isotopes
An assessment of the microbial colonization of forage in the rumen of dairy cows and camels, 76 (1999) 207

Stage of maturity
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change, 85 (2000) 239

Standardization
The development and transfer of undried grass silage calibrations between near infrared reflectance spectroscopy instruments, 78 (1999) 325

Starch
Effect of pressure toasting on the rumen degradability and intestinal digestibility of whole and broken peas, lupins and faba beans and a mixture of these feedstuffs, 76 (1998) 35
Effects of pressure toasting, expander treatment and pelleting on in vitro and in situ parameters of protein and starch in a mixture of broken peas, lupins and faba beans, 78 (1999) 109
Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223
Hydrothermal and β-glucanase effects on the nutritional and physical properties of starch in normal and waxy hull-less barley, 81 (1999) 205
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
Stage of maturity, processing, and hybrid effects on ruminal in situ disappearance of whole-plant corn silage, 86 (2000) 83
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199
Contribution of storage and structural polysaccharides to the fermentation process and nutritive value of lucerne ensiled alone or mixed with cereal grains, 92 (2001) 159
Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115
Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
Influence of micronization temperature and preconditioning on performance and digestibility in piglets fed barley-based diets, 95 (2002) 73
Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175

Starch digestibility
Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45

Starch protection
The effect of chemical treatment of barley on starch digestion in ruminants, 77 (1999) 73
Protection of starch in barley against rumen degradation by glutaraldehyde and formaldehyde as assessed by the dacron bag technique, 77 (1999) 83

Status indicators
Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Steam treatment
Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1998) 345

Steer
Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49
The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers, 87 (2000) 279
Residual metabolizable feed consumption as a method of comparing feed efficiency in steers fed silage and silage–grain diets, 92 (2001) 87
Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113
Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115
Relationships between ruminal dry matter and starch disappearance and apparent digestibility of barley grain, 94 (2001) 155
Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15
Effect of rates and extent of ruminal barley grain dry matter and starch disappearance on bloat, liver abscesses, and performance of feedlot steers, 97 (2002) 145
Relationship between in vitro gas production profiles of forages and in vivo rumen fermentation patterns in beef steers fed those forages, 98 (2002) 13
Effects of supplemental organic chromium on growth, feed efficiency and carcass characteristics of feedlot steers, 98 (2002) 121
Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Steer calves
Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Stem
Fermentation kinetics of stems of sorghum and millet genotypes, 81 (1999) 17
Nutritional properties of the leaf and stem of rice straw, 83 (2000) 57

Steroidal saponin
Metabolism of diosgenin-derived saponins: implications for hepatogenous photosensitization diseases in ruminants, 91 (2001) 157

Stochastic
UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Stockpiled
Effects of summer management and fall harvest date on ruminal in situ degradation of crude protein in stockpiled bermudagrass, 96 (2002) 119

Storage
Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257
Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Storage molds
Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Stover
The effect of variety on maize grain and crop residue yield and nutritive value of the stover, 79 (1999) 165

Straw
Differences in chemical composition and fibre digestion of rice straw with, and without, anhydrous ammonia from 53 rice varieties, 79 (1999) 129

Rumen degradation in sacco in sheep of wheat straw treated with calcium oxide, sodium hydroxide and sodium hydroxide plus hydrogen peroxide. 83 (2000) 313
Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes. 87 (2000) 163

Straw intake
Leaf content of straw diets influences supplementation responses by sheep. 100 (2002) 93

Streptomyces griseus
Rumen escape protein in concentrate ingredients determined with the nylon bag and enzymatic techniques. 97 (2002) 247

Structural carbohydrates
Effect of length of ensiling on silo degradation and digestibility of structural carbohydrates of lucerne and orchardgrass. 92 (2001) 141

Structure
Analysis of hydrolysable tannins. 91 (2001) 3
Analysis of condensed tannins: a review. 91 (2001) 21

Substitution rate
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 1. Feed intake, digestibility and body weight change. 85 (2000) 239

Sub-tropical
The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment. 96 (2002) 147

Sucrose
Lactose, sucrose, and molasses in simple and complex diets for nursery pigs. 93 (2001) 127

Sugar beet pulp
Effect of sodium bicarbonate supplementation and variation in the proportion of barley and sugar beet pulp on growth performance and rumen, blood and carcass characteristics of young entire male lambs. 82 (1999) 37

Sugar composition
Fermentation of the endosperm cell walls of monocotyledon and dicotyledon plant species by faecal microbes from pigs. The relationship between cell wall characteristics and fermentability. 88 (2000) 13

Sugar profiles
Optimization of steam treatment as a method for upgrading rice straw as feeds. 76 (1999) 345
Cellulase treatment of untreated and steam pretreated rice straw — effect on in vitro fermentation characteristics. 88 (2000) 189

Sugarcane
Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.). 78 (1999) 313

Sugarcane residues
Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters. 100 (2002) 31

Sugarcane tops
The nutritional composition, fermentation characteristics, in sacco degradation and fungal pathogen dynamics of sugarcane tops ensiled with broiler litter with or without water. 94 (2001) 171

Sulfide
Effects of various compounds on in vitro ruminal fermentation and production of sulfide. 84 (2000) 69

Summer
The effect of sodium chloride supplementation on the milk production of grazing Holstein Friesian cows during summer and autumn in a humid sub-tropical environment. 96 (2002) 147

Sunflower seed
A short note on effect of enzyme supplement on the nutritive value of broiler chick diets containing maize, soyabean meal and full-fat sunflower seed. 78 (1999) 153
Carcass quality, meat chemical and fatty acid composition of lambs fed diets containing extruded soybeans and sunflower seeds. 97 (2002) 103

Sunflower seed meal
Effect of supplementing napier grass (*Pennisetum purpureum*) with poultry litter and sunflower meal based concentrates on feed intake and rumen fermentation in Friesian steers, 92 (2001) 113

Supplement
Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95
The nutritional value of *Piliostigma thonninghii* (Mutukutu, Monkey bread) pods as a feed supplement for communal cattle in Zimbabwe, 78 (1999) 287
Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers, 79 (1999) 211
Chemical composition and degradation characteristics of foliage of some African multipurpose trees, 86 (2000) 27

Supplement intake
Liquid supplementation of grazing cows and calves, 80 (1999) 281
Pellet and block supplements for grazing ewes, 96 (2002) 193

Supplementation
Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67
Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279
Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels, 87 (2000) 57
Studies on blood biochemical constituents and rumen fermentation in growing buffalo calves fed ammoniated straw-based rations supplemented with different protein sources, 89 (2001) 119
Phosphorus nutrition of grazing cattle: a review, 89 (2001) 133

Survival
Increased survival of neonatal pigs by supplementing medium-chain triglycerides in late-gestating sow diets, 76 (1998) 241

Survival feed
Broiler litter as a source of selenium for sheep, 78 (1999) 263

Sweet potato vines
A note on a comparison of the feeding value of sweet potato vines and lucerne meal for broiler chickens, 85 (2000) 145

Synchronicity
Interpretation of rumen degradability of concentrate feeds with a Gompertz model, 79 (1999) 223

Syndromes
Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Synthetic fibre bags
Colonization and source of N substrates used by microorganisms digesting forages incubated in synthetic fibre bags in the rumen, 83 (2000) 261

Synthetic polymers
Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

T

Tall fescue
Ergovaline levels in cultivars of *Festuca arundinacea*, 93 (2001) 169

Tallow
Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279

Tamarind seed husk
Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67
Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143

Tannin
Digestibility of some tropical browse species varying in tannin content, 76 (1999) 77
Palatability and effect on dairy cow milk yield of dried fodder from the forage trees *Acacia boliviana*, *Calliandra calothyrsus* and *Leucaena leucocephala*, 77 (1999) 49
Intake, digestibility, urinary excretion of purine derivatives and growth by sheep given fresh, air-dried or polyethylene glycol-treated foliage of *Acacia cyanophylla* Lindl., 78 (1999) 297
Effects of ruminal inoculations with tannin-tolerant bacteria on fibre and nitrogen digestibility of lambs fed a high condensed tannin diet, 81 (1999) 69
In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
Effect of feeding tamarind (*Tamarindus indica*) seed husk as a source of tannin on dry matter intake, digestibility of nutrients and production performance of crossbred dairy cows in mid-lactation, 83 (2000) 67
Evaluation of Bengal gram (*Cicer arietinum*) husk as a source of tannin and its interference in rumen and post-rumen nutrient digestion in sheep, 85 (2000) 131
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG): the effect of sample pretreatment on dry matter and nitrogen digestibility as well as PEG binding of *Calliandra calothyrsus*, 86 (2000) 149
Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties, 87 (2000) 41
Effects of multinutrient blocks and polyethylene glycol 4000 supplies on intake and digestion by sheep fed *Acacia cyanophylla* Lindl. foliage-based diets, 88 (2000) 219
Effect of tamarind (*Tamarindus indica*) seed husk tannins on in vitro rumen fermentation, 90 (2001) 143
Analysis of condensed tannins: a review, 91 (2001) 21
Evaluation of toxicity of *Acacia angustissima* in a rat bioassay, 91 (2001) 41
Microbial interactions with tannins: nutritional consequences for ruminants, 91 (2001) 83
Method of polyethylene glycol application to tannin-containing browses to improve microbial fermentation and efficiency of microbial protein synthesis from tannin-containing browses, 92 (2001) 51
Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93
Chemical composition of four parasitic plants harvested over a period of 6 months from two sites in Botswana, 95 (2002) 159
Effects of supplementation of a basal diet of maize stover with different amounts of *Leucaena diversifolia* on intake, digestibility, nitrogen metabolism and rumen parameters in sheep, 98 (2002) 131

Tannin containing shrub legumes
The effect of PEG addition in vitro on dry matter and nitrogen digestibility of *Calliandra calothyrsus* and *Leucaena leucocephala* leaf, 85 (2000) 259

Tannin content
Tannin content, nutritive value and dry matter digestibility of *Lonchocarpus capassa*, *Zizyphus mucronata*, *Sclerocarya birrea*, *Kirkia acuminata* and *Rhus lancea* seeds, 91 (2001) 107

Tannin-binding agents
Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants, 91 (2001) 69

Tanniniferous shrubs
Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages, 87 (2000) 287

Teaching
UNEForm: a powerful feed formulation spreadsheet suitable for teaching or on-farm formulation, 91 (2001) 233

Techniques
The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters, 87 (2000) 231

Technological process
Degradation in the rumen of lupin (*Lupinus albus* L.) and pea (*Pisum sativum* L.) seed proteins. Effect of heat treatment, 92 (2001) 215

Temperature
Influence of storage time and temperature on in vitro digestion of neutral detergent fibre at 48 h, and comparison to 48 h in sacco neutral detergent fibre digestion, 80 (1999) 257

Tethered
Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Thiamine
Effect of radiation processing as an integral part of the safe recycling animal waste, 77 (1999) 267

The DVE/OEB model
An analysis of the nutritive value of heat processed legume seeds for animal production using the DVE/OEB model: a review, 99 (2002) 141

Thigh meat quality
Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Thin stillage
Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247

Thioacidolysis
Changes in thioacidolysis products of lignin in wheat straw as affected by SO_2 treatment and passage through the gastro-intestine of sheep, 80 (1999) 55

Thiobarbituric acid reactive substance (TBARS)
Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Thiocyanate ions
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Thousand grain weight
Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1

Threonine
Effects of dietary threonine on performance, plasma parameters and immune function of growing pigs, 78 (1999) 179
Threonine and crude protein responses in broiler chicks, 94 (2001) 57

Thyroid
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 1. Animal performance and thyroid histology, 81 (1999) 81
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 2. Plasma substances and activity of the thyroid, 81 (1999) 93

Thyroid hormones
Effect of environmental temperature on performance and on physiological and hormonal parameters of gilts fed at different levels of digestible energy, 81 (1999) 319
Effect of untreated, HCl treated or copper and iodine supplemented high glucosinolate mustard (*Brassica juncea*) meal on nutrient utilization, liver enzymes, thyroid hormones and growth of calves, 92 (2001) 73

Tibetan forages
Feed value of native forages of the Tibetan Plateau of China, 80 (1999) 101

Time
Optimization of steam treatment as a method for upgrading rice straw as feeds, 76 (1999) 345

Time of day
Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

Tissue
Effects of high dietary molybdenum concentration and duration of feeding time on molybdenum and copper metabolism in sheep, 79 (1999) 93

Titanium dioxide
A comparison of total collection and marker technique for the measurement of apparent digestibility of diets for growing pigs, 89 (2001) 49

Titers
Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

TLC
Analysis of hydrolysable tannins, 91 (2001) 3

α-Tocopherol
Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165

Tofu residues
Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Total phenolics
Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Total tract digestibility
Total tract and ileal nutrient digestibility of a diet fed as mash or crumbled pellets to two laying hybrids, 77 (1999) 229

Toxicity
A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Toxicological
Value of *Aspergillus niger* fermentation product as a dietary ingredient for broiler chickens, 91 (2001) 171

Trace element
Effect of elevated cobalt intake on fermentative parameters and protozoan population in RUSITEC, 91 (2001) 223

Trace-minerals
The effects of phytase on growth performance, carcass characteristics, and bone mineralization of late-finishing pigs fed maize–soyabean meal diets containing no supplemental phosphorus, zinc, copper and manganese, 94 (2001) 199

Transit stress
Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Transit time
Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71

***Trans*-vaccenic acid**
Nutrient digestion, biohydrogenation, and fatty acid profiles in blood plasma and milk fat from lactating Holstein cows fed canola oil or canolamide, 97 (2002) 65

Treatments
Recent research on improving the quality of grain legumes for chicken growth, 76 (1998) 185

Tree fodder
The basis of indigenous knowledge of tree fodder quality and its implications for improving the use of tree fodder in developing countries, 81 (1999) 119

Tree leaves
Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species, 88 (2000) 103

Tree legumes
Intake, digestibility and nitrogen utilization of three tropical tree legumes. I. As sole feeds compared to *Asystasia intrusa* and *Brachiaria brizantha*, 82 (1999) 91

Tripsacum dactyloides
Comparison of eastern gamagrass grain and cottonseed meal as supplements for sheep fed mature eastern gamagrass hay, 76 (1998) 95

Triticale
Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1999) 219

Tropical browse
Digestibility of some tropical browse species varying in tannin content, 76 (1998) 77
Nutritional uniformity of crude protein fractions in some tropical browse plants estimated by two in vitro methods, 78 (1999) 141

Nutritional uniformity of neutral detergent solubles in some tropical browse leaf and pod diets, 82 (1999) 63
In vitro digestion studies using ^{14}C-labelled polyethylene glycol (PEG) 4000: comparison of six tanniniferous shrub legumes and the grass *Panicum maximum*, 85 (2000) 215
An approach to screening potential pasture species for condensed tannin activity, 85 (2000) 269

Tropical browse plants
Partitioning of energy and degradability of browse plants in vitro and the implications of blocking the effects of tannin by the addition of polyethylene glycol, 95 (2002) 93

Tropical feeds
Estimation of net ruminal protein synthesis from urinary allantoin excretion by bulls given tropical feeds, 81 (1999) 279

Tropical forage legumes
In vitro microbial fermentation and protein utilisation of tropical forage legumes grown during the dry season, 95 (2002) 1

Tropical forages
Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Tropical grass
The effect of a lactic acid bacterial inoculant with enzymes on the fermentation dynamics, intake and digestibility of *Digitaria eriantha* silage, 81 (1999) 237
In vitro microbial fermentation of tropical grasses at an advanced maturity stage, 83 (2000) 145

Tropical legumes
In vitro quality assessment of tannin-containing tropical shrub legumes: protein and fibre digestion, 82 (1999) 227
Content of soluble and bound condensed tannins of three tropical herbaceous forage legumes, 83 (2000) 139

True digestibility
Variation in apparent and true ileal amino acid digestibility in barley using a rat model, 76 (1998) 9

Trypsin inhibitor activity
Trypsin inhibitor activity of legume seeds (peas, chickling vetch, lentils, and soya beans) as affected by the technique of harvest, 86 (2000) 261

Trypsin inhibitors
Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Tuna oil
Utilisation of fish oil in ruminants. I. Fish oil metabolism in sheep, 89 (2001) 189
Utilisation of fish oil in ruminants. II. Transfer of fish oil fatty acids into goats' milk, 89 (2001) 201

U

UMMB
Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117

Unconventional feed
Response of single comb White Leghorn layers to dietary inclusion of raw or alkali-treated neem (*Azadirachta indica*) kernel meal, 76 (1998) 169

Undegradable intake protein
The relationship between intestinally available protein and detergent insoluble protein of feedstuffs, 78 (1999) 101

Undegraded intake protein
Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows, 87 (2000) 95

Underfeeding
Effect of a drastic and extended underfeeding on digestion in Barbary ewe, 100 (2002) 1

Upgrading
Effect of different chemical treatments on nutritional and antinutritional properties of coffee pulp, 99 (2002) 195

Urea
Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49
Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195
Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253
Urea and biuret as nonprotein nitrogen sources in cooked molasses blocks for steers fed prairie hay, 94 (2001) 115

Urea treatment
Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281
Studies on untreated and urea-treated rice straw from three cultivation seasons: 3. Histological investigations by light and scanning electron microscopy, 80 (1999) 151
Feeding dairy heifers untreated or urea-treated fibrous sugarcane residues: effect on dry matter intake, growth, and metabolic parameters, 100 (2002) 31

Urease activity
Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets, 87 (2000) 105

Urinary excretion
Urinary pH and mineral excretion of cows fed four different forages supplemented with increasing levels of an anionic compound feed, 98 (2002) 153

Urinary purine derivatives
Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203

Urinary spot sample
Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

Urine output
Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake, 85 (2000) 223

V

VAP
Value for animal production (VAP): a new criterion for tropical forage evaluation, 96 (2002) 31

Variance
Partitioning of variance in true metabolizable energy determinations: an example using wheat data, 80 (1999) 29

Variety
Influence of variety and storage for up to 22 days on nutrient composition and gossypol level of Pima cottonseed (*Gossypium* spp.), 91 (2001) 149
Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237
Influence of dehulling of rape seeds on chemical composition of meal, 96 (2002) 237

Veal calves
Fat digestion and faecal bile acid excretion in veal calves fed milk replacers containing either coconut fat or tallow, 81 (1999) 161
The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129

Verano stylo
Performance of rabbits on Guinea grass and Verano stylo hays in the dry season and effect of concentrate supplementation, 80 (1999) 67

Vertical structure
Vertical distribution of biomass, chemical composition and pepsin—cellulase digestibility in a perennial ryegrass sward: interaction with month of year, regrowth age and time of day, 84 (2000) 49

VFA
In vitro fermentation of polydextrose by bovine ruminal microorganisms, 93 (2001) 115

VFA production
Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon, 87 (2000) 131

Vicia sativa
Lupinus luteus, *Vicia sativa* and *Lathyrus cicera* as protein sources for piglets: ileal and total tract apparent digestibility of amino acids and antigenic effects, 89 (2001) 1

5-Vinyl-1,3-oxazolidine-2-thione
Chemical changes and influences of rapeseed antinutritional factors on lamb physiology and performance. 3. Antinutritional factors in plasma and organs, 85 (2000) 111

Virus infection
Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217

Viscosity
Nutrient digestibility in Atlantic salmon and broiler chickens related to viscosity and non-starch polysacchride content in different soyabean products, 79 (1999) 331
The effects of sepiolite in broiler chicken diets of high, medium and low viscosity. Productive performance and nutritive value, 85 (2000) 183
Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
Intestinal development and body growth of broiler chicks on diets supplemented with non-starch polysaccharides, 89 (2001) 175

Vitamin
Carotene content of *Azolla* and its variations during drying and storage treatments, 84 (2000) 295

Vitamin E
Effects of supplementation with vitamin E on the performance and the tissue peroxidation of broiler chicks and the stability of thigh meat against oxidative deterioration, 89 (2001) 165
Effect of dietary monounsaturated/saturated fatty acid ratio on fatty acid composition and oxidative stability of tissues in broilers, 95 (2002) 189

Volatile fatty acids
Effect of short-chain acids and glycerol on the proteolytic activity of rumen fluid, 78 (1999) 341
Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet, 87 (2000) 71
Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism, 87 (2000) 215

Voluntary intake
Pasture availability and dry matter intake of lactating crossbred cows grazing elephant grass (*Pennisetum purpureum*, Schum.), 78 (1999) 313
Effect of selective consumption on voluntary intake and digestibility of sorghum (*Sorghum bicolor* L. Moench) stover, cowpea (*Vigna unguiculata* L. Walp.) and groundnut (*Arachis hypogaea* L.) haulms by sheep, 84 (2000) 265

W

Washing loss
Effect of variety, stages of maturity and botanical fractions on phosphorous concentration and in situ degradability characteristics of phosphorous of whole crop rice silage, 92 (2001) 237

Wastes
Microbial conversion of lignocellulosic residues for production of animal feeds, 98 (2002) 1

Water consumption
Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Water extract viscosity
Influence of R genome on the nutritional value of triticale for broiler chicks, 76 (1998) 219

Water holding capacity
Characterisation of feedstuffs for ruminants using some physical parameters, 86 (2000) 53

Water salinity
Effect of water salinity on the composition and in vitro digestibility of winter-annual ryegrass grown in the Arava desert, 91 (2001) 139

Water spinach
Estimation of neutral detergent fibre degradation in pigs by an in vitro method, 95 (2002) 205

Waxy barley
Effect of barley and its amylopectin content on ruminal fermentation and bacterial utilization of ammonia-N in vitro, 99 (2002) 25

Weaning
Effects of starch and protein sources, heat processing, and exogenous enzymes in starter diets for early weaned rabbits, 98 (2002) 175
Microbial activity in the caecum of the rabbit around weaning: impact of a dietary fibre deficiency and of intake level, 99 (2002) 107
Use of spray dried animal plasma as an alternative to antimicrobial medication in weanling pigs, 99 (2002) 119
Effect of dietary inclusion of concentrated separator by-product and weaning management on performance of newly received feedlot steers, 100 (2002) 43

Weanling piglet
Bioavailability of iron from amino acid complex in weanling pigs, 86 (2000) 39

Weight gain
Dry season supplementation of goats tethered on range supplemented with cowpea or groundnut residues with or without fresh leucaena leaves, 76 (1998) 1

Welfare
The effect of four fibrous feed supplementations on different welfare traits in veal calves, 84 (2000) 129
Effect of dietary fibre on the behaviour and health of the restricted fed sow, 90 (2001) 53

Wheat
Application of a method to determine ileal digestibility in broilers of amino acids in wheat, 79 (1999) 195
Chemical characterization and in vitro crude protein degradability of thin stillage derived from barley- and wheat-based ethanol production, 80 (1999) 247
Effects of different grinding methods and particle size of barley and wheat on pig performance and digestibility, 83 (2000) 1
Correlation between physical measurements and dietary energy values of wheat for poultry and pigs, 84 (2000) 1
Rumen digestibility of starch and nitrogen in near-isogenic lines of wheat, 85 (2000) 33
Effect of methods of analysis and heat treatment on viscosity of wheat, barley and oats, 88 (2000) 1
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199
Research note: a consistent low starch digestibility observed in pelleted broiler chicken diets containing high levels of different wheat varieties, 92 (2001) 45
Influence of processing variables during micronization of wheat on starch structure and subsequent performance and digestibility in weaned piglets fed wheat-based diets, 93 (2001) 93
Dry matter yield and nutritive value of pea/wheat bi-crops differing in maturity at harvest, pea to wheat ratio and pea variety, 94 (2001) 77
Assessment of the nutritive value of whole crop peas and intercropped pea–wheat bi-crop forages harvested at different maturity stages for ruminants, 96 (2002) 43
The effect on voluntary feed intake, in vivo digestibility and nitrogen balance in sheep of feeding grass silage or pea–wheat intercrops differing in pea to wheat ratio and maturity, 96 (2002) 161
Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

Wheat bran
Evaluation of date-feed ingredients mixes, 81 (1999) 291
Feed intake, digestibility, plane of nutrition and live weight gain by crossbred growing bulls fed on grainless diets containing different nitrogen sources, 83 (2000) 195
Nutritive value of coarse and fine wheat brans for rabbits, 88 (2000) 239
Addition of rice straw or/and wheat bran on composition, ruminal degradability and voluntary intake of bamboo shoot shells silage fed to sheep, 91 (2001) 129

Wheat diets
Effects of acid and alkali concentration on in vitro measurement of wheat viscosity, 98 (2002) 237

Wheat middlings
Storage of pelleted wheat middlings in farm bins, 88 (2000) 47

Wheat straw
Effect of different planes of nutrition on urea molasses mineral block intake, nutrient utilization, rumen fermentation pattern and blood profile in Murrah buffaloes (*Bubalus bubalis*), 76 (1998) 117
Effect of different levels of berseem (*Trifolium alexdrinum*) supplementation of wheat straw on some physical factors regulating intake and digestion, 81 (1999) 133
Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed, 87 (2000) 253

Whole crop wheat
Ensiling of whole crop wheat with cellulase–hemicellulase based enzymes. 3. Comparing effects of urea or enzyme treatment on forage composition and stability, 82 (1999) 51

Whole meal flour
Effect of lactic acid fermentation of wheat and barley whole meal flour on carbohydrate composition and digestibility in mink (*Mustela vison*), 90 (2001) 199

Whole seed
Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants, 87 (2000) 203

Whole wheat
Effect of feeding whole wheat on performance of broiler chickens, 96 (2002) 229
Effects of wheat structure and viscosity on coccidiosis in broiler chickens, 98 (2002) 37

Whole-crop wheat
Effect of stage of growth at harvest and level of urea application on chemical changes during storage of whole-crop wheat, 77 (1999) 281
Energy and protein supplementation of lactating dairy cows offered urea treated whole-crop wheat as the sole forage, 82 (1999) 177

Wilting
The influence of wilting and forage additive type on the energy utilisation of grass silage by growing cattle, 79 (1999) 15
Effect of silage dry matter content and rapeseed meal supplementation on dairy cows. 1. Milk production and feed utilisation, 84 (2000) 213

Wool growth
Wool growth in Merino wethers fed lupins untreated or treated with heat or formaldehyde, with and without a supplementation of rumen protected methionine, 82 (1999) 213
The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in ewes during autumn, 92 (2001) 185

Work bulls
Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

Work output
Effect of supplementary feeding of cotton seed cake on feed intake, water consumption and work output of work bulls in Borno state, Nigeria, 79 (1999) 137

X

Xylanase
Enzymatic assays for xylanase and β-glucanase feed enzymes, 77 (1999) 345
Interactions between dietary fat type and enzyme supplementation in broiler diets with high pentosan contents: effects on precaecal and total tract digestibility of fatty acids, metabolizability of gross energy, digesta viscosity and weights of small intestine, 84 (2000) 279
Exogenous enzymes in monogastric nutrition — their current value and future benefits, 86 (2000) 1
Effects of fungal enzyme preparations on hydrolysis and subsequent degradation of alfalfa hay fiber by mixed rumen microorganisms in vitro, 88 (2000) 153

Y

Yeast culture
Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows, 76 (1999) 195

Assessment of the effects of supplementing rabbit diets with a culture of *Saccharomyces cerevisiae* using growth performance, blood composition and clinical enzyme activities, 77 (1999) 25

Saccharomyces cerevisiae and nitrogenous supplementation in growing steers grazing tropical pastures, 83 (2000) 49

Effect of a yeast culture (*Saccharomyces cerevisiae*) and monensin on ruminal fermentation and digestion in sheep, 83 (2000) 165

The effects of feeding monensin and yeast culture, alone or in combination, on the concentration and generic composition of rumen protozoa in steers fed on low-quality pasture supplemented with increasing levels of concentrate, 84 (2000) 121

Yellow maize

Evaluation of date-feed ingredients mixes, 81 (1999) 291

Yellow-seeded canola

Nutritive value for broilers of meals derived from newly developed varieties of yellow-seeded canola, 78 (1999) 249

Yolk colour

Effects of feeding pearl millet on laying hen performance and egg quality, 76 (1998) 89

Young pigs

Processing of barley and enzyme supplementation in diets for young pigs, 95 (2002) 113

Ytterbium precipitation

Proanthocyanidins and other phenolics in Acacia leaves of Southern Africa, 91 (2001) 59

Z

Zearalenone

A review of worldwide contamination of cereal grains and animal feed with *Fusarium* mycotoxins, 78 (1999) 21

Fusarium mycotoxins: a review of global implications for animal health, welfare and productivity, 80 (1999) 183

Zebu cattle

Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle, 92 (2001) 203

Zinc

Changes in zinc and manganese availability in broiler chicks induced by vegetal and microbial phytases, 77 (1999) 241

Incidence of dietary viscosity on growth performance and zinc and manganese bioavailability in broilers, 77 (1999) 255

Interaction of dietary zinc and growth implants on weight gain, carcass traits and zinc in tissues of growing beef steers and heifers, 95 (2002) 15

Zinc methionine

Dietary zinc and manganese sources administered from the fetal stage onwards affect immune response of transit stressed and virus infected offspring steer calves, 93 (2001) 217


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5